Eaton UFTH7330UCH

Catalog Number: UFTH7330UCH

Eaton meter socket, 1-pos commercial or resi service, 320A, Over/under, 5x5 inch hub cover plate, 7-jaw, 3-ph, 3/8 inch stud, Barrel lock w guard provisions, Lever bypass, Gnd conn (#14-#2 Cu), Triplex, 4-wire, Ringless, 600 Vac



General specifications

Product Name Eaton meter socket UPC 782116300198 Product Height 39.88 in Product Weight 45 lb

UFTH7330UCH Product Length/Depth 6.5 in

Product Width 20 in

Catalog Number

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Certifications UL Listed



defaultTaxonomyAttributeLabel

Special features

Barrel lock provisions

Туре

Single-position commercial or residential service

Amperage Rating

320A

Feed type

Top/bottom

Number of jaws

Seven-jaw

Phase

Three-phase

Utility approvals

- IN : Indiana Michigan Power (IMP) (AEP East) MI : Indiana Michigan Power (IMP) (AEP East)
- OH : AEP Ohio (AEP East)
- TN : Appalachian Power (AEP East)
- VA : Appalachian Power (AEP East)
- WV : Appalachian Power (AEP East)

Line

3/8 in stud

Load

3/8 in stud

Number of wires

Four-wire

Hub type

5 x 5 hub cover plate

Security

Ringless

Voltage rating

600 V

Bypass

Lever

Number of sockets

1

Resources

Brochures

Single Meter Sockets

Catalogs Eaton's Volume 1—Residential and Light Commercial

Specifications and datasheets

Eaton Specification Sheet - UFTH7330UCH

Metering Equipment - Utilities Servicing Upstate New York



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia