Eaton UTH43369TCH

Catalog Number: UTH43369TCH

Eaton meter socket, 1-pos commercial or resi service, 320A, Over/under, 5x5 inch hub open, #4-600 kcmil, 4-jaw, 1-ph, (2) #6-350 kcmil, Lever bypass, Gnd conn (#14-#2 Cu), Triplex, 3-wire, Ringless, 600 Vac

General specifications



Eaton meter socket

UPC

782116127344

Product Height

36.63 in

Product Weight

35 lb

Catalog Number

UTH43369TCH

Product Length/Depth

5.69 in

Product Width

15 in

Warranty

Eaton Selling Policy 25-000, one (1) year

from the date of installation of the

Product or eighteen (18) months from the

date of shipment of the Product,

whichever occurs first.

Certifications

UL Listed



defaultTaxonomyAttributeLabel

Type

Single-position commercial or residential service

Amperage Rating

320A

Feed type

Top/bottom

Number of jaws

Four-jaw

Phase

Single-phase

Utility approvals

TN: Knoxville Utility Board (KUB)

TX : Oncor

TX: Pedernales Electric Cooperative

NM: Public Service Company of New Mexico (PNM)

Line

#4-600 kcmil

Load

(2) #6-350 kcmil

Number of wires

Three-wire

Hub type

5 x 5 hub opening

Connection

Ground connection

Security

Ringless

Voltage rating

600 V

Bypass

Lever

Number of sockets

1

Resources

Brochures

Single Meter Sockets

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - SKT 320A 1P HO

Specifications and datasheets

Eaton Specification Sheet - UTH43369TCH

Warranty guides

Selling Policy 25-000 - Distribution and Control Products and Services



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia