Eaton UGTH4330UCH

Catalog Number: UGTH4330UCH

Eaton meter socket, 1-pos resi and commercial service, 320A, Over/under, 5x5 inch hub cover plate, 5-jaw, 1-ph, 3/8 inch stud, Lever bypass, Gnd conn (#14-#2 Cu), Triplex, Side-wired, 3-wire, Ringless, Gnd 5th term(9 o'clock pos), 600 Vac

General specifications



Eaton meter socket

UPC

782116196951

Product Height

36.63 in

Product Weight

42 lb

Catalog Number

UGTH4330UCH

Product Length/Depth

5.69 in

Product Width

15 in

Warranty

Eaton Selling Policy 25-000, one (1) year

from the date of installation of the

Product or eighteen (18) months from the

date of shipment of the Product,

whichever occurs first.

Certifications

UL Listed



defaultTaxonomyAttributeLabel

Type

Single-position residential and commercial service

Amperage Rating

320A

Feed type

Top/bottom

Number of jaws

Five-jaw

Phase

Single-phase

Terminals

Grounded fifth terminal (9 o'clock position)

Utility approvals

NY: PSE&G Long Island

Line

3/8 in stud

Load

3/8 in stud

Number of wires

Three-wire

Hub type

5 x 5 hub cover plate

Security

Ringless

Voltage rating

600 V

Bypass

Lever

Number of sockets

1

Resources

Brochures

Single Meter Sockets

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - SKT 320A 1P HCP

Specifications and datasheets

Metering Equipment - Utilities Servicing Upstate New York

Eaton Specification Sheet - UGTH4330UCH



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia