# Eaton UTH4320ACH

# Catalog Number: UTH4320ACH

Eaton meter socket, 1-pos commercial or resi service, 320A, Under, Solid top, 3/8 inch stud, 4-jaw, 1-ph, 3/8 inch stud, Lever bypass, Gnd conn (#14-#2 Cu), Triplex, 3-wire, Ringless, 600 Vac

## General specifications



Eaton meter socket

UPC

782116198092

**Product Height** 

26 in

**Product Weight** 

19 lb

Catalog Number

UTH4320ACH

Product Length/Depth

5.68 in

**Product Width** 

15 in

Warranty

Eaton Selling Policy 25-000, one (1) year

from the date of installation of the

Product or eighteen (18) months from the

date of shipment of the Product,

whichever occurs first.



**UL** Listed



## defaultTaxonomyAttributeLabel

## Type

Single-position commercial or residential service

## Amperage Rating

320A

## Feed type

Bottom

## Number of jaws

Four-jaw

## Phase

Single-phase

## Utility approvals

AL: Huntsville Utilities

#### Line

3/8 in stud

#### Load

3/8 in stud

#### Number of wires

Three-wire

## Hub type

Solid top

## Security

Ringless

## Voltage rating

600 V

## Bypass

Lever

## Number of sockets

1

## Resources

#### **Brochures**

Single Meter Sockets

## Catalogs

Eaton's Volume 1—Residential and Light Commercial

## Drawings

Dimensional Drawing - SKT 320A 1P ST

## Specifications and datasheets

Eaton Specification Sheet - UTH4320ACH



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia