Eaton UTH5300TCH

Catalog Number: UTH5300TCH

Eaton meter socket, 1-pos commercial or resi service, 320A, Over, 5x5 inch hub open, 3/8 inch stud, 5-jaw, 1-ph, 3/8 inch stud, Lever bypass, Gnd conn (#14-#2 Cu), Triplex, 3-wire, Ringless, 600 Vac

General specifications



Eaton meter socket

UPC

782116144679

Product Height

39.88 in

Product Weight

61 lb

Catalog Number

UTH5300TCH

Product Length/Depth

6.5 in

Product Width

20 in

Warranty

Eaton Selling Policy 25-000, one (1) year

from the date of installation of the

Product or eighteen (18) months from the

date of shipment of the Product,

whichever occurs first.

Photo is representative

Certifications

UL Listed



defaultTaxonomyAttributeLabel

Type

Single-position commercial or residential service

Amperage Rating

320A

Feed type

Overhead

Number of jaws

Five-jaw

Phase

Single-phase

Line

3/8 in stud

Load

3/8 in stud

Number of wires

Three-wire

Hub type

5 x 5 hub opening

Security

Ringless

Voltage rating

600 V

Bypass

Lever

Number of sockets

1

Resources

Brochures

Single Meter Sockets

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - SKT 320A 5T HO

Specifications and datasheets

Eaton Specification Sheet - UTH5300TCH



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia