

Eaton 1009018CH

Catalog Number: 1009018CH

Eaton Metered Pedestal , 320A, Single-phase, 600V, Ringless, Solid top, Three-wire, Underground feed, Lever bypass, Four-jaws, #6-350 kcmil line, #6-350 kcmil load



General specifications

Product Name	Catalog Number
Eaton metered pedestal	1009018CH
UPC	Product Length/Depth
782116365685	4.94 in
Product Height	Product Width
63 in	12.97 in
Product Weight	Warranty
65 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Certifications	
UL Listed	

defaultTaxonomyAttributeLabel

Type

Metered pedestal

Amperage Rating

320A

Bypass

Lever

Feed type

Bottom

Line

#6-350 kcmil

Number of jaws

Four-jaw

Phase

Single-phase

Prod load

#6-350 kcmil

Security

Ringless

Voltage rating

600 V

Utility approvals

IA : Alliant (IP&L and WP&L)

WI : Alliant (IP&L and WP&L)

MI : Upper Peninsula Power

WI : WE Energies / Wisconsin Public Service (WPS)

Hub type

Solid top

Number of wires

3

Resources

Brochures

Meter breakers

Single Meter Sockets

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - MTR PED 320A 1P

Specifications and datasheets

Eaton Specification Sheet - 1009018CH

Metering Equipment - Utilities Servicing Wisconsin and Minnesota



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)