



## Catalog No. M282C1P6H010

**Description: 200A HEADPOST MTRD GFCI DUPLEX**

**UPC No 784567209990**

**Home > Service Entrance > Pedestal - Metered**

National Electric Code requires electrical distribution equipment to be rated as "Service Entrance", wherever electrical power enters a building or other structure. Service entrance products are typically utilized on single-family residences and mobile homes. Midwest Electric offers a broad range of surface mount and pedestal units, factory assembled and wired. Pedestal units come standard with loop feed lugs to reduce installation time and labor expense. Service Entrance equipment is made of heavy, galvanized G-90 steel, preventing corrosion and fading.

### Descriptors

| Category | Pedestal - Metered |
|----------|--------------------|
|----------|--------------------|

### Specifications

|                                    |                                    |
|------------------------------------|------------------------------------|
| Heads                              | 1                                  |
| Mounting                           | Galvanized Steel Earth Burial Post |
| Amps                               | 200.0 A                            |
| Metering                           | Ring-Type                          |
| Receptacles                        | 20A GFCI Duplex                    |
| Feed                               | Underground                        |
| Installed Breaker                  | CB4200H                            |
| Additional Breaker Spaces Per Head | 4                                  |
| Wiring Configuration               | Parallel                           |
| AIC                                | 22,000                             |
| Circuit Protection                 | Yes                                |
| Hub Provision                      | No                                 |
| Load Center                        | LCBS<br>LCTL                       |
| Loop Feed                          | Yes                                |
| Phase                              | 1                                  |
| Unit Weight                        | 69.0 lb                            |
| Volts                              | 120/240                            |

### Classifications

|                  |           |
|------------------|-----------|
| Stock Class Code | Non Stock |
|------------------|-----------|

### Approvals

|               |    |
|---------------|----|
| Certification | UL |
|---------------|----|