# Eaton UTE5213TCH

## Catalog Number: UTE5213TCH

Eaton meter socket, Comm, 200A, Over/under, Large hub open, #6-350 kcmil, 5-jaw, 1-ph, #6-350 kcmil, Lever bypass, Gnd conn (#14-#2 Cu), Triplex, 3-wire, Ringless, 600 Vac

#### General specifications



Eaton meter socket

UPC

786685351179

**Product Height** 

19 in

**Product Weight** 

25 lb

Catalog Number

UTE5213TCH

Product Length/Depth

4.94 in

**Product Width** 

13 in

Warranty

Eaton Selling Policy 25-000, one (1) year

from the date of installation of the

Product or eighteen (18) months from the

date of shipment of the Product,

whichever occurs first.

#### Certifications

**UL** Listed



### default Taxonomy Attribute Label

Type

Commercial

**Amperage Rating** 

200A

Feed type

Top/bottom

Number of jaws

Five-jaw

Phase

Single-phase

Utility approvals

MD : First Energy (Potomac Edison)
VA : First Energy (Potomac Edison)
WV : First Energy (Mon Power)

NJ: First Energy (Jersey Central Power and Light)

OH: First Energy (Ohio Edison, Toledo Edison, The Illuminating

Company)

PA: First Energy (Allegheny Power, MET ED, Penelec, West

Penn Power)

WI: WE Energies / Wisconsin Public Service (WPS)

Line

#6-350 kcmil

Load

#6-350 kcmil

Number of wires

Three-wire

Hub type

Large hub opening

Security

Ringless

Voltage rating

600 V

**Bypass** 

Lever

Number of sockets

Resources

**Brochures** 

Single Meter Sockets

Catalogs

Eaton's Volume 1—Residential and Light Commercial

**Drawings** 

Dimensional Drawing - LEVER BY-PASS METER SOCKET, 200A, 1PH, HUB OPENING

Specifications and datasheets

Eaton Specification Sheet - UTE5213TCH



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia