

Rittal – The System.

Faster – better – everywhere.

Pedestals – TP 6706.500

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Pedestals – TP 6706.500

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Material: Housing: Carbon steel, 1.5 mm
Door and console lid: Carbon steel, 2.0 mm, all-round foamed-in PU seal
Mounting plate: Carbon steel, 2.5 mm

Surface finish: dipcoat-primed, powder-coated on the outside, textured paint
Mounting plate: Zinc-plated

Color: RAL 7035

**Protection category
IP to IEC 60 529:** IP 55 provided suitable base plates are selected

**Protection category
NEMA:** NEMA 12 with selection of the appropriate base plate or trim panel

IK code: IK08

Supply includes: Housing open at top
Double door with locking rod, front and rear
Mounting plate, depth-adjustable
Open base for individual cable entry

Base material: Carbon steel

Product features

Dimensions: Height: 675 mm (27 ")
Width: 1200 mm (47 ")
Depth: 500 mm (20 ")

Mounting plate: Height: 571 mm

Width: 1099 mm

Number of doors:	2
Packaging unit:	1 pc(s).
Weight/packaging unit:	72 kg (158.7 lb.)
EAN:	4028177554139
Customs tariff number:	94032080
ETIM 6.0:	EC000784
ETIM 5.0:	EC000784
eCl@ss 8.0/8.1:	27180504
eCl@ss 7.0/7.1:	27180504
eCl@ss 6.0/6.1:	27180504
eCl@ss 5.1/5.1.4:	27180504
Product description (long):	TP TopConsole system, pedestal, WHD: 1200x675x500 mm, Sheet steel
Approvals	
Approvals:	RRR UL + C-UL
Certificates:	IK-Code
Declarations:	Declaration of conformity