



**POWER
SYSTEMS, INC.**

In the world of power transmission and distribution, look to Hubbell.

**Interactive
eCatalog**

[Catalog Home](#)

Product Datasheet

ANDERSON FARGO

SBN8 -- Connector, Split Bolt



Copper Split Bolt Connector

Product Specifications

Category Image



**Mechanical
Connectors
(Bronze)**

Bronze Parallel Groove and Split
Bolt Connectors Connector
For CU to CU connections

Series Image (BR Mech)



SBN Series

Copper Splitbolt Connector
For CU to CU Connections

Material

Copper

PDF Catalog Page

[Click HERE to view the web page.](#)

Plating

No

Inhibitor	No
Run Conductor Size and Type	Cu 10 str - Cu 8 str (7)
Tap Conductor Size and Type	Cu 16 str - Cu 8 str (7)
Run Conductor Minimum Size	0.102 in.
Tap Conductor Maximum Size	0.146 in.
Run Conductor Type	CU
Tap Conductor Type	CU
Style	Split Bolt
Cover Available	No
UL Listed	Yes
Body Material	CU Alloy
Body and Keeper Material	CU Alloy
Dimension H	.85 in (21.59 mm)
Dimension L	9/16 in (14.29 mm)
Dimension W	.47 in (13 mm)
Bolt Head	Hex
Material Type	Standard
UPC Code	09635937376
Standard Package	250
Standard Package Unit	Each
Min Order Qty	250
Weight / Ea.	0.039 lbs

Notes


For CU to CU splice/Tap connections

Features

Has no cable separator.

Compressed Product Number

SBN8



[Catalog Home](#)



[Warranty Info](#) | [Trademarks](#) | [Terms of Use](#)

All contents Copyright © 2007 Hubbell Power Systems, Inc. All rights reserved.

NOTE: Because Hubbell has a policy of continuous product improvement, we reserve the right to change design and specifications without notice.