Eaton UHS18080A1C1C1A

Catalog Number: UHS18080A1C1C1A

Eaton Cooper Power series arrester, Polymer, 18 kV, No line term wire, Sil BRZ nut, SS clamp, cap, Iso, 12" ground strap, Sil BRZ nut, SS lock washer, Insulated hanger, Transformer brkt, HD, VariSTAR

General specifications

Product Name

Eaton Cooper Power series arrester

UPC

194006063777

Product Height

12.25 in

Product Weight

5.516 lb

Certifications

IEEE C62.11

Catalog Number

UHS18080A1C1C1A

Product Length/Depth

7.5 in

Product Width

3.5 in

Compliances

Not Applicable



Product specifications

Material type

Polymer housing

Special features

Heavy-duty

Ground terminal options

12" copper ground strap, siliconee bronze nut and lock washer

Standard

IEEE Standard C62.11-2005

Discharge voltage - max

49.1; 52.3; 54.7; 59.6; 65.9; 74.2 kV (@1.5; 3; 5; 10; 20; 40 kA)

Line stud and lead options

No line terminal wire

Steep Current Residual Voltage (kV Crest)

64.8 kV

Duty cycle voltage rating

18 kV rms

Nominal Discharge Current

10 kA

Mounting

Transformer mounted

Mounting bracket options

Transformer mounting bracket

Type

UltraSIL polymer-housed VariSTAR arrester

Frequency rating

50-60 Hz

Isolator options

Black isolator

Packaging options

Individual carton (assembled terminal hardware)

Maximum continuous operating voltage

15.3 kV rms

Equivalent front-of-wave

66 kV

Resources

Brochures

Ultrasil Polymer Housed Varistar IEEE Surge Arrester Catalog

Specifications and datasheets

Eaton Specification Sheet - UHS18080A1C1C1A

Creep Distance

21.7 in/551 mm

Voltage rating

18 kV

Application

Distribution

Line terminal accessories

Silicone bronze nut, stainless steel wire clamp and universal wildlife protector

Base/bracket configuration options

Insulated hanger

Hanger options

Insulated hanger

Nameplate options

Standard per IEEE C62.11



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia