

## Series 16 - 300 and 400 Amp, 600 Volts

Enclosure Types  
3R, 4X, 12

### Receptacles, Bus Bar Threaded Hole Mounting




Description	Color	Male Receptacles	Female Receptacles
400 amp Panel Mount, thermoplastic elastomer, mates with 300 and 400 amp Inlines.	Black	<b>HBLMRBBK</b>	<b>HBLFRBBK</b>
	White	<b>HBLMRBW</b>	<b>HBLFRBW</b>
	Green	<b>HBLMRBGN</b>	<b>HBLFRBGN</b>
	Red	<b>HBLMRBR</b>	<b>HBLFRBR</b>
	Blue	<b>HBLMRBBL</b>	<b>HBLFRBBL</b>
	Brown	<b>HBLMRBBN</b>	<b>HBLFRBBN</b>
	Orange	<b>HBLMRBO</b>	<b>HBLFRBO</b>
	Yellow	<b>HBLMRBY</b>	<b>HBLFRBY</b>

### Angled Receptacles, Bus Bar Through Hole Mounting



Description	Color	Male Receptacles	Female Receptacles
400 amp Panel Mount, thermoplastic elastomer, mates with 300 and 400 amp Inlines.	Black	<b>HBLMRABBK</b>	<b>HBLFRABBK</b>
	White	<b>HBLMRABW</b>	<b>HBLFRABW</b>
	Green	<b>HBLMRABGN</b>	<b>HBLFRABGN</b>
	Red	<b>HBLMRABR</b>	<b>HBLFRABR</b>
	Blue	<b>HBLMRABBL</b>	<b>HBLFRABBL</b>
	Brown	<b>HBLMRABBN</b>	<b>HBLFRABBN</b>
	Orange	<b>HBLMRABO</b>	<b>HBLFRABO</b>
	Yellow	<b>HBLMRABY</b>	<b>HBLFRABY</b>

### Receptacles, Bus Bar, 2 Holes Threaded Hole Mounting



Description	Color	Male Receptacles	Female Receptacles
400 amp Panel Mount, thermoplastic elastomer, mates with 300 and 400 amp Inlines.	Black	<b>HBLMRB2BK</b>	<b>HBLFRB2BK</b>
	White	<b>HBLMRB2W</b>	<b>HBLFRB2W</b>
	Green	<b>HBLMRB2GN</b>	<b>HBLFRB2GN</b>
	Red	<b>HBLMRB2R</b>	<b>HBLFRB2R</b>
	Blue	<b>HBLMRB2BL</b>	<b>HBLFRB2BL</b>
	Brown	<b>HBLMRB2BN</b>	<b>HBLFRB2BN</b>
	Orange	<b>HBLMRB2O</b>	<b>HBLFRB2O</b>
	Yellow	<b>HBLMRB2Y</b>	<b>HBLFRB2Y</b>


### Terminals, Offset Straight Style



Description	Color	Male Receptacles	Female Receptacles
400 amp Terminal, thermoplastic elastomer, mates with 300 and 400 amp Inlines.	Black	<b>HBLMOSBK</b>	<b>HBLFOSBK</b>
	White	<b>HBLMOSW</b>	<b>HBLFOSW</b>
	Green	<b>HBLMOSGN</b>	<b>HBLFOSGN</b>
	Red	<b>HBLMOSR</b>	<b>HBLFOSR</b>
	Blue	<b>HBLMOSBL</b>	<b>HBLFOSBL</b>
	Brown	<b>HBLMOSBN</b>	<b>HBLFOSBN</b>
	Orange	<b>HBLMOSO</b>	<b>HBLFOSO</b>
	Yellow	<b>HBLMOSY</b>	<b>HBLFOSY</b>

Note: Terminals are UL Type 1 only.

### Angled Terminals, Offset Straight Style



Description	Color	Male Receptacles	Female Receptacles
400 amp Terminal, thermoplastic elastomer, mates with 300 and 400 amp Inlines.	Black	<b>HBLMOABK</b>	<b>HBLFOABK</b>
	White	<b>HBLMOAW</b>	<b>HBLFOAW</b>
	Green	<b>HBLMOAGN</b>	<b>HBLFOAGN</b>
	Red	<b>HBLMOAR</b>	<b>HBLFOAR</b>
	Blue	<b>HBLMOABL</b>	<b>HBLFOABL</b>
	Brown	<b>HBLMOABN</b>	<b>HBLFOABN</b>
	Orange	<b>HBLMOAO</b>	<b>HBLFOAO</b>
	Yellow	<b>HBLMOAY</b>	<b>HBLFOAY</b>

Note: Angled terminals are UL Type 1 only.

### Protective Caps



Color	Fits Male Devices	Fits Female Devices
Black	<b>HBLMCAPBK</b>	<b>HBLFCAPBK</b>
White	<b>HBLMCAPW</b>	<b>HBLFCAPW</b>
Green	<b>HBLMCAPGN</b>	<b>HBLFCAPGN</b>
Red	<b>HBLMCAPR</b>	<b>HBLFCAPR</b>
Blue	<b>HBLMCAPBL</b>	<b>HBLFCAPBL</b>
Brown	<b>HBLMCAPBN</b>	<b>HBLFCAPBN</b>
Orange	<b>HBLMCAPO</b>	<b>HBLFCAPO</b>
Yellow	<b>HBLMCAPY</b>	<b>HBLFCAPY</b>

### Weather Protective Lift Covers



Color	Catalog Number	All One Color Caps and Bodies
Clear	<b>HBLNCC</b>	—
Black	<b>HBLNCBK</b>	<b>HBLNCABK</b>
White	<b>HBLNCW</b>	<b>HBLNCAW</b>
Green	<b>HBLNCGN</b>	<b>HBLNCAGN</b>
Red	<b>HBLNCR</b>	<b>HBLNCAR</b>
Blue	<b>HBLNCBL</b>	<b>HBLNCABL</b>
Brown	<b>HBLNCBN</b>	<b>HBLNCABN</b>
Orange	<b>HBLNCO</b>	<b>HBLNCAO</b>
Yellow	<b>HBLNCY</b>	<b>HBLNCAY</b>