
### H4LV

### 4" Low Voltage Downlight

Catalog Number:	
Project Name:	Туре:
Note:	MAXILUME ARCHITECTURAL LIGHTING

### Architectural





- **A.** Height = 5-1/2"
- **B.** Trim Aperture = 4"
- **C.** Cut-out = 4-3/8"
- **D. Trim Outside Diameter** = 4-7/8"
- **E. Width** = 5-1/2"
- F. Length = 8"

#### DESCRIPTION

- 1. REFLECTOR 16 gauge aluminum.
- 2. TRIM All die-cast aluminum. Can take up to 2 optical accessories.
- 3. COVER LENS High temperature tempered glass.
- 4. SOCKET Porcelain bi-pin socket.
- **5. MOUNTING BRACKET** Is constructed from 16-gauge steel and is supplied with C-channels that are adjustable up to 26".
- **6. JUNCTION BOX** UL listed for through-branch circuit wiring. Junction Box is accessible from below, no tools required.
- **7. MOUNTING FRAME** Non-IC Insulation must be kept 3" away from fixture sides and wiring compartments, and must be placed above fixture in a manner which will entrap heat.





**H4LV- ITEM SELECTOR:** (Please check the boxes below for the option desired)

WATTAGE	BALLAST	VOLTAGE	TRIM TYPE & DESCRIPTION				BAFFLE	REFLECTOR	TRIM RING
□ 50W MR16	☐ (M) Magnetic	□ 120	□ B1401	□ B1414	□ B1437	□ B1420	□ W	□ CL	□ WH
☐ 75W MR16	☐ (E) Electronic	□ 277	□ B1402	☐ B1415	□ B1438	□ B1494	□ P	□ RG	□ BK
	☐ (TOR) Toroidal*		□ B1463	□ B1404	□ B1439	□ B1478	□ SN	□ w	□ SN
	*Toroidal = Available only in 120V		□ B1464	□ B1418	□ B1426	□ B1479	□ CP	□ МВ	□ CP
			□ B1465	☐ B1412	□ B1427	□ B1483	□ BZ	□ CP	□ CH
			□ B1466	□ B1468	□ B1431	□ B1480		□ SN	□ PB
		AIR-SHUT	□ B1467	□ B1461	□ B1432	□ B1484			□ BZ
		□ AT	□ B1424	□ B1433	□ B1436	□ B1481			
			□ B1403	□ B1417	□ B1440	□ B1491			
			□ B1411	□ B1477	□ B1485	□ B1495			
			□ B1416	□ B1462	□ B1425	□ B1490			
			□ B1407	□ B1452	□ B1442	□ B1492			

**Specifications:** 

 Sample of Catalog Number: H4LV-50W MR16-120-B1401-CP-CP



A division of **Elite Lighting** 

Submittal form is available @ www.maxilume.com Tel: 323-888-1973 • Fax: 323-888-1977

# **Low Voltage Optics**

Catalog Number:

Project Name:


Type:

### B1401CP-CP STEPPED BAFFLE



**BAFFLE FINISH:** W, P, SN, CP, BZ

RING FINISH: WH, BK, SN, CP, CH, PB, BZ




B1402CP-WH REFLECTOR (35° TILT)



REFLECTOR FINISH: CL, RG, W, MB, CP, SN, BZ

RING FINISH: WH, BK, SN, CP, CH, PB, BZ



B1463RG-WH ANGLE-CUT REFLECTOR



REFLECTOR FINISH: CL, RG, W, MB, CP, SN

RING FINISH: WH, BK, SN, CP, CH, PB





BAFFLE FINISH:

RING FINISH: WH, BK, SN, CP, CH, PB



B1465CL-WH ANGLE-CUT PINHOLE



REFLECTOR FINISH: CL, RG, W, MB, CP, SN

RING FINISH: WH, SN, CP B1466CL-WH ANGLE-CUT SLOT APERTURE



TRIM FINISH: WH. BK. SN. CP. CH. PB



B1467CL-WH

LENSED WALL WASH



REFLECTOR FINISH: CL, RG, W, MB, CP, SN

TRIM COVER: WH, BK





B1403CP ONE PIECE SLOT APERTURE (35° TILT)




B1416P-WH BAFFLE WALL WASH



**BAFFLE FINISH:** W, P, SN, CP, BZ

WALL WASH COVER: WH. BK



REFLECTOR WALL WASH



REFELCTOR FINISH: CL, RG, W, MB, CP, SN

WALL WASH COVER:



B1414W-WH PINHOLE WITH BAFFLE



B1415CL-WH PINHOLE WITH REFLECTOR



B1404P-WH EYEBALL (47° TILT)



B1418P-WH ADJ.PINHOLE W/ EYEBALL (35° TILT)



B1412CH FULLY ADJUSTABLE (35° TILT, 359° ROT.)



MAXILUME ARCHITECTURAL LIGHTING

A division of **Elite Lighting** 

Submittal form is available @ www.maxilume.com Tel: 323-888-1973 ● Fax: 323-888-1977 Specifications and Dimensions subject to change without notice.

REV: MAXILUME-SPEC-03-23-2011

# **Low Voltage Optics**

Catalog Number:

Project Name:

Type:

Note:

#### B1468W-WH FULLY ADJ. W/ BAFFLE (35° TILT, 359° ROT.)




B1461SN ADJUSTABLE GIMBAL (40° TILT)




B1433P-WH Adjustable Pinhole Baffle (15° Tilt)



B1417W-WH METAL STEPPED BAFFLE



B1477CL-WH CROSSBLADE REFLECTOR



B1462CL-WH SEMI-FROSTED SHOWER TRIM



B1452CL-WH CLEAR LENS SHOWER TRIM



B1437WH SM00TH FROST SHOWER LITE



B1438WH DESIGNER POINT SHOWER LITE



B1439WH SMOOTH FROST DOME SHOWER LITE



B1426CL-WH The Illuminator II



B1427CL-WH THE ILLUMINATOR



B1431WH CRYSTAL STRIPE LITE



B1432WH WALL WASH FROST LITE



B1436WH CYLINDER LITE



B1440WH-PINK TULIP LITE





A division of **Elite Lighting** 

Submittal form is available @ www.maxilume.com Tel: 323-888-1973 ● Fax: 323-888-1977 Specifications and Dimensions subject to change without notice.

REV: MAXILUME-SPEC-03-23-2011

### **Low Voltage Optics**


Catalog Number:

Project Name:

Type:

Note:

### B1424WH-RED METROPOLITAN HONEY LITE



### B1420WH-GREEN METROPOLITAN MOON LITE



B1425WH-AMBER METROPOLITAN STEP LITE



B1442WH-PEACH DESIGNER MOON LITE



B1478SN-SN STEPPED BAFFLE (35° TILT)



B1479CL-WH REFLECTOR (35° TILT)



B1494WH-BLUE DESIGNER SQUARE STEP LITE



B1485W-WH EYEBALL (47° TILT)



B1483WH SLOT APERTURE (35° TILT)



B1480WH FULLY ADJUSTABLE (35° TILT, 359° ROT.)



B1484P-WH FULLY ADJ. W/ BAFFLE (35° TILT, 359° ROT.)



B1481WH ADJUSTABLE GIMBAL (40° TILT)



B1495CL-SN SEMI-FROSTED SHOWER TRIM



B1491P-WH PINHOLE WITH BAFFLE



B1492WH-BLUE METROPOLITAN ICE LITE



B1490WH-PEACH METROPOLITAN ICE LITE





A division of **Elite Lighting** 

Submittal form is available @ www.maxilume.com Tel: 323-888-1973 • Fax: 323-888-1977 Specifications and Dimensions subject to change without notice.

REV: MAXILUME-SPEC-03-23-2011