



# FMLWL LED Multipurpose

Linear LED ambient wraparound lighting



# Linear LED Ambient Wraparound Lighting

## Key features and benefits

The FMLWL LED Wraparound by Lithonia Lighting® provides efficient and economical ambient lighting in surface-mount applications. The stylish, low-profile linear wrap delivers up to 50,000 hours of energy-saving LED lighting with widespread, even illumination. With simplified installation and a durable polycarbonate lens, the versatile FMLWL is perfect for a wide variety of commercial, versatile and residential applications.




### Commercial



### Versatile




### Residential





## FMLWL LED Wraparound

### Getting the most of 1 SKU




#### Color Switching

Three (3) switchable white color temperature options. Simply adjust the color temperature from warm white (3000K), cool white (4000K), and daylight (5000K) allowing customization for your space.

#### Adjustable Light Output (ALO)

Output switches to desired light output (low-medium-high) to match the needs of any job site and saves significant energy costs when replacing traditional fluorescent sources.








#### Links End-to-End

To power up to 6 units, or up to 24 feet of continuous light, from a single power source. Reduce the amount of wiring and labor resulting in faster installation.



# FMLWL LED Wraparound

## Ordering Information

Description	Model	Ideal For	CI Code	UPC Code	Wattage	Pallet Quantity	Contractor Select
2' FMLWL 1400 Lumens 4000K	FMLWL 24 840	Residential	*226LWP	00888791197921	20W	224	
2' FMLWL 3000 Lumens 3500K	FMLWL 24 835 ZT MVOLT	Commercial	*250LW2	00191848384701	32W	224	
2' FMLWL 3000 Lumens 4000K	FMLWL 24 840 ZT MVOLT	Commercial	*250LW1	00191848384657	32W	224	
4' FMLWL 2900 Lumens 4000K	FMLWL 48 840	Residential	*226LWW	00888791197969	40W	112	
4' FMLWL 4600 Lumens 3500K	FMLWL 48 835 ZT MVOLT	Commercial	*250LVP	00191848384565	48W	112	
4' FMLWL 4600 Lumens 4000K	FMLWL 48 840 ZT MVOLT	Commercial	*250LVM	00191848384558	48W	112	
4' FMLWL ALO: 2000LM, 3000LM, 4000LM 3CCT: 3000K, 4000K, 5000K	FMLWL LNK 48 ALO 85SWW2	Versatile	*270M85	00194995061037	26-53W	224	



To learn more about  
FMLWL LED Wraps  
scan the QR code!



Join the conversation - follow us on social media.