

Eaton BR3040N200R

Catalog Number: BR3040N200R

Eaton BR convertible loadcenter, Value pack, Convertible main, 200 A, D1r, Aluminum, Cover included, NEMA 3R, Metallic, 25 kAIC, 40 Circuits, 30 Spaces, Three-wire, Single-phase, Type BR 1-inch breakers, 120/240 V, Determined by circuit breaker installed



General specifications

Product Name	Catalog Number
Eaton BR convertible loadcenter	BR3040N200R
UPC	Product Length/Depth
786676448901	5.19 in
Product Height	Product Width
34 in	14.31 in
Product Weight	Warranty
40 lb	10 year
Certifications	Catalog Notes
UL 67 UL 50	The maximum rating of the panel is the main breaker rating when used as service entrance equipment.

Product specifications

Number of spaces

30

Special features

Value pack

Interrupt rating

25 kAIC

Phase

Single-phase

Wire size

Determined by circuit breaker installed

Bus material

Aluminum

Main circuit breaker

BWH

Enclosure

NEMA 3R

Amperage Rating

200 A

Enclosure material

Metallic

Type

Convertible main

Cover

Cover included

Used with

Type BR 1-inch breakers

Number of wires

3

Number of circuits

40

Voltage rating

120/240 V

Box size

D1R

Resources

Brochures

Loadcenters and Circuit Breakers

Type BR Arc Fault Circuit Breakers and Loadcenters

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - BR 1 LOADCENTER, CSR CONVERTIBLE, OUTDOOR NEMA 3R, 120/240 VAC, 1 PHASE

Installation instructions

Cutler-Hammer Type CH and BR Loadcenters - Instructions

Specifications and datasheets

Eaton Specification Sheet - BR3040N200R



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)