

# Eaton HP40SH

Catalog Number: HP40SH

Eaton house panel, 400A, Aluminum, No bypass, NEMA 3R, Underground, 22 kAIC, Lug landings for compression, lugs not included, CSR2200, Surface mounting, Sockets:1, BRH/BWH, Ring, Type BR breakers, 120/240V, 4306, Single-phase

## General specifications

Product Name	Catalog Number
Eaton house panel	HP40SH
UPC	Product Length/Depth
782114212882	6 in
Product Height	Product Width
44 in	29.75 in
Product Weight	Warranty
120 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Compliances	Certifications
EUSERC Approved	UL Listed



## Product specifications

### Number of spaces

40

### Interrupt rating

10 kAIC

### Bus material

Aluminum

### Main circuit breaker

CSR2200

### Enclosure

NEMA 3R

### Security

Ring

### Amperage Rating

400 A

### Line

Lug landings for compression, lugs not included

### Mounting

Surface

### Secondary circuit breaker

BRH/BWH

### Type

House panel

### Feed type

Bottom

### Number of sockets

1

### Used with

Type BR breakers

### Bypass

None

### Voltage rating

120/240 V

## Resources

### Catalogs

[Eaton's Volume 1—Residential and Light Commercial](#)

### Drawings

[Dimensional Drawing - METER BREAKER HP40SH and SHA, HP404040SH and SHA](#)

### Specifications and datasheets

[Technical Data Residential Meter Breakers: Type CH and BR Residential](#)

[Eaton Specification Sheet - HP40SH](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)