

Eaton MBE24L200BTS

Catalog Number: MBE24L200BTS

Eaton Meter Breaker EUSERC Type BR, Main lug, 200A, 120/240V, Ring, 2 spaces, 4 circuits, Surface mounting, Box size A, Aluminum bus, Overhead/underground feed, Four-jaws, 1 socket, #6-250 kcmil line, #6-250 kcmil ground



General specifications

Product Name	Catalog Number
Eaton meter breaker EUSERC	MBE24L200BTS
UPC	Product Length/Depth
782114849170	5.38 in
Product Height	Product Width
28.38 in	14.44 in
Product Weight	Warranty
35 lb	10 year
Compliances	Certifications
EUSERC Approved	UL Listed

defaultTaxonomyAttributeLabel

Type

All-in-ones

Utility approvals

ID : Idaho Power

OR : Idaho Power

WA : Seattle City Light

AK : Anchorage Municipal Light & Power

NV : NV Energy

HI : Hawaiian Electric

MT : NorthWestern Energy

NE : NorthWestern Energy

SD : NorthWestern Energy

WY : NorthWestern Energy

AZ : Tucson Electric Power/ UniSource

AZ : Sulphur Springs Valley Electric Coop

WA : Puget Sound Energy

WA : Tacoma Public Utilities

Interrupt rating

10 kAIC

Box size

A

Enclosure

NEMA 3R

Ground

#6-250 kcmil

Voltage rating

120/240 V

Number of sockets

1

Phase

Single-phase

Used with

Type BR breakers

Number of circuits

4

Bus material

Aluminum

Resources

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - METER BREAKER WEST COAST STYLE

Specifications and datasheets

Eaton Specification Sheet - MBE24L200BTS

Technical Data Residential Meter Breakers: Type CH and BR Residential

Feed type

Top/bottom

Number of jaws

Four-jaw



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.
All other trademarks are property of their respective owners.



Eaton.com/socialmedia