Eaton MB816P200BTS

Catalog Number: MB816P200BTS

Eaton resi meter breaker, feed through lugs, All-in-ones, 200 A, C, Aluminum, NEMA 3R, Bottom and top, #6-350 kcm#6-350 kcmProvisions, Surface mounting, 16, Four-jaw, 1, 8, Single-phase, Ringless, Used with BR breakers, 120/240 Vac

General specifications



Product Name

Eaton residential meter breaker

UPC

782114860076

Product Height

32.38 in

Product Weight

35 lb

Certifications

UL Listed

Catalog Number

MB816P200BTS

Product Length/Depth

5.38 in

Product Width

14.44 in

Warranty

10 year



defaultTaxonomyAttributeLabel

Type

All-in-ones

Utility approvals

AL: Alabama Power

FL: MEG (Duke Energy, Florida Power, Tampa Electric, Gulf

Power, Oklahoma Gas and Electric)

IN: MEG (Duke Energy, Florida Power, Tampa Electric, Gulf

Power, Oklahoma Gas and Electric)

KY: MEG (Duke Energy, Florida Power, Tampa Electric, Gulf

Power, Oklahoma Gas and Electric)

NC: MEG (Duke Energy, Florida Power, Tampa Electric, Gulf

Power, Oklahoma Gas and Electric)

OH: MEG (Duke Energy, Florida Power, Tampa Electric, Gulf

Power, Oklahoma Gas and Electric)

SC: MEG (Duke Energy, Florida Power, Tampa Electric, Gulf

Power, Oklahoma Gas and Electric)

Interrupt rating

10 kAIC

Box size

С

Enclosure

NEMA 3R

Ground

#6-350 kcmil

Voltage rating

120/240 V

Number of sockets

1

Phase

Single-phase

Number of circuits

16

Bus material

Aluminum

Feed type

Top/bottom

Main circuit breaker

Resources

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - METER BREAKER EAST COAST STYLE

Specifications and datasheets

Technical Data Residential Meter Breakers: Type CH and BR Residential

Eaton Specification Sheet - MB816P200BTS

Provisions

Number of jaws

Four-jaw



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia