

WHTY8.E52369 - Switches, Open Type Certified for Canada - Component

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please refer to the Certificate of Compliance or contact our Customer Service at <https://www.ul.com/about/locations>.

Switches, Open Type Certified for Canada - Component

Schneider Electric USA Inc

8001 Knightdale Blvd
Knightdale, NC 27545-9023 United States

E52369

Marking: Company name or trademark , , , model designation, and the Recognized Component Mark for Canada 

Note: For additional marking information, refer to the [Guide Information Page](#).

Components, cable-type switch operating mechanisms, cable operated, Model(s): GS2AH120F, GS2AH144F, GS2AH180F, GS2AH36F, GS2AH4120F, GS2AH4144F, GS2AH4180F, GS2AH436F, GS2AH460F, GS2AH60F

- # - May have prefix A, B or F, may be followed by C, 1, 2, 3 or 4, may be followed by form Y157; may be used with Class 9999 Types TC10, TC11, TC20, and TC21 electrical interlocks.
- (a) - May be used with Class 9999 Types R6 and R7 interlock switches.
- (b) - May be used with operating handle Class 9422, Types CEQ3823, A-1 thru A-4, Series A or B, may also be used with electrical interlocks Class 9999, Types R39, R40, R41 or R42.
- (c) - May be used with operating handle Class 9422, Types CEQ3823, A-1 thru A-4, Series A or B. May also be used with electrical interlocks Class 9999, Types R39, R40, R41 or R42. May be used with Class 9999 Types R6 and R7 interlock switches.
- (d) - May be used with operating handle Class 9422, Types A-5, -6, -7, -8, Series A or B, may also be used with electrical interlock Class 9999, Types R35 and R36.
- (e) - May be used with operating handle Class 9422, Types CEQ3823, A-1 thru A-4, Series A or B, may also be used with electrical interlocks Class 9999, Types R39, R40, R41 or R42, may be used with operating handle Class 9422, Types A-5, -6, -7, -8, Series A or B, may also be used with electrical interlock Class 9999, Types R35 and R36, may be used with Class 9422, Type D2 remote or dual adaptor kits, may be used with Class 9999 Types R6 and R7 interlock switches, may be used with Class 9999 Types R8 and R9 interlock switches, may be used with operating handle, Class 9422, Types AP1, AP2, AP9, AP10, A1, A2, A5 thru A10, Series A or B, Types G1, G2 air valve interlock.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"