

Eaton NZMB1-M40

Catalog Number: NZMB1-M40

Eaton Series NZM complete molded case circuit breaker, NZM1-frame, NZMB1, Thermal-magnetic trip, 640-1120A, Three-pole, 40A, 440 Vac, 25 kAIC, Motor protect., Phase failure sensitive, thermomagnetic switch off, 63-80A



Photo is representative

General specifications

Product Name	Catalog Number
Eaton Series NZM complete molded case circuit breaker	NZMB1-M40
	EAN
	4015082657109
Product Length/Depth	Product Height
2.68 in	5.71 in
Product Width	Product Weight
3.54 in	2.37 lb
Warranty	Compliances
Eaton Selling Policy 25-000, one (1) year Contact Manufacturer from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	

defaultTaxonomyAttributeLabel

Special features

Phase failure sensitive, thermomagnetic switch off

Amperage Rating

40 A

Voltage rating

440 Vac

Trip Type

Thermal-magnetic

Circuit breaker type

NZMB1

Frame

NZM1

Class

Motor protection

Setting Range OI Protector

63-80A

Short-circuit breaking capacity

25 kAIC

Interrupt rating

25 kAIC

Rated operational current

45 kW at 400 Vac

22 kW at 230 Vac

Number of poles

Three-pole

Trip rating

640-1120 A

Resources

Catalogs

[Compact circuit-breakers and switch-disconnectors up to 1600 A](#)

Specifications and datasheets

[Product Data Sheet - NZMB1-M40](#)

[Eaton Specification Sheet - NZMB1-M40](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)