



## Accessories and spare parts

Article no.	EAN no.	Name	Description	Image
088L1053	5703466214602	<b>ECfast 5 m Metal In box</b>		
088L1054	5703466214619	<b>ECfast 25 m Metal In box</b>		
088L0028	5703466161463	<b>Danfoss Continuity tester - Little Buzzer - Continuity Alarm</b>	<p>Simplify your installation process by using the Continuity Tester. The Continuity Tester is designed to monitor heating mats and/or cables during installation process and sounds an alarm if the heating element is cut or damaged. This allows an easy repair before the floor covering is laid. The device is battery powered with a set of batteries included.</p> <p><b>Note:</b> A continuity alarm does not replace that need for measuring and verifying the ohm and insulation resistances three times throughout the installation for warranty purposes.</p>	
088L3002	5703466175279	<b>Spaceclip for self-limiting cables</b>	300 x 5 x 70 mm	
088L3001	5703466239285	<b>RX-C Roof Clip (50 pcs in bag)</b>		
088L0409	5703466130216	<b>Tape aluminium 38 mm x 50 m</b>	<p>Self-adhesive, with 2-colour warning label</p> <p>Backing Aluminium foil</p> <p>Adhesive Waterbased Acrylic</p> <p>Liner Monosiliconized Paper</p> <p>Adhesion/Steel 8 N/ 38 mm</p> <p>Tensile strength 57,5 N/ 25 mm</p> <p>Total thickness 60 µm</p>	
088L1006	5703466148655	<b>3/4" + 1" Pipe fitting for ECpipeheat 10 (SLPH-10)</b>	<p>With rubber conic sliced sleeve, oval hole.</p> <p>Max. water pressure – 10 Bar at max. water temperature 23 °C</p>	
19805372	5703466237984	<p><b>3/4" + 1" Pipe fitting for blue ECaqua™ 9T</b></p>  <p>05/00012</p>	<p>With rubber conic sleeve, round hole.</p> <p>Max. water pressure – 10 Bar at max. water temperature 23 °C.</p> <p>Approved for use in contact with drinking water up to 23 °C (Danish GDV certificate)</p>	

Article no.	EAN no.	Name	Description	Image
19806401	5703466071830	Danfoss crimp for ECpipeheat 10, Connection box		
19806415	5703466074985	Danfoss crimp for ECpipeheat 10, Connection cable		

Article no.	EAN no.	Name	Description	Image
088L0413	5703466130247	<b>Connecto B-A Connection</b>	130 x 265 x 75 mm	
088L0414	5703466130254	<b>Connecto B-C Heating tape connection</b>	130 x 265 x 75 mm	
088L0415	5703466130261	<b>Connecto B-E End termination</b>	130 x 265 x 75 mm	
088L0494	5703466228067	<b>Connecto B-E 5 pcs in plastic bag</b>	300 x 200 x 30 mm	
088L0416	5703466130278	<b>Connecto B-S Connection termination</b>	130 x 265 x 75 mm	
088L0417	5703466130285	<b>Connecto B-T Y-junction+end terminat.</b>	130 x 265 x 75 mm	
088L0418	5703466130292	<b>Connecto B-TE2 Y-junction+2 end terminat</b>	130 x 265 x 75 mm	
088L0419	5703466130308	<b>Connecto B-TE3 Y-junction+3 end terminat</b>	130 x 265 x 75 mm	
088L0420	5703466130315	<b>Connecto B-X X-junction+2 end terminat</b>	130 x 265 x 75 mm	