

RAYCHEM | RAYCHEM ELBC

TE Internal #: ED2738-000

Dead Break Connections, AMERICAS, Separable Connector, ≤ 35

kV, Mechanical, 600A Bushing Type, Tape/Wire, Aluminum

/Copper, Polymeric, RAYCHEM ELBC

View on TE.com >



Energy & Power > Power Cable Accessories > Separable Connectors > Dead Break Connections > Dead Break Elbow: 600/900A, 35 kV





Dead Break Connection Product Availability: AMERICAS

Installation Instruction: English

Dead Break Connection Technology: Separable Connector

Dead Break Connection Voltage Class: ≤ 35 kV

Dead Break Connection Connector Type: Mechanical

All Dead Break Elbow: 600/900A, 35 kV (389)

Features

Product Type Features

Product Family	ELB-35
Dead Break Connection Technology	Separable Connector
Dead Break Connection Connector Type	Mechanical
Bushing Type	600A
Cable Shield Style	Tape/Wire
Insulation	Polymeric
Screened	Yes
Electrical Characteristics	
Dead Break Connection Voltage Class	≤ 35 kV
Body Features	
Dead Break Connection Conductor Material	Aluminum/Copper
Dimensions	
Dead Break Connection Insulation Diameter	42.3 – 45.3 mm
	350 – 750 AWG/kcmil



Application Type	35kV T-Body Kit, T-Connector
Non-Toxic & Non-Corrosive Emission	Yes
Emission Free	Yes
Halogen Free	Yes
Free of Lead, Cadmium, Heavy Metals	Yes
Industry Standards	
UL Rating	No
Design Specification	IEEE 386
Product Availability	
Dead Break Connection Product Availability	AMERICAS
Other	
Installation Instruction	English

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUN 2016 (169) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished

Dead Break Connections, AMERICAS, Separable Connector, ≤ 35 kV, Mechanical, 600A Bushing Type, Tape/Wire, Aluminum/Copper, Polymeric, RAYCHEM ELBC




product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.


Compatible Parts



Also in the Series | RAYCHEM ELBC



Customers Also Bought



Dead Break Connections, AMERICAS, Separable Connector, ≤ 35 kV, Mechanical, 600A Bushing Type, Tape/Wire, Aluminum/Copper, Polymeric, RAYCHEM ELBC



TE Part #EP1752-000 ELB-35-910T-A4

Documents

Product Drawings

ELB-35-610R-A2

English

Datasheets & Catalog Pages

ELB-35 Series Data Sheet

English

T-BODY ELBOW CONNECTORS

English