

Eaton CHP20L125R

Catalog Number: CHP20L125R

Eaton CH main lug loadcenters, Cover included, Main Lug Only, 125A, X2, Copper, NEMA 3R, Metallic, Overhead, 40, 20, Three-wire, Single-phase



General specifications

Product Name

Eaton CH main lug loadcenter

Catalog Number

CHP20L125R

UPC

786689058555

Product Length/Depth

21 in

Product Height

5.19 in

Product Width

14.31 in

Product Weight

22 lb

Warranty

Limited lifetime

Certifications

UL 50

UL 67

Catalog Notes

Suitable for use as service equipment when not more than six service disconnecting mains are provided or when not used as a lighting and appliance panelboard. Rainproof panels are furnished with hub closure plates. For rainproof hubs.



Powering Business Worldwide

defaultTaxonomyAttributeLabel

Special features

Cover included

Type

Main Lug Only

Amperage Rating

125 A

Bus material

Copper

Feed type

Overhead

Number of circuits

40

Number of spaces

20

Phase

Single-phase

Box size

X2

Enclosure

NEMA 3R

Enclosure material

Metallic

Interrupt rating

25 kAIC

Number of wires

3

Resources

Brochures

[Loadcenters and Circuit Breakers](#)

Multimedia

[AFCI Educational Video](#)

Specifications and datasheets

[Eaton Specification Sheet - CHP20L125R](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)