

# FLOOR BOXES

FOR WOOD FRAME AND  
CONCRETE CONSTRUCTION

## ORDERING GUIDE

A COMPLETE  
SOLUTION FOR  
POWER, DATA & AV



### Concrete Floor Boxes

For floors on ground  
level or above



### Poke-Through Floor Box

For floors above  
ground level



### Wood Frame Floor Boxes

Ideal for homes,  
conference rooms,  
auditoriums, stages,  
hospitality, and more



### Pop-Up Floor Boxes

Ideal for office buildings,  
work-from-home setups,  
desks, conference rooms,  
and more

FOR USE WITH ALL TYPES OF FLOORING INCLUDING WOOD,  
TILE, VINYL, TERRAZZO, CARPET, AND CONCRETE.



## Concrete Floor Boxes – PVC

- Elevation screws offer up to 3" of adjustment before installation
- Bulls-eye leveling cover ensures proper installation and protects during concrete pour
- Leveling ring allows for adjustment up to 3/4" after installation
- Low voltage divider has pre-scored, built-in measurements
- Solid brass flip-lid cover plates with double hinged design allows doors to open 180 degrees



PLATE MOUNTS:  
FLANGED



| SYSTEM                                                                                                                              |                 |                |                |
|-------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|----------------|
| Description                                                                                                                         | Cat. No.        |                |                |
| Concrete Floor Box System, Gray (Includes reducers, dividers, and yellow leveling cover)                                            | FBBOX-GY        |                |                |
| Concrete Floor Box Leveling Ring (required)                                                                                         | FBLEV-GY        |                |                |
| COVERS AND PLATES                                                                                                                   |                 |                |                |
| Description                                                                                                                         | Nickel Cat. No. | Black Cat. No. | Brass Cat. No. |
| 1 Decora Flip Lid & 1 Data Cap Plate                                                                                                | FBC1F-N         | FBC1F-E        | FBC1F-B        |
| 2 Decora Flip Lids Plate                                                                                                            | FBC2F-N         | FBC2F-E        | FBC2F-B        |
| 1 Screw Cap (Single Receptacle or Furniture Feed) & 2 Data Caps Plate<br>Cap Diameters: Screw Cap, Ø 0.50", Ø 1.25" & Ø 1.50" (NPS) | FBC1S-N         | FBC1S-E        | FBC1S-B        |
| 2 Screw Caps (Duplex Receptacle) & 1 Data Cap Plate<br>Cap Diameters: Screw Cap, Ø 0.50" & (2) Ø 1.25" (NPS)                        | FBC1X-N         | FBC1X-E        | FBC1X-B        |
| ACCESSORIES                                                                                                                         |                 |                |                |
| Description                                                                                                                         | Cat. No.        |                |                |
| Low Voltage Divider, Gray                                                                                                           | FBDIV-GY        |                |                |
| Power Conduit Reducers, Gray                                                                                                        | FBRPW-GY        |                |                |
| Data Conduit Reducers, Gray                                                                                                         | FBRDT-GY        |                |                |
| Y Conduit Adapter, Gray                                                                                                             | FBYAD-GY        |                |                |
| 2-Port Decora Recessed Data Strap, Ivory                                                                                            | FB2DE-I         |                |                |
| 2-Port Duplex Recessed Data Strap, Ivory                                                                                            | FB2DU-I         |                |                |



FBC1S-N



## Concrete Floor Boxes – Recessed Metallic Kits

- Floor box houses power and data below the floor for recessed plugging
- Stainless steel cover plates completely flush to floor; flip lids hidden while-in-use
- Rotating flange adjusts to finished floor height
- Black plastic sleeve covers 6" stamped steel floor box column



PLATE MOUNTS:  
FLUSH



| 4" ROUND RECESSED OPENING, 6" HEIGHT                                                      |          |
|-------------------------------------------------------------------------------------------|----------|
| Description                                                                               | Cat. No. |
| Includes Leviton 16342-GY 20 Amp Decora Plus Receptacle, Industrial Grade, Self-Grounding | FBID1    |
| Includes 2 NEMA 5-20R Power Outlets and 4 Data Ports                                      | FBI24    |
| Includes 4 NEMA 5-20R Power Outlets and 4 Data Ports                                      | FBI44    |



### ORDERING INFO ON THE GO!

Scan the QR codes for product info in the palm of your hand.



LEVITON.COM/  
FLOORBOXES

### LOOKING FOR MORE?

Visit [leviton.com/floorboxes](http://leviton.com/floorboxes) for product videos, features, benefits and ordering information.

## Concrete Floor Boxes – Stamped Steel

- Once the stamped steel floor box is buried and cured in concrete, the tile ring and plates can be installed flush to the finished floor
- Each stamped steel floor box includes screws to height-adjust for thicker concrete slab floors
- Includes a concrete cover, leveling/height-adjusting screws and various sized conduit entries



FBDR3 with FBMR3-B and 3x FBCR3-FLB (receptacles not included)

PLATE MOUNTS:  
FLUSH



| FLOOR BOX                                        |           |                 |                   |                      |
|--------------------------------------------------|-----------|-----------------|-------------------|----------------------|
| Description                                      | Style     | 1-Gang Cat. No. | 2-Gang Cat. No.   | 3-Gang Cat. No.      |
| Deep Floor Box                                   | Rectangle | FBDR1           | FBDR2             | FBDR3                |
| Shallow Floor Box                                | Rectangle | FBHR1           | FBHR2-2           | FBHR3                |
| Deep Floor Box                                   | Round     | FBDC1           | —                 | —                    |
| TILE                                             |           |                 |                   |                      |
| Description                                      | Style     | 1-Gang Cat. No. | 2-Gang Cat. No.   | 3-Gang Cat. No.      |
| Brass Tile Frames                                | Rectangle | FBMR1-B         | FBMR2-B           | FBMR3-B              |
| COVERS                                           |           |                 |                   |                      |
| Description                                      | Style     | Brass Cat. No.  | Aluminum Cat. No. | Dark Bronze Cat. No. |
| Flip Lid 1 Door Duplex, for Flush/Tile Flooring  | Rectangle | FBCR1-FLB       | —                 | —                    |
| Flip Lid 1 Door Decora, for Flush/Tile Flooring  | Rectangle | FBCR3-FLB       | —                 | —                    |
| Flip Lid 1 Door Duplex, for Flush/Tile Flooring  | Round     | FBCR2-FLB       | —                 | —                    |
| Flip Lid 1 Door Decora, for Flush/Tile Flooring  | Round     | FBCR4-FDB       | —                 | —                    |
| Flip Lid 2 Doors Duplex, for Carpet Applications | Round     | FBCCF-B         | FBCCF-A           | FBCCF-DB             |

## Poke-Through Floor Boxes

- Industry-exclusive self-leveling: two-piece construction levels device up to 4-degrees
- Industry-exclusive adjustable anchoring clips ease removal for inspections, adjustments and repairs
- Intumescent fire block & insulation provide 2+ hours of fire-rating
- Pre-installed gaskets & ground wire speed installation
- Industry-exclusive door-in-door cover design hides flip lids and maintains flush, clean appearance even when in use



PLATE MOUNTS:  
FLANGED



| SYSTEM                                                           |               |                 |                |                |
|------------------------------------------------------------------|---------------|-----------------|----------------|----------------|
| Description                                                      | Cat. No.      |                 |                |                |
| 5" Poke-Through Device                                           | PT500         |                 |                |                |
| COVERS AND PLATES                                                |               |                 |                |                |
| Description                                                      | Gray Cat. No. | Nickel Cat. No. | Black Cat. No. | Brass Cat. No. |
| Pre-Wired Door-in-Door Floor Cover                               | PT544-2GY     | PT544-2N        | PT544-2E       | PT544-2B       |
| 2-Gang Decora Door-in-Door Floor Cover                           | PT526-GY      | PT526-N         | PT526-E        | PT526-B        |
| 2-Gang Decora Flip Lid Floor Cover                               | PTC2F-GY      | PTC2F-N         | PTC2F-E        | PTC2F-B        |
| 2-Gang Duplex Flip Lid Floor Cover                               | PTC2X-GY      | PTC2X-N         | PTC2X-E        | PTC2X-B        |
| Furniture Feed Floor Cover - Cap Diameters : Ø .75", Ø 1.50" NPS | PT5FF-GY      | PT5FF-N         | PT5FF-E        | PT5FF-B        |
| Abandonment Floor Plate                                          | PT5AB-GY      | PT5AB-N         | PT5AB-E        | PT5AB-B        |
| ACCESSORIES                                                      |               |                 |                |                |
| Description                                                      | Cat. No.      |                 |                |                |
| 2-Port Decora Recessed Data Strap, Ivory                         | FB2DE-I       |                 |                |                |
| 2-Port Duplex Recessed Data Strap, Ivory                         | FB2DU-I       |                 |                |                |

# Wood Frame Floor Boxes

- Plate gaskets on all, and rubber O-rings on rectangular covers, combine to seal out moisture and air-borne particles
- Meet or exceed UL514A requirements including the Scrub Water Test and comply with Section 4.3.8 of the Americans with Disabilities Act specifying accessible design
- Devices with tamper-resistant receptacles satisfy National Electrical Code® 2020 Article 406.12 requirements



25251-TFN



35249-TFB

PLATE MOUNTS:  
FLANGED



## RECTANGULAR FLOOR BOX KITS (RECEPTACLE INCLUDED)

| Description                                                        | Tamper-Resistant | Cover Style | Color  | 1-Gang, 15 Amp Cat. No. | 1-Gang, 20 Amp Cat. No. | 2-Gang, 15 Amp Cat. No. | 2-Gang, 20 Amp Cat. No. |
|--------------------------------------------------------------------|------------------|-------------|--------|-------------------------|-------------------------|-------------------------|-------------------------|
| Single Receptacle Floor Box Assembly                               | TR               | Rectangle   | Brass  | 5249-TFB                | 5349-TFB                | —                       | —                       |
| Duplex Receptacle Floor Box Assembly                               | TR               | Rectangle   | Nickel | 25249-TFN               | 25349-TFN               | 35249-TFN               | 35349-TFN               |
| Duplex Receptacle Floor Box Assembly                               | TR               | Rectangle   | Brass  | 25249-TFB               | 25349-TFB               | 35249-TFB               | 35349-TFB               |
| Duplex Receptacle Floor Box Assembly (includes 1 QuickPort Insert) | TR               | Rectangle   | Nickel | —                       | —                       | 35249-TLN               | 35349-TLN               |
| Duplex Receptacle Floor Box Assembly (includes 1 QuickPort Insert) | TR               | Rectangle   | Brass  | —                       | —                       | 35249-TLB               | 35349-TLB               |
| Duplex Receptacle Floor Box Assembly                               | Non-TR           | Rectangle   | Nickel | 25249-SBA               | —                       | —                       | —                       |
| Duplex Receptacle Floor Box Assembly                               | Non-TR           | Rectangle   | Brass  | 25249-FBA               | 25349-FBA               | —                       | —                       |

## ROUND FLOOR BOX KITS (RECEPTACLE INCLUDED)

|                                      |    |       |        |           |   |   |   |
|--------------------------------------|----|-------|--------|-----------|---|---|---|
| Duplex Receptacle Floor Box Assembly | TR | Round | Nickel | 25251-TFN | — | — | — |
| Duplex Receptacle Floor Box Assembly | TR | Round | Brass  | 25251-TFB | — | — | — |
| Decora Receptacle Floor Box Assembly | TR | Round | Nickel | 25251-TDN | — | — | — |
| Decora Receptacle Floor Box Assembly | TR | Round | Brass  | 25251-TDB | — | — | — |

## ROUND BLANK FLOOR BOX KITS (RECEPTACLE NOT INCLUDED)

| Description              | Cover Style | Color  | Cat. No. |
|--------------------------|-------------|--------|----------|
| Blank Floor Box Assembly | Round       | Nickel | 25251-DN |
| Blank Floor Box Assembly | Round       | Brass  | 25251-DB |

## REPLACEMENT PARTS FOR WOOD FRAME FLOOR BOXES

| Description                                                                                                                                      | Cat. No.  |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Single Receptacle Replacement Cap & Gasket (for use with 5249-TFB & 5349-TFB)                                                                    | 5249-CAP  |
| Duplex Receptacle Replacement Cap & Gasket (for use with 25249-FBA, 25249-TFB, 25349-FBA, 25349-TFB, 35249-TFB, 35349-TFB, 35249-TLB, 35349-TLB) | 25249-CAP |

# Pop-Up Floor Box Receptacles

- Pre-wired terminal block for easy wiring access and installation
- Low profile, stylish metal cover recesses into the floor when not in use, reducing above floor height to ¼ inch



PLATE MOUNTS:  
FLANGED



## COVERS

| Description                                                          | Brushed Nickel Cat. No. | Bronze Cat. No. | Black Cat. No. | Brass Cat. No. |
|----------------------------------------------------------------------|-------------------------|-----------------|----------------|----------------|
| Pop-Up Floor Box with 15A USB Charger Tamper-Resistant Receptacle    | PFUS1-BN                | PFUS1-BZ        | PFUS1-MB       | PFUS1-BR       |
| Pop-Up Floor Box with 20A USB Charger Tamper-Resistant Receptacle    | PFUS2-BN                | PFUS2-BZ        | PFUS2-MB       | PFUS2-BR       |
| Pop-Up Floor Box with 15A Self-Test GFCI Tamper-Resistant Receptacle | PFGF1-BN                | PFGF1-BZ        | PFGF1-MB       | PFGF1-BR       |
| Pop-Up Floor Box with 20A Self-Test GFCI Tamper-Resistant Receptacle | PFGF2-BN                | PFGF2-BZ        | PFGF2-MB       | PFGF2-BR       |
| Pop-Up Floor Box with 15A Tamper-Resistant Receptacle                | PFTR1-BN                | PFTR1-BZ        | PFTR1-MB       | PFTR1-BR       |
| Pop-Up Floor Box with 20A Tamper-Resistant Receptacle                | PFTR2-BN                | PFTR2-BZ        | PFTR2-MB       | PFTR2-BR       |
| Pop-Up Floor Box with 3-Port QuickPort                               | PFQP3-BN                | PFQP3-BZ        | PFQP3-MB       | PFQP3-BR       |

Visit our Website at:

[leviton.com/floorboxes](http://leviton.com/floorboxes)

email: [commercial@leviton.com](mailto:commercial@leviton.com)

**Leviton Manufacturing Co., Inc.**

201 N Service Rd, Melville, NY 11747

Telephone: 1-800-323-8920 • FAX: 1-800-832-9538

Tech Line: 1-800-824-3005 (M-F 8AM-10PM; Sat 9AM-7PM; Sun 9AM-5PM)

© 2026 Leviton Manufacturing Co., Inc. All rights reserved.

Q-1524C 011226