

# Eaton HJD3225

Catalog Number: HJD3225

Eaton Series C complete molded case circuit breaker, J-frame, HJD, Fixed thermal, Fixed magnetic trip, Three-pole, 225 A, 600 Vac, 250 Vdc, 100 kAIC at 240 Vac, 65 kAIC at 480 Vac, Aluminum, Line and load, 50/60 Hz



Photo is representative

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Series C complete molded case circuit breaker	HJD3225
	<b>UPC</b>
	786679512036
<b>Product Length/Depth</b>	<b>Product Height</b>
4.06 in	4.13 in
<b>Product Width</b>	<b>Product Weight</b>
4.13 in	12.5 lb
<b>Warranty</b>	<b>Certifications</b>
Eaton Selling Policy 25-000, one (1) year UL Listed from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	

## defaultTaxonomyAttributeLabel

### Type

Complete breaker

### Amperage Rating

225 A

### Voltage rating

600 Vac, 250 Vdc

### Trip Type

Fixed thermal, fixed magnetic

### Circuit breaker type

HJD

### Circuit breaker frame type

Complete breaker

### Series

Series C

### Terminals

Line and load

### Frame

J

### Frequency rating

50 to 60 Hz

### Terminal material

Aluminum

### Interrupt rating

65 kAIC at 480 Vac

100 kAIC at 240 Vac

### Number of poles

Three-pole

## Resources

### Application notes

[UL listed 100%-rated molded case circuit breakers](#)

[Application of Tap Rules to Molded Case Breaker Terminals](#)

[Application of Multi-Wire Terminals for Molded Case Circuit Breakers](#)

### Brochures

[Current limiting Series C molded case circuit breakers product aid](#)

[Power metering and monitoring with Modbus RTU product aid](#)

[Motor protection circuit breakers product aid](#)

[Plug-in adapters for molded case circuit breakers product aid](#)

[Circuit breaker motor operators product aid](#)

[Multi-wire lugs product aid](#)

[MOEM MCCB Product Selection Guide](#)

[StrandAble terminals product aid](#)

[Breaker service centers](#)

### Catalogs

[Molded case circuit breakers catalog](#)

[Eaton's Volume 4—Circuit Protection](#)

### Drawings

[HJD3 3D Model Xchange](#)

[HJD3 2D PDF](#)

[J-frame Molded Case Circuit Breaker Drawing](#)

[HJD3 2D Drawing Xchange](#)

[HJD3 3D Inventor](#)

### Multimedia

[Circuit breakers explained](#)

[Circuit Breakers Explained](#)

### Specifications and datasheets

[Series C F-Frame molded case circuit breakers](#)

[MOEM MCCB product selection guide](#)

[Series C G-Frame molded case circuit breakers time current curves](#)

[Eaton Specification Sheet - HJD3225](#)

[Series C, J-frame Time Current Curve](#)

[Series C J-Frame molded case circuit breakers time current curves](#)

### Time/current curves

[Cutler-Hammer Series C Time-Current Curves for J-Frame Circuit Breakers](#)

Warranty guides

Selling Policy 25-000 - Distribution and Control Products and Services

---



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)