Eaton DT325FRK

Catalog Number: DT325FRK

Eaton Heavy duty double-throw safety switch, 400 A, NEMA 3R, Painted galvanized steel, Class H fuses, Fusible without neutral, Three-pole, Three-wire, K-series, 240 V

General specifications



Catalog Number

Eaton heavy duty double-throw safety

DT325FRK

switch

UPC

782114215821

Product Length/Depth

Product Height

14.12 in

74.31 in

Product Width Product Weight

25.34 in 230 lb

Warranty Certifications

Eaton Selling Policy 25-000, one (1) year UL Listed

from the date of installation of the

Product or eighteen (18) months from the

date of shipment of the Product,

whichever occurs first.

Catalog Notes

Suitable for service entrance use with a neutral or ground lug kit installed





default Taxonomy Attribute Label

Type

Heavy duty, double-throw

Amperage Rating

400A

Number Of Poles

Three-pole

Product Category

Heavy-duty safety switch

Voltage rating

240V

Switch type 2

Heavy duty

Enclosure

NEMA 3R

Enclosure material

Painted galvanized steel

Fuse class provision

Class H fuses

Fuse configuration

Fusible without neutral

Number of wires

3

Series

K-series

NEMA rating

NEMA 3R

Switch type

Double throw

Resources

Brochures

Double-throw safety switch

Expanded double-throw safety switch line

Catalogs

Eaton's Volume 2—Commercial Distribution

Switching devices catalog

Multimedia

ARMS Enclosed Circuit Breaker

Double Up on Safety

Switching Devices Flex Center

Specifications and datasheets

Eaton Specification Sheet - DT325FRK



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia