



## E Series Switchable White LED Trim Kits

Experience the ultimate 5-in-1 solution



**JUNO**<sup>®</sup>



# Flexibility at your fingertips

E Series LED recessed trim kits from Juno® offer an optimal value for a variety of residential and light commercial applications. With aperture sizes in both 4" and 5"/6", E Series provides easy retrofitting from below the ceiling and can be paired with a recessed housing for new construction applications. The switchable white feature offers flexibility for lighting a space to the desired color temperature with the integrated switch.

## 4" and 5"/6" Trim Insert Options

Designer color finish trim inserts to enhance the aesthetics of any room.

### Baffle



**4BEMB & 65BEMB**  
Matte Black



**4BEBN & 65BEBN**  
Brush Nickel



**4BEORB & 65BEORB**  
Oil-Rubbed Bronze

### Smooth



**4SEMB & 65SEMB**  
Matte Black




**4SEBN & 65SEBN**  
Brush Nickel



**4SEORB & 65SEORB**  
Oil-Rubbed Bronze

### Universal Design:

The 65BEMW and 65SEMW are designed to fit into both 5" and 6" recessed housings.




**Direct Connect Feature**  
for quick installation of  
the trim kit.

**Baffle and Smooth** trim options available.



### 5 Switchable White Color Temperature Options

Simply adjust the color temperature from warm white (2700K) to daylight (5000K) allowing customization for your space.



**Mounting springs** are designed to fit into most residential recessed housings.

**2 Lumen Packages Available** - Select either standard or high lumen based on application needs or ceiling heights, etc.

65BEMW trim kit shown here







## E Series LED Trim Kits with Switchable White

The E Series 4" and 5"/6" downlight trim kits with Switchable White offers the flexibility for installation into different applications including residential, multi-family and light commercial.






Ordering Information		Example: 65BEMW SWW5 90CRI				
Series	LED	Color Temperature		Color Rendering Index		
 <b>4 inch</b> <b>4BEMW</b> 4" Juno E Series Baffle Trim Kit Downlight <b>4SEMW</b> 4" Juno E Series Smooth Trim Kit Downlight	<b>(Blank)</b>	Standard Lumen (700L)	<b>SWW5</b> Switchable White (2700K, 3000K, 3500K, 4000K, 5000K)	<b>90CRI</b> 90+ CRI		
 <b>5 inch/6 inch</b> <b>65BEMW</b> 5"/6" Juno E Series Baffle Trim Kit Downlight <b>65SEMW</b> 5"/6" Juno E Series Smooth Trim Kit Downlight	<b>(Blank)</b>	Standard Lumen (900L)				
					<b>HL</b>	Hi-Lumen (1200L)

### Suggested Housings

Pairs perfectly with recessed housings for quick and easy installation into new construction applications.

#### 4" Housings: Order as separate catalog number

	<b>QC4</b>	4" Quick Connect New Construction Housing
	<b>QC4R</b>	4" Quick Connect Remodel Housing
	<b>IC1FW LEDT24</b>	4" Fire-Rated Dedicated LED New Construction Housing

#### 6" Housings: Order as separate catalog number

	<b>QC6</b>	6" Quick Connect New Construction Housing
	<b>QC6R</b>	6" Quick Connect Remodel Housing

