

FLOOR BOXES

FOR WOOD FRAME AND
CONCRETE CONSTRUCTION

ORDERING GUIDE

A COMPLETE
SOLUTION FOR
POWER, DATA & AV



Concrete Floor Boxes

For floors on ground
level or above



Poke-Through Floor Box

For floors above
ground level



Wood Frame Floor Boxes

Ideal for homes,
conference rooms,
auditoriums, stages,
hospitality, and more



Pop-Up Floor Boxes

Ideal for office
buildings, work-from-
home setups, desks,
conference rooms,
and more

FOR USE WITH ALL TYPES OF FLOORING INCLUDING WOOD,
TILE, VINYL, TERRAZZO, CARPET, AND CONCRETE.



Concrete Floor Boxes – PVC

- Elevation screws offer up to 3" of adjustment before installation
- Bulls-eye leveling cover ensures proper installation and protects during concrete pour
- Leveling ring allows for adjustment up to 3/4" after installation
- Low voltage divider has pre-scored, built-in measurements
- Solid brass flip-lid cover plates with double hinged design allows doors to open 180 degrees



SYSTEM

| Description | Cat. No |
|--|----------|
| Concrete Floor Box System, Gray (Includes reducers, dividers, and yellow leveling cover) | FBBOX-GY |
| Concrete Floor Box Leveling Ring (required) | FBLEV-GY |

COVERS AND PLATES

| Description | Nickel Cat. No | Black Cat. No | Brass Cat. No |
|---|----------------|---------------|---------------|
| 1 Decora Flip Lid & 1 Data Cap Plate | FBC1F-N | FBC1F-E | FBC1F-B |
| 2 Decora Flip Lids Plate | FBC2F-N | FBC2F-E | FBC2F-B |
| 1 Screw Cap (Single Receptacle or Furniture Feed) & 2 Data Caps Plate Cap Diameters: Screw Cap, Ø 0.50", Ø 1.25" & Ø 1.50" (NPS) | FBC1S-N | FBC1S-E | FBC1S-B |
| 2 Screw Caps (Duplex Receptacle) & 1 Data Cap Plate Cap Diameters: Screw Cap, Ø 0.50" & (2) Ø 1.25" (NPS) | FBC1X-N | FBC1X-E | FBC1X-B |

ACCESSORIES

| Description | Cat. No |
|--|----------|
| Low Voltage Divider, Gray | FBDIV-GY |
| Power Conduit Reducers, Gray | FBRPW-GY |
| Data Conduit Reducers, Gray | FBRDT-GY |
| 'Y' Conduit Adapter, Gray | FBYAD-GY |
| 2-Port Decora Recessed Data Strap, Ivory | FB2DE-I |
| 2-Port Duplex Recessed Data Strap, Ivory | FB2DU-I |



Concrete Floor Boxes – Recessed Metallic Kits

- Floor box houses power and data below the floor for recessed plugging
- Stainless steel cover plates completely flush to floor; flip lids hidden while-in-use
- Rotating flange adjusts to finished floor height
- Black plastic sleeve covers 6" stamped steel floor box column



4" ROUND RECESSED OPENING, 6" HEIGHT

| Description | Cat. No |
|---|---------|
| Includes Leviton 16342-GY 20 Amp Decora Plus Receptacle, Industrial Grade, Self-Grounding | FBID1 |
| Includes 2 NEMA 5-20R Power Outlets and 4 Data Ports | FBI24 |
| Includes 4 NEMA 5-20R Power Outlets and 4 Data Ports | FBI44 |



ORDERING INFO ON THE GO!

Scan the QR codes for product info in the palm of your hand.



LOOKING FOR MORE?

Visit leviton.com/floorboxes for product videos, features, benefits and ordering information.

Concrete Floor Boxes – Stamped Steel

- Once the stamped steel floor box is buried and cured in concrete, the tile ring and plates can be installed flush to the finished floor
- Each stamped steel floor box includes screws to height-adjust for thicker concrete slab floors
- Includes a concrete cover, leveling/height-adjusting screws and various sized conduit entries



PLATE MOUNTS:
FLUSH



| SYSTEM | | | |
|--|----------------|----------------|----------------|
| Description | 1-Gang Cat. No | 2-Gang Cat. No | 3-Gang Cat. No |
| Rectangle Deep Floor Box | FBDR1 | FBDR2 | FBDR3 |
| Round Deep Floor Box | FBDC1 | — | — |
| Rectangle Shallow Floor Box | FBHR1 | FBHR2-2 | FBHR3 |
| FRAMES | | | |
| Description | 1-Gang Cat. No | 2-Gang Cat. No | 3-Gang Cat. No |
| Brass Frames (Only needed for Rectangle Floor Boxes) | FBRM1-B | FBRM2-B | FBRM3-B |
| COVERS | | | |
| Description | Cat. No | | |
| Rectangle Flip Lid 1 Door Duplex | FBCR1-FLB | | |
| Round Flip Lid 1 Door Duplex | FBCR2-FLB | | |
| Rectangle Flip Lid 1 Door Decora | FBCR3-FDB | | |
| Round Flip Lid 1 Door Decora | FBCR4-FDB | | |

Poke-Through Floor Boxes

- Industry-exclusive self-leveling: two-piece construction levels device up to 4-degrees
- Industry-exclusive adjustable anchoring clips ease removal for inspections, adjustments and repairs
- Intumescent fire block & insulation provide 2+ hours of fire-rating
- Pre-installed gaskets & ground wire speed installation
- Industry-exclusive door-in-door cover design hides flip lids and maintains flush, clean appearance even when in use



PLATE MOUNTS:
FLANGED



PT544-GY



| SYSTEM | | | | |
|--|--------------|----------------|---------------|---------------|
| Description | Cat. No | | | |
| 5" Poke-Through Device | PT500 | | | |
| COVERS AND PLATES | | | | |
| Description | Gray Cat. No | Nickel Cat. No | Black Cat. No | Brass Cat. No |
| Pre-Wired Door-in-Door Floor Cover | PT544-2GY | PT544-2N | PT544-2E | PT544-2B |
| 2-Gang Decora Door-in-Door Floor Cover | PT526-GY | PT526-N | PT526-E | PT526-B |
| 2-Gang Decora Flip Lid Floor Cover | PTC2F-GY | PTC2F-N | PTC2F-E | PTC2F-B |
| 2-Gang Duplex Flip Lid Floor Cover | PTC2X-GY | PTC2X-N | PTC2X-E | PTC2X-B |
| Furniture Feed Floor Cover - Cap Diameters : Ø .75", Ø 1.50" NPS | PT5FF-GY | PT5FF-N | PT5FF-E | PT5FF-B |
| Abandonment Floor Plate | PT5AB-GY | PT5AB-N | PT5AB-E | PT5AB-B |
| ACCESSORIES | | | | |
| Description | Cat. No | | | |
| 2-Port Decora Recessed Data Strap, Ivory | FB2DE-I | | | |
| 2-Port Duplex Recessed Data Strap, Ivory | FB2DU-I | | | |

Wood Frame Floor Boxes

- Plate gaskets on all, and rubber O-rings on rectangular covers, combine to seal out moisture and air-borne particles
- Meet or exceed UL514A requirements including the Scrub Water Test and comply with Section 4.3.8 of the Americans with Disabilities Act specifying accessible design
- Devices with tamper-resistant receptacles satisfy National Electrical Code® 2020 Article 406.12 requirements



25251-TFN



35249-TFB

PLATE MOUNTS:
FLANGED



RECTANGULAR FLOOR BOX KITS (RECEPTACLE INCLUDED)

| Description | Tamper-Resistant | Cover Style | Color | 1-Gang, 15 Amp Cat. No | 1-Gang, 20 Amp Cat. No | 2-Gang, 15 Amp Cat. No | 2-Gang, 20 Amp Cat. No |
|--|------------------|-------------|--------|------------------------|------------------------|------------------------|------------------------|
| Single Receptacle Floor Box Assembly | TR | Rectangle | Brass | 5249-TFB | 5349-TFB | — | — |
| Duplex Receptacle Floor Box Assembly | TR | Rectangle | Nickel | 25249-TFN | 25349-TFN | 35249-TFN | 35349-TFN |
| Duplex Receptacle Floor Box Assembly | TR | Rectangle | Brass | 25249-TFB | 25349-TFB | 35249-TFB | 35349-TFB |
| Duplex Receptacle Floor Box Assembly (includes 1 QuickPort Insert) | TR | Rectangle | Nickel | — | — | 35249-TLN | 35349-TLN |
| Duplex Receptacle Floor Box Assembly (includes 1 QuickPort Insert) | TR | Rectangle | Brass | — | — | 35249-TLB | 35349-TLB |
| Duplex Receptacle Floor Box Assembly | Non-TR | Rectangle | Nickel | 25249-SBA | — | — | — |
| Duplex Receptacle Floor Box Assembly | Non-TR | Rectangle | Brass | 25249-FBA | 25349-FBA | — | — |

ROUND FLOOR BOX KITS (RECEPTACLE INCLUDED)

| | | | | | | | |
|--------------------------------------|----|-------|--------|-----------|---|---|---|
| Duplex Receptacle Floor Box Assembly | TR | Round | Nickel | 25251-TFN | — | — | — |
| Duplex Receptacle Floor Box Assembly | TR | Round | Brass | 25251-TFB | — | — | — |
| Decora Receptacle Floor Box Assembly | TR | Round | Nickel | 25251-TDN | — | — | — |
| Decora Receptacle Floor Box Assembly | TR | Round | Brass | 25251-TDB | — | — | — |

ROUND BLANK FLOOR BOX KITS (RECEPTACLE NOT INCLUDED)

| Description | Cover Style | Color | Cat. No |
|--------------------------|-------------|--------|----------|
| Blank Floor Box Assembly | Round | Nickel | 25251-DN |
| Blank Floor Box Assembly | Round | Brass | 25251-DB |

REPLACEMENT PARTS FOR WOOD FRAME FLOOR BOXES

| Description | Cat. No |
|--|-----------|
| Single Receptacle Replacement Cap & Gasket (for use with 5249-TFB & 5349-TFB) | 5249-CAP |
| Duplex Receptacle Replacement Cap & Gasket (for use with 25249-FBA, 25249-TFB, 25349-FBA, 25349-TFB, 35249-TFB, 35349-TFB, 35249-TLB, 35349-TLB) | 25249-CAP |

Pop-Up Floor Box Receptacles

- Pre-wired terminal block for easy wiring access and installation
- Low profile, stylish metal cover recesses into the floor when not in use, reducing above floor height to ¼ inch



PLATE MOUNTS:
FLANGED



COVERS

| Description | Brushed Nickel Cat. No | Bronze Cat. No | Black Cat. No | Brass Cat. No |
|--|------------------------|----------------|---------------|---------------|
| Pop-Up Floor Box with 15A USB Charger Tamper-Resistant Receptacle | PFUS1-BN | PFUS1-BZ | PFUS1-MB | PFUS1-BR |
| Pop-Up Floor Box with 20A USB Charger Tamper-Resistant Receptacle | PFUS2-BN | PFUS2-BZ | PFUS2-MB | PFUS2-BR |
| Pop-Up Floor Box with 15A Self-Test GFCI Tamper-Resistant Receptacle | PFUF1-BN | PFUF1-BZ | PFUF1-MB | PFUF1-BR |
| Pop-Up Floor Box with 20A Self-Test GFCI Tamper-Resistant Receptacle | PFUF2-BN | PFUF2-BZ | PFUF2-MB | PFUF2-BR |
| Pop-Up Floor Box with 15A Tamper-Resistant Receptacle | PFTR1-BN | PFTR1-BZ | PFTR1-MB | PFTR1-BR |
| Pop-Up Floor Box with 20A Tamper-Resistant Receptacle | PFTR2-BN | PFTR2-BZ | PFTR2-MB | PFTR2-BR |
| Pop-Up Floor Box with 3-Port QuickPort | PFQP3-BN | PFQP3-BZ | PFQP3-MB | PFQP3-BR |

Visit our Website at:

leviton.com/floorboxes

email: commercial@leviton.com

Leviton Manufacturing Co., Inc.

201 N Service Rd, Melville, NY 11747

Telephone: 1-800-323-8920 • FAX: 1-800-832-9538

Tech Line: 1-800-824-3005 (M-F 8AM-10PM; Sat 9AM-7PM; Sun 9AM-5PM)

© 2025 Leviton Manufacturing Co., Inc. All rights reserved.

Q-1524B 091825