



Certificate of Compliance

Certificate: 1613555 (LR 92886-77)

Master Contract: 153555

Project: 70198203

Date Issued: 2018-11-14

Issued to: Schneider Electric USA, Inc. Square D
3700 6th St SW
Cedar Rapids, Iowa 52404
USA
Attention: Manuel Salinas

The products listed below are eligible to bear the CSA Mark shown



Issued by: Ronald Tateishi
Ronald Tateishi

PRODUCTS

CLASS 1432 01 - CIRCUIT BREAKERS - Moulded Case Type

Circuit breakers, Types HOM and CHOM, Series 1, 1-pole, 15-50A, 120/240V ac max and 2-pole, 15-70A, 120/240V ac max.

Notes:

1. The mechanism is trip free of the handle which assumes a mid position between "ON" and "OFF" upon automatic tripping.
2. These circuit breakers are uncompensated and calibrated to 40°C requirements.
3. These circuit breakers are suitable for use with copper and aluminum conductors.
4. These circuit breakers are suitable for reversed line and load connections.
5. These circuit breakers may be marked with a high current interrupting rating of 10,000 rms symmetrical amperes at 120/240V ac.
6. The 15 and 20A, 1-pole circuit breakers are suitable for switching 120V fluorescent lighting loads and may be marked "SWD".



Certificate: 1613555 (LR 92886-77)

Project: 70198203

Master Contract: 153555

Date Issued: 2018-11-14

APPLICABLE REQUIREMENTS

CSA Standard C22.2 No. 5 - Molded-Case Circuit Breakers, Molded-Case Switches and Circuit-Breaker Enclosures



Supplement to Certificate of Compliance

Certificate: 1613555 (LR 92886-77)

Master Contract: 153555

*The products listed, including the latest revision described below,
are eligible to be marked in accordance with the referenced Certificate.*

Product Certification History

Project	Date	Description
70198203	2018-11-14	Addition of the use of polyester as an alternate material for the crossbar.
2368779	2010-11-29	Addition of the Type CHOM circuit breakers.
1815893	2006-10-13	Revised toggle spring on the 60 and 70A circuit breakers.
1613555	2005-01-18	Alternate Rogers T-9 material for base and covers of the 35-70A breakers.