

Eaton S4B3P1C

Catalog Number: S4B3P1C

Eaton Cooper Power series L-cutout, 300A disconnect, Interrupt sym: 8600A Momentary, 15.5 kV, NEMA B brkt(5" bolts), Polymer, Fuse holder: 300A blade, BIL: 110 kV, Bottom: Parallel groove connector



General specifications

Product Name	Catalog Number
Eaton Cooper Power series L-cutout	S4B3P1C
UPC	Product Length/Depth
194006038775	16.3 in
Product Height	Product Width
13.5 in	3.75 in
Product Weight	Compliances
16.997 lb	CSA 310-09

Certifications

ANSI/IEEE Std C37.40
ANSI/IEEE Std C37.41
ANSI/IEEE Std C37.42

Accessories

Fusing holder option

300A blade

Additional specifications

Packaging

Cutout wildlife guard

Description

Material (insulation)

Polymer

Termination bottom

Parallel groove connector

Electrical Ratings

Amperage Rating

300 A

Basic impulse level

110kV

Interrupting current - asymmetrical

12,000A Momentary

Interrupting current - symmetrical

8600A Momentary

Voltage rating - max

15.5 kV

Mounting

Mounting Type

NEMA B bracket (5" bolts)

Type

Cutout type

L-cutout

Resources

Catalogs

[Arrester/flipper fuse combinations catalog](#)

Specifications and datasheets

[Eaton Specification Sheet - S4B3P1C](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)