UL Product iQ®



Programmable Controllers Certified for Canada

COMPANY

SCHNEIDER ELECTRIC JAPAN HOLDINGS LTD.

2-15-6, SHIBAURA MINATO-KU, Tokyo 108-0023 Japan

E220851

Trademark and/or Tradename: "E486184", Pro-face by Schneider Electric , Schneider, , Bro-face by Schneider Electric , Broder , Broo-face Note: For additional marking information, refer to the Guide Information Page.

View model for additional information

Model(s): <u>3080039-01</u>, <u>3080039-02</u>, <u>3080057-01</u>, <u>3080057-02</u>, <u>3180048-02</u>, <u>3180053-01</u>, <u>3180053-02</u>, <u>3180053-03</u>, <u>3180053-04</u>, <u>3180054-02</u>, <u>3180054-03</u>, <u>3180054-04</u>, <u>3280007-01</u>, <u>3280007-02</u>, <u>3280007-03</u>, <u>3280007-04</u>, <u>3280007-11</u>, <u>3280007-12</u>, <u>3280007-13</u>, 3280007-14, 3280007-21, 3280007-22, 3280007-23, 3280007-24, 3280015-xx, 3280024-02, 3280024-04, 3280024-06, 3280024-14, <u>3280024-16, 3280024-22, 3280024-24, 3280024-32, 3280024-34, 3280035-01, 3280035-11, 3280035-12, 3280035-31, 3280035-41,</u> 3280035-51, 3280035-71, 3380701-01, 3383102-01, 3383202, 3384001-12, 3410004-01, 3480801-02, 3480801-03, 3480801-04, <u>3480801-11, 3480801-12, 3480801--14, 3480901-01, 3480901-02, 3480901-03, 3480901-04, 3480901-05, 3480901-07, 3480901-08, </u> <u>3481401-02, 3481701-11, 3481701-13, 3481701-22, 3481701-33, 3482001-41, 3482001-42, 3482001-45, 3482001-51, 3482001-55,</u> <u>3482001-61, 3482001-65, 3580205-01, 3580205-02, 3580205-03, 3580205-04, 3580207-01, 3580301-01, 3580301-02, 3580301-12,</u> <u>3580301-13</u>, <u>3580404-02</u>, <u>3580406-01</u>, <u>3580406-11</u>, <u>3580801</u>, <u>3581301-04</u>, <u>3581702-01</u>, <u>3581702-11</u>, <u>3581702-13</u>, <u>3581902-12</u>, <u>3581902-33, 3582302-01, 3583401-01, 3583401-02, 3583401-03, 3583401-04, 3583401-11, 3583401-13, 3583401-14, 3610001,</u> <u>3610005-01</u>, <u>3610005-02</u>, <u>3610005-03</u>, <u>3610006-01</u>, <u>3610006-02</u>, <u>3620003-01</u>, <u>3620003-03</u>, <u>3620003-04</u>, <u>3620003-05</u>, <u>3680301</u>, <u>3680701-01, 3680701-02, 3681601-01, 3681601-03, 3681601-11, 3681601-12, 3681601-13, 3710010-01, 3710010-02, 3710011-01,</u> <u>3710011-02</u>, <u>3710013-01</u>, <u>3710015-01</u>, <u>3910017-01</u>, <u>3910017-02</u>, <u>3910017-03</u>, <u>3910017-04</u>, <u>3910017-05</u>, <u>3910017-06</u>, <u>3910017-07</u>, <u>3910017-08, 3910017-11, 3910017-12, 3910018-01, HMIGTO1300, HMIGTO1310, HMIGTO2300, HMIGTO2310, HMIGTO2315,</u> HMIGTO3510, HMIGTO4310, HMIGTO5310, HMIGTO5315, HMIGTO6310, HMIGTO6315, HMIGXU3500#, HMIGXU3512#, HMIGXU5500#, HMISTO511, HMISTO512, HMISTO531, HMISTO532, HMIZECOV1, HMIZECOV2, HMIZECOV4, HMIZECOV5, HMIZECOV6, PFXGP4114T*D#, PFXGP4115T*D#, PFXGP4116T*D#, PFXGP4201TAD*, PFXGP4203TAD*, PFXGP4301TAD*, PFXGP4301TADR*, PFXGP4301TADS*, PFXGP4301TADW*, PFXGP4303TAD*, PFXGP4311KTAD#, PFXGP4401TAD*, PFXGP4401TADR*, PFXGP4401WADW*, PFXGP4402WADW#, PFXGP4501TAA*, PFXGP4501TAD*, PFXGP4501TADR*, PFXGP4501TADS*, PFXGP4501TADW*, PFXGP4501TMA*, PFXGP4501TMD*, PFXGP4502WADW#, PFXGP4503TAD*, PFXGP4511KTAD#, PFXGP4521TAD#, PFXGP4601TAA*, PFXGP4601TAD*, PFXGP4601TADR*, PFXGP4601TADS*, PFXGP4601TMA*, PFXGP4601TMD*, PFXGP4603TAD*, PFXGP4621TAA#, PFXGP4621TAD#, PFXZCBOP101, PFXZCBOP121, PFXZCBOP41, PFXZCBOP61, PFXZCBOP71, PFXZCEUKB1 and HMIZKB1, XBTGC2330T, XBTGC2330U, XBTGH2460B, XBTZGCAN, XBTZGCCAN, XBTZGJBOX

Model(s): <u>HMIDM6500WC#</u> # – Any letter(s) and/or number(s) or Blank

Model(s): HMIDM6600TM# # - Any letter(s) and/or number(s) or Blank

Model(s): HMIDM6600WC# # - Any letter(s) and/or number(s) or Blank

Model(s): <u>HMIDM6700TM#</u> # – Any letter(s) and/or number(s) or Blank

Model(s): HMIDM6800WC# # - Any letter(s) and/or number(s) or Blank

Model(s): HMIDM6900WC# # - Any letter(s) and/or number(s) or Blank

Model(s): HMIDT35X# # - Any letter(s) and/or number(s) or blank

Model(s): HMIDT65X# # - Any letter(s) and/or number(s) or blank

Model(s): HMIDT75X# # - Any letter(s) and/or number(s) or blank Model(s): HMIG3X# # - Any letter(s) and/or number(s) or blank Model(s): HMIGK2310# # - w/wo any one to three letter(s) and/or number(s). Model(s): HMIGK5310# # - w/wo any one to three letter(s) and/or number(s). Model(s): HMIST6200# #: May be followed by one to three alphanumeric characters Model(s): HMIST6400# #: May be followed by one to three alphanumeric characters Model(s): <u>HMIST6500#</u> #: May be followed by one to three alphanumeric characters Model(s): HMIST6600# #: May be followed by one to three alphanumeric characters Model(s): HMIST6700# #: May be followed by one to three alphanumeric characters Model(s): HMISTO705# #- may be followed by any one to three letter(s) and/or number(s) Model(s): HMISTO715# #- may be followed by any one to three letter(s) and/or number(s) Model(s): HMISTO735# #- may be followed by any one to three letter(s) and/or number(s) Model(s): HMISTW6200# #: May be followed by one to three alphanumeric characters Model(s): HMISTW6400# #: May be followed by one to three alphanumeric characters Model(s): <u>HMISTW6500#</u> #: May be followed by one to three alphanumeric characters Model(s): HMISTW6600# #: May be followed by one to three alphanumeric characters Model(s): <u>HMISTW6700#</u> #: May be followed by one to three alphanumeric characters Model(s): HMIZXJ19# # - Any letter(s) and/or number(s) or blank Model(s): PFXDM6500WC# # - Any letter(s) and/or number(s) or Blank Model(s): PFXDM6600TM# # – Any letter(s) and/or number(s) or Blank Model(s): PFXDM6600WC# # - Any letter(s) and/or number(s) or Blank Model(s): PFXDM6700TM# # - Any letter(s) and/or number(s) or Blank Model(s): <u>PFXDM6700WC#</u> # – Any letter(s) and/or number(s) or Blank Model(s): PFXDM6800WC# # - Any letter(s) and/or number(s) or Blank Model(s): <u>PFXDM6900WC#</u> # – Any letter(s) and/or number(s) or Blank Model(s): PFXGP4621UAD# # - w/wo any one to three letter(s) and/or number(s). Model(s): PFXSP5490WAD# # - Any letter(s) and/or number(s) or blank Model(s): PFXSP5690WAD# # - Any letter(s) and/or number(s) or blank Model(s): PFXSP5B90# # - Any letter(s) and/or number(s) or blank Model(s): PFXST6200WAD# #: May be followed by one to three alphanumeric characters Model(s): PFXST6400WAD# #: May be followed by one to three alphanumeric characters Model(s): PFXST6500WAD# #: May be followed by one to three alphanumeric characters Model(s): PFXST6600WAD# #: May be followed by one to three alphanumeric characters

NRAQ7.E220851 - Programmable Controllers Certified for Canada | UL Product iQ

Model(s): PFXST6700WAD# #: May be followed by one to three alphanumeric characters Model(s): PFXSTW6200WAD# #: May be followed by one to three alphanumeric characters Model(s): PFXSTW6400WAD# #: May be followed by one to three alphanumeric characters Model(s): PFXSTW6500WAD# #: May be followed by one to three alphanumeric characters Model(s): <u>PFXSTW6600WAD#</u> #: May be followed by one to three alphanumeric characters Model(s): PFXSTW6700WAD# #: May be followed by one to three alphanumeric characters Model(s): PFXZCHEUJ1# # - Any letter(s) and/or number(s) or blank Accessories, 15" LCD front display units, Model(s): 3620003-02 Accessory Box Unit, Model(s): <u>PFXSP5B10</u> May be followed by any letter(s) and/or number(s) Accessory Box Unit, Model(s): PFXSP5B40 May be followed by any letter(s) and/or number(s) Accessory CANopen Slave Unit, open type, Model(s): <u>PFXZCDEUCA1</u> May be followed by any letter(s) and/or number(s) Accessory Multi Display Adapter, open type, Model(s): PFXZCDADEXR1 May be followed by any letter(s) and/or number(s) Accessory Box Unit, Model(s): HMIG2U# # - Any letter(s) and/or number(s) or blank Accessory Box Unit, Model(s): HMIG3U, may be followed by any letter(s) and/or number(s). Accessory Box Unit, Model(s): <u>HMIG5U</u>, may be followed by any letter(s) and/or number(s). Accessory Box Unit, Model(s): HMIG5U2# # - Any letter(s) and/or number(s) or blank Accessory Box Unit, Model(s): <u>PFXSP5B00#</u> # - Any letter(s) and/or number(s) or blank Accessory Box Unit, Model(s): PFXSP5B41# # - Any letter(s) and/or number(s) or blank Accessory CANopen Master Unit, Model(s): PFXZCHEUCAM1# # - Any letter(s) and/or number(s) or blank Accessory CANOpen Slave Unit, Model(s): HMIGCAN, may be followed by any letter(s) and/or number(s). Accessory CANOpen units, Model(s): 3610007-01 Accessory conversion adapters, open-type, Model(s): PFXZCBCBCVUSR41 Accessory enclosure kits, Model(s): PFXZCDCVUS1 Accessory Environment Cover, Model(s): HMIZDCOV5, HMIZDCOV6, HMIZDCOV7 Accessory FLEX NETWORK Master Unit, Model(s): PFXZCHEUFN1# Accessory Multi Display Adaptor, Model(s): HMIZMDARX, may be followed by any letter(s) and/or number(s). Accessory Open type Environment Covers, Model(s): PFXZCDOP101, PFXZCDOP121, PFXZCDOP151 Accessory Profibus Unit, Model(s): <u>HMIZGPDP</u>, may be followed by any letter(s) and/or number(s). Accessory Profibus Unit, open type, Model(s): <u>PFXZCDEUPF1</u> May be followed by any letter(s) and/or number(s) Adapter, Model(s): XBTGH2460 Analog input modules, Model(s): EXM-AMI4LT, EXM-AMI4LT, EXM-ARI8LT, EXM-ARI8LT, EXM-AVO2HT, EXM-AVO2HT Analog input-output modules, Model(s): EXM-AMM6HT, EXM-AMM6HT

Built-in computers, open type, Model(s): 3582302-11

CAN units, Model(s): <u>3710014-01</u>

Color graphic panel displays, Model(s): <u>3280024-12</u>, <u>3280035-02</u>, <u>3482001-52</u>, <u>3482001-75</u>, <u>3581301-02</u> Compact iPCs-P4, Model(s): 3180046-xx Compact iPCs-Via Eden Slim Type, Model(s): 3280022-xx Controllers, Model(s): <u>3180048-01</u> Data converters, Model(s): 3080034-01 DC Power Supply Adapter, open type, Model(s): <u>PFXZCDADEXP1</u> May be followed by any letter(s) and/or number(s) DC POwer Supply Adaptor, Model(s): HMIZMDAEX, may be followed by any letter(s) and/or number(s). **Display units,** Model(s): <u>3180040-01</u> Enclosed type, Pendant Graphic Panel, Model(s): <u>PFXGP4311HTAD</u> may be followed by any character(s) and/or number(s) Enclosed type, Pendant Graphic Panel, Model(s): <u>PFXGP4311HTADEGK</u> may be followed by any character(s) and/or number(s) Enclosed type, Pendant Graphic Panel, Model(s): <u>PFXGP4311HTADER</u> may be followed by any character(s) and/or number(s) Enclosed type, Pendant Graphic Panel, Model(s): PFXGP4311HTADERK may be followed by any character(s) and/or number(s) Enclosed type, Pendant Graphic Panel, Model(s): PFXGP4311HTADEYK may be followed by any character(s) and/or number(s) Flat Panel display, Model(s): HMIDID7DT0 Flat panel displays, Model(s): 3580403-02, 3582701-01 Flat panel displays with keypads, open-type, Model(s): <u>3620004-01</u> Flat Panel Interface, Model(s): <u>HMIDID64DTD1</u>, may be followed by any letter(s) and/or number(s). Flat Panel Interface, Model(s): <u>HMIDID73DTD1</u>, may be followed by any letter(s) and/or number(s). Flat Panel Interface, Model(s): PFXFP5600TPD May be followed by any letter(s) and/or number(s) Flat Panel Interface, Model(s): <u>PFXFP5660TPD</u> May be followed by any letter(s) and/or number(s) Flat Panel Interface, Model(s): <u>PFXFP5700TPD</u> May be followed by any letter(s) and/or number(s) Flex network I/O units, Model(s): <u>3080039-03</u>, <u>3380701-02</u> GP4200 Series graphic displays, Model(s): PFXGP4201TADW* Graphic display panels, Model(s): <u>3180054-05</u>, <u>3480301-01</u> Graphic displays, Model(s): 3481401-01, 3580207-02, 3580208-02, 3583401-12, 3680701-03 Graphic Panel, Model(s): HMISTO501, XBTGT2930 Graphic panels, Model(s): 3580206-01 Human Machine Interface, Model(s): HMIDT351# # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): HMIDT542# # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): HMIDT551# # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): HMIDT642# # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): HMIDT643# # - Any letter(s) and/or number(s) or blank

Human Machine Interface, Model(s): HMIDT651# # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): HMIDT732# # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): HMIDT752# # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): HMIDT952# # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): <u>PFXSP5400WAD#</u> # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): <u>PFXSP5500TPD#</u> # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): PFXSP5500WAD# # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): <u>PFXSP5600TAD#</u> # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): <u>PFXSP5600TPD#</u> # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): PFXSP5600TPDR# # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): PFXSP5600WAD# # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): <u>PFXSP5660TPD#</u> # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): <u>PFXSP5700TPD#</u> # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): PFXSP5700WCD# # - Any letter(s) and/or number(s) or blank Human Machine Interface, Model(s): PFXSP5800WCD# # - Any letter(s) and/or number(s) or blank Illuminated switch units, Model(s): PFXZCCEUSG1 and HMIZRA1

Industrial Box Computer, Model(s): <u>HMIBX1A0N#</u> Where #: Any letter(s) and/or number(s) or blank

Industrial Controller , Box type, Model(s): <u>Box type, Advanced type, model PFXP6 or HMIP6</u> followed by 5, 7 or C, followed by B, followed by A or D, followed by E, M, P or 0, followed by F or N (Note\$), followed by one digit number of 0 to 8, followed by one digit number of 5 to 8 or 0, followed by @, followed by B, C, D, E, F, G or N, followed by @, followed by # Note \$ - Should be followed by F for models with HDD for Storage and/or with Accessory Optional Interface for EtherCAT, Note @ – Any alphanumeric, # - Any letter(s) and/or number(s) or Blank

Industrial Controller , Box type, Model(s): <u>Box type, Standard type, model PFXP6 or HMIP6</u> followed by 3, followed by B, followed by 1 or 2, followed by 0, followed by N, followed by one digit number of 0 to 8, followed by one digit number of 5 to 8 or 0, followed by @, followed by B, C, D, E, F, G or N, followed by @, followed by # Note @ – Any alphanumeric, # - Any letter(s) and/or number(s) or Blank

Industrial Controller , Panel type, Model(s): <u>Panel type, Advanced type, model PFXP6 or HMIP6</u> followed by 5, 7 or C, followed by 6, 7, E, F, G, A followed by A or D, followed by E, M, P or 0, followed by F or N (Note\$), followed by one digit number of 0 to 8, followed by one digit number of 5 through 8 or 0, followed by @, followed by B, C, D, E, F, G or N, followed by @, followed by # Note \$ - Should be followed by F for models with HDD for Storage and/or with Accessory Optional Interface for EtherCAT, Note @ – Any alphanumeric, # - Any letter(s) and/or number(s) or Blank

Industrial Controller , Panel type, Model(s): <u>Panel type, model PFXP6 or HMIP6</u>, followed by A, B or D, followed by 6, 7, D, E, F, G or A, followed by B, followed by 0, followed by N, followed by 0, A, 2, 3 or 4, followed by 0, 1, 2, 3, 4 or S, followed by @, followed by N, H, J or K, followed by @, followed by #. Note @ – Any alphanumeric. Note # - Any letter(s) and/or number(s) or Blank

Industrial Controller , Panel type, Model(s): <u>Panel type, Standard type, model PFXP6 or HMIP6</u> followed by 3, followed by 6, 7, D, E, F, G, A, followed by 1 or 2, followed by 0, followed by N, followed by one digit number of 0 to 8, followed by one digit number of 5 to 8 or 0, followed by @, followed by B, C, D, E, F, G or N, followed by @, followed by # Note @ – Any alphanumeric, # - Any letter(s) and/or number(s) or Blank

Industrial Controller, Box type, Model(s): <u>Box type, model PFXP6 or HMIP6</u>, followed by A, B or D, followed by B, followed by B, followed by 0, followed by 0, followed by 0, A, 2, 3 or 4, followed by 0, 1, 2, 3, 4 or S, followed by @, followed by N, H, J or K, followed by @, followed by #. Note @ – Any alphanumeric Note # - Any letter(s) and/or number(s) or Blank

Monochrome graphic panels, Model(s): <u>3481701-12</u>

Open type Box PC and Partial enclosure Display, Model(s): <u>HMIBMOxxxxxxxxxxx (a), HMIBMPxxxxxxxxxx (a),</u> <u>HMIBMUxxxxxxxxxxx (a), HMIPCCL2axxbxxxxxxx (b), HMIPCCP2axxbxxxxxxx (b), HMIPCCU2axxbxxxxxxx (b),</u> <u>PFXPL2axxbxxxxxxxx (#), PFXPP2axxbxxxxxxx (#), PFXPU2axxbxxxxxxxx (#), TM901BMPxxxxxxxxxx (a)</u>

Open type, Adapter, Model(s): AGP3000H-ADPCOM may be followed by any character (s) and/or number(s)

Open type, EZ LAN Adapter, Model(s): PFXZCGEUUE1

Open type, IoT Gateway Unit, Model(s): PFXGP4G01D

Open type, Programmable controllers, Model(s): <u>HMIBMPxI74D(g)xxx</u>, <u>HMIBMPxI74D2xxx</u>, <u>HMIBMUxl29D(g)xxx</u>, <u>HMIBMUxl29D2xxx</u>, <u>HMIGXU5512#</u>, <u>HMIPCCP2x(f)xxxxxxxxx</u>, <u>HMIPCCP2x(h)xxxxxxxxx</u>, <u>HMIPCCU2x(f)xxxxxxxxx</u>, <u>HMIPCCU2x(h)xxxxxxxxx</u>, <u>PFXGP4521TAA#</u>

Panel computers, Model(s): <u>3480801-01</u>, <u>3480801-13</u>, <u>3480901-06</u>, <u>3580301-03</u>, <u>3580301-11</u>, <u>3581702-03</u>, <u>3581702-12</u>, <u>3920019-01</u>

Panel Display, Model(s): XBTGT2430

Profibus Interface Board, Model(s): XBTZGPDP

Programmable Controllers, Model(s): <u>4230020</u> followed by -01 to -12, <u>HMIGTH6400WAD</u>, <u>HMIGTH6500WCD</u>, <u>HMIZHADPCOM</u>, PFXGM4201TAD, PFXGM4301TAD, PFXGM4B01D, PFXGPH6400WAD, PFXGPH6500WCD, PFXLM4201TADAC, PFXLM4201TADAK, PFXLM4201TADDC, PFXLM4201TADDK, PFXLM4301TADAC, PFXLM4301TADAK, PFXLM4301TADDC, PFXLM4301TADDK, PFXLM4B01DAC, PFXLM4B01DAK, PFXLM4B01DDC, PFXLM4B01DDK, PFXST6300TADE, PFXST6500TADE, PFXSTC6300TADDCE, PFXSTC6300TADDKE, PFXXM4200TP, PFXXM4300TP, PFXZHADPCOM, PFXZMADSM31, PFXZMADSM51

Programmable Controllers, Model(s): <u>HMI</u> may be followed by -SCU6A5, -SCU8A5, -SCU6B5, -SCU8B5, -SAC and -SBC, may be followed by a three-digit number.

Programmable Controllers, Model(s): <u>HMIDM6700WC#</u> # – Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): <u>HMIFP6500WCD#</u> Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): <u>HMIFP6600TMD#</u> Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): <u>HMIFP6600WCD#</u> Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): <u>HMIFP6700TMD#</u> Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): <u>HMIFP6700WCD#</u> Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): <u>HMIFP6800WCD#</u> Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): <u>HMIFP6900WCD#</u> Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): <u>PFXET6 and HMIET6 series</u> PFXET6400WAD,may be followed by one to three alphanumeric characters. PFXET6500WAD,may be followed by one to three alphanumeric characters. PFXET6500WAD,may be followed by one to three alphanumeric characters. HMIET6401,may be followed by one to three alphanumeric characters. HMIET6401,may be followed by one to three alphanumeric characters. HMIET6501,may be followed by one to three alphanumeric characters. HMIET6400,may be followed by one to three alphanumeric characters. HMIET6400,may be followed by one to three alphanumeric characters. HMIET6501,may be followed by one to three alphanumeric characters. HMIET6400,may be followed by one to three alphanumeric characters. HMIET6400,may be followed by one to three alphanumeric characters. HMIET6600,may be followed by one to three alphanumeric characters. HMIET6600,may be followed by one to three alphanumeric characters. HMIET6600,may be followed by one to three alphanumeric characters. HMIET6600,may be followed by one to three alphanumeric characters. HMIET6600,may be followed by one to three alphanumeric characters. HMIET6700,may be followed by one to three alphanumeric characters. HMIET6700,may be followed by one to three alphanumeric characters. HMIET6700,may be followed by one to three alphanumeric characters. HMIET6700,may be followed by one to three alphanumeric characters. HMIET6700,may be followed by one to three alphanumeric characters. HMIET6700,may be followed by one to three alphanumeric characters. HMIET6700,may be followed by one to three alphanumeric characters. HMIET6700,may be followed by one to three alphanumeric characters.

Programmable Controllers, Model(s): PFXFP6500WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): PFXFP6600TMD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): PFXFP6600WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): PFXFP6700TMD# Note # - Any letter(s) and/or number(s) or Blank

NRAQ7.E220851 - Programmable Controllers Certified for Canada | UL Product iQ

Programmable Controllers, Model(s): <u>PFXFP6700WCD#</u> Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): <u>PFXFP6800WCD#</u> Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): <u>PFXFP6900WCD#</u> Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): PFXSP5790WAD# # - Any letter(s) and/or number(s) or blank

Programmable Controllers, "Accessories, extension communication cables", Model(s): <u>HMI-ZSURDP</u> may be followed by 5

Programmable Controllers, "Communication cables", Model(s): HMIZ followed by 3 to 5 letters and digits

Programmable Controllers, "Communication cables", Model(s): XBTZ followed by 3 to 5 letters and digits.

Programmable Controllers, "Schneider or Proface", Model(s): <u>HMISTM6200# or PFXSTM6200WAD#</u>, <u>HMISTM6400# or</u> <u>PFXSTM6400WAD#</u>, <u>HMIZM6DSA# or PFXZCM6DSA#</u>, <u>HMIZM6RDP10# or PFXZCM6SM10#</u>, <u>HMIZM6RDP3# or PFXZCM6SM3#</u>, <u>HMIZM6RDP5# or PFXZCM6SM5#</u>, <u>HMIZS51W2# or PFXZCIWG44#</u>, <u>HMIZS53W2# or PFXZCIWG74#</u>

Programmable Controllers, "Schneider or Proface", Model(s): <u>HMISTM62# or PFXSTM62TP#</u> #: Maybe followed by one to three alphanumeric characters

Programmable Controllers, "Schneider or Proface", Model(s): <u>HMISTM64# or PFXSTM64TP#</u> #: Maybe followed by one to three alphanumeric characters

Programmable Controllers, "Schneider or Proface", Model(s): <u>HMISTM6B# or PFXSTM6B#</u> #: Maybe followed by one to three alphanumeric characters

Programmable Controllers, "Schneider or Proface", Model(s): <u>HMISTM6BOX# or PFXSTM6B00D#</u> #: Maybe followed by one to three alphanumeric characters

Programmable Controllers, "Small Terminal Series Magelis", Model(s): BCPMRD may be followed by three alphanumeric digits

Programmable Controllers, "Small Terminal Series Magelis", Model(s): <u>HMI</u> followed by -STU655, -STU855, -S65, -S85 or -S5T, may be followed by a three-digit number

Programmable Controllers, "Small Terminal Series Magelis", Model(s): LV434128 may be followed by three alphanumeric digits.

Programmable Controllers, "Small Terminal Series Magelis", Model(s): M765RD may be followed by three alphanumeric digits.

Programmable Controllers, "Small Terminal Series Magelis", Model(s): S765RD may be followed by three alphanumeric digits

Programmable indicators, open type, Model(s): 3581902-51

Video mix units, Model(s): <u>3710008-01</u>

- May be followed by any one to three letter(s) and/or number(s).

- (%) Model followed by 12 letters or numbers
- * May be followed by any letter or number.
- xx Where xx can be replaced by any alphanumeric character.

Last Updated on 2024-08-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."