

IEC**IECEE**

®

™

Ref. Certif. No.

CN74206

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**CB TEST CERTIFICATE**

Product

AC Contactor

Name and address of the applicant

Schneider Electric Industries S.A.S
35 Rue Joseph Monier 92500 Rueil-Malmaison, France

Name and address of the manufacturer

Schneider Electric Industries S.A.S
35 Rue Joseph Monier 92500 Rueil-Malmaison, France

Name and address of the factory

Schneider Electric a. s.
Cizovska 447 - 39701 Pisek - Czech Republic*Note: When more than one factory, please report on page 2*

Ratings and principal characteristics

See the Appendix

Trademark (if any)

Schneider Electric

Customer's Testing Facility (CTF) Stage used

N/A

Model / Type Ref.

LC1D40, LC1D50, LC1D65, LC2D40, LC2D50,
LC2D65, LC1D40004, LC1D65004, LC2D40004, LC2D65004,
LP1D40004, LP1D65004, LC1D40008, LC1D65008,
LP1D40008, LP1D65008;

Additional information (if necessary may also be reported on page 2)

A sample of the product was tested and found to be in conformity with

IEC 60947-1:2020; IEC 60947-4-1:2023

As shown in the Test Report Ref. No. which forms part of this Certificate

00901-CB2025CQC-124520

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.

Section 9, No. 188 Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86-10-83886666 Fax: +86-10-83886282

website: <http://www.cqc.com.cn>

Date: Dec.03,2025

Signature:

谢肇煦

Xie ZhaoXu



LC1D40, LC1D50, LC1D65, LC2D40, LC2D50, LC2D65,
LC1D40004, LC1D65004, LC2D40004, LC2D65004, LP1D40004, LP1D65004, LC1D40008,
LC1D65008, LP1D40008, LP1D65008

Ui: 1000V;

Uimp:8kV;

LC1D40, LC2D40, LC1D40004, LC2D40004, LP1D40004:

Ith=60A;

Ue/Ie:

AC-1: 230V/400V/440V/500V/690V/60A;

AC-3: 230V/38A, 400V/35A, 440V/40A, 500V/33A, 690V/32A;

AC-3e: 230V/38A, 400V/35A, 440V/40A, 500V/33A, 690V/32A;

AC-4: 230V/31.7A, 400V/29.2A, 440V/33.34A, 500V/27.5A, 690V/26.7A;

LC1D40008, LP1D40008:

Ith=60A;

Ue/Ie:

AC-1: 230V/400V/440V/500V/690V/60A;

LC1D50, LC2D50:

Ith=80A;

Ue/Ie:

AC-1: 230V/400V/440V/500V/690V/80A;

AC-3: 230V/51A, 400V/41A, 440V/50A, 500V/44A, 690V/35A;

AC-3e: 230V/51A, 400V/41A, 440V/50A 500V/44A, 690V/35A;

AC-4: 230V/42.5A, 400V/34.2A, 440V/41.7A, 500V/36.7A, 690V/29.2A;

LC1D65, LC2D65, LC1D65004, LC2D65004, LP1D65004:

Ith=80A;

Ue/Ie:

AC-1: 230V/400V/440V/500V/690V/80A;

AC-3: 230V/61A, 400V/55A, 440V/65A, 500V/53A, 690V/39A;

AC-3e: 230V/61A, 400V/55A, 440V/65A, 500V/53A, 690V/39A;

AC-4: 230V/50.84A, 400V/45.84A, 440V/54.2A, 500V/44.2A, 690V/32.5A;

Additional information (if necessary)

Date:

Dec.03,2025

Signature:

谢肇煦

Xie ZhaoXu

LC1D65008, LP1D65008:

Ith=80A;

AC-1: 230V/400V/440V/500V/690V/80A;

Us: AC12V/20V/24V/32V/42V/48V/110V/115V/127V/155V/220-230V/230V/240V/256V/
380-400V/400V/415V/440V/500V/550V/660V, 50Hz;

AC20V/24V/48V/85V/110V/120V/208V/220V/240V/277V/340V/380V/416V/440V/480V/
575V/600V, 60Hz;

AC20V/24V/42V/48V/100V/110V/115V/120V/200V/208V/230V/380-400V/
400V/415V/440V,50/60Hz;

AC220-230V(50Hz)/220-240V(60Hz), 230-240V(50Hz)/240V(60Hz);

DC12V/20V/24V/36V/48V/60V/72V/96V/100V/110V/125V/155V/174V/200V/220V/250V/
305V/348V/440V/543V/600V;

DC(large voltage range)12V/24V/32V/36V/48V/72V/96V/110V/220V;

LC1D40, LC2D40, LC1D50, LC2D50, LC1D65, LC2D65: 3P;

LC1D40004, LC2D40004, LP1D40004, LC1D65004, LC2D65004, LP1D65004:4P;

LC1D40008, LP1D40008, LC1D65008, LP1D65008:4P;

1NO1NC;

Ith:10A;

AC-15, Ue/Ie: 120V/6A, 660V/1.09A;

DC-13, Ue/Ie: 125V/1.1A, 600V/0.2A

Additional information (if necessary)

Date:

Dec.03,2025

Signature:

谢肇煦

Xie ZhaoXu