

IEC**IECEE**

TM

Ref. Certif. No.

CN65435

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME****CB TEST CERTIFICATE**

Product

AC Contactor

Name and address of the applicant

Schneider Electric Manufacturing (Wuhan) Co., Ltd.
No.1 3rd Fozuling Road, Donghu New&High Tech
Development Zone, Wuhan, Hubei Province, P.R.China

Name and address of the manufacturer

Schneider Electric Industries SAS
35 Rue Joseph Monier, 92500 Rueil-Malmaison France

Name and address of the factory

*Note: When more than one factory, please report on page 2*Schneider Electric Manufacturing (Wuhan) Co., Ltd.
No.1 3rd Fozuling Road, Donghu New&High Tech
Development Zone, Wuhan, Hubei Province, P.R.China

Ratings and principal characteristics

See the Appendix

Trademark (if any)

Schneider Electric

Customer's Testing Facility (CTF) Stage used

N/A

Model / Type Ref.

LC1D09, LC2D09, LC1D12, LC2D12, LC1D18, LC2D18;

Additional information (if necessary may also be
reported on page 2)A sample of the product was tested and found
to be in conformity withIEC 60947-4-1:2018;IEC 60947-1:2007;IEC
60947-1:2007/AMD1:2010;IEC 60947-1:2007/AMD2:2014As shown in the Test Report Ref. No. which
forms part of this Certificate

00901-CB2024CQC-112959

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.

Section 9, No. 188 Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86-10-83886666 Fax: +86-10-83886282

website: <http://www.cqc.com.cn>

Date: Apr.02,2024

Signature:

Xie ZhaoXu



LC1D09, LC2D09, LC1D12, LC2D12, LC1D18, LC2D18

Ui: 690V;

Uimp: 6kV;

LC1D09, LC2D09

Ith: 25A;

AC-3: Ue/Ie: 230V/8.5A, 400V/8.5A, 440V/9A, 500V/9.2A, 690V/6.7A;

AC-4: Ue/Ie: 230V/7.1A, 400V/7.1A, 440V/7.5A, 500V/7.7A, 690V/5.6A;

AC-3e: Ue/Ie: 230V/8.5A, 400V/8.5A, 440V/9A, 500V/9.2A, 690V/6.7A;

LC1D12, LC2D12

Ith: 25A;

AC-3: Ue/Ie: 230V/11.3A, 400V/11.5A, 440V/12A, 500V/12.4A, 690V/8.9A;

AC-4: Ue/Ie: 230V/9.42A, 400V/9.6A, 440V/10A, 500V/10.34A, 690V/7.42A;

AC-3e: Ue/Ie: 230V/11.3A, 400V/11.5A, 440V/12A, 500V/12.4A, 690V/8.9A;

LC1D18, LC2D18

Ith: 32A;

AC-3: Ue/Ie: 230V/15A, 400V/15.5A, 440V/18A, 500V/16A, 690V/11.7A;

AC-4: Ue/Ie: 230V/12.5A, 400V/12.92A, 440V/15A, 500V/13.42A, 690V/9.75A;

AC-3e: Ue/Ie: 230V/15A, 400V/15.5A, 440V/18A, 500V/16A, 690V/11.7A;

Us: AC12V 50/60Hz, 21V 50/60Hz, 24V 50/60Hz, 32V 50/60Hz, 36V 50/60Hz,

42V 50/60Hz, 48V 50/60Hz, 60V 50/60Hz, 100V 50/60Hz, 110V 50/60Hz, 115V 50/60Hz,
120V 50/60Hz, 127V 50/60Hz, 140V 50/60Hz, 200V 50/60Hz,

Page 1 of 2

Additional information (if necessary)

Date:

Apr.02,2024

Signature:

谢肇煦
Xie ZhaoXu

208V 50/60Hz, 220V 50/60Hz, 230V 50/60Hz, 240V 50/60Hz, 277V 50/60Hz, 380V 50/60Hz, 400V 50/60Hz, 415V 50/60Hz, 440V 50/60Hz, 480V 50/60Hz,

500V 50/60Hz, 575V 50/60Hz, 600V 50/60Hz, 660V 50/60Hz, 690V 50/60Hz;

AC480V 60Hz, 575V 60Hz, 600V 60Hz;

DC12V, 20V, 24V, 32V, 36V, 48V, 60V, 72V, 96V, 100V, 110V, 125V, 155V, 174V, 200V, 220V, 250V, 305V, 348V, 440V;

DC24VLC;

3P;

Frequency: 50/60Hz;

IP20(only front face);

Auxiliary contacts (body):

Ith:10A;

AC-15: Ue/Ie: 120V/6A, 600V/1.04A;

DC-13: Ue/Ie: 125V/1.1A, 600V/0.2A;

1NO1NC

Page 2 of 2

Additional information (if necessary)

Date:

Apr.02,2024

Signature:

谢肇煦
Xie ZhaoXu