

Eaton PDD33F0200TFAJ

Catalog Number: PDD33F0200TFAJ

Power Defense UL/CSA 240V Max, Frame 3, Three Pole, 200A, 35kA/240V, T-M (Fxd-Adj) TU, Std Line Load Term (PDG3X3TA300)

Photo is representative

General specifications

Product Name

Eaton Power Defense molded case circuit breaker

Catalog Number

PDD33F0200TFAJ

UPC

786679794876

Product Length/Depth

109.1 mm

Product Height

257.1 mm

Product Width

138.9 mm

Product Weight

5.61 kg

Warranty

Eaton Selling Policy 25-000, one (1) year RoHS Compliant from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances

Certifications

UL 489
CSA



Delivery program

Amperage Rating

200 A

Circuit breaker frame type

Complete breaker

Frame

3

Number of poles

Three-pole

General information

Circuit breaker type

PD3 UL/CSA Only

Class

Class A

Trip Type

T-M (Fxd-Adj) TU

Technical data - Electrical

Voltage rating

240 V AC

Voltage rating - max

240 V

Technical data - Mechanical - Terminals

Terminals

Standard Line and Load

Technical information

Interrupt rating

35 kAIC at 240 Vac

Interrupt rating range

10 kAIC Icu @250 Vdc

35 kAIC @240V (UL)

Resources

3D CAD drawing package

[Eaton Power Defense PDD33F0200TFAJ 3D drawing](#)

Application notes

[Consulting application guide - molded case circuit breakers](#)

Brochures

[StrandAble terminals product aid](#)

[Power Defense molded case circuit breaker selection poster](#)

[Power Defense technical selling booklet](#)

[Power Defense brochure](#)

Certification reports

[PDG3 UL authorization 100-400a](#)

[PDG3 UL authorization 250-600a TMTU](#)

[Power Defense Declaration concerning California's Proposition 65](#)

[Installation instructions](#)

[Power Defense Frame 3 Breaker Instructions \(IL012107EN\).pdf](#)

[Multimedia](#)

[Power Defense Frame 5 Trip Unit How-To Video](#)

[Power Defense Frame 2 Variable Depth Rotary Handle Mechanism](#)

[Installation How-To Video](#)

[Power Defense Breakers](#)

[Power Defense molded case circuit breakers](#)

[Power Defense Frame 3 Variable Depth Rotary Handle Mechanism](#)

[Installation How-To Video](#)

[Eaton Power Defense for superior arc flash safety](#)

[Power Defense Frame 6 Trip Unit How-To Video](#)

[Specifications and datasheets](#)

[Eaton Specification Sheet - PDD33F0200TFAJ](#)

[Time/current curves](#)

[Power Defense time current curve Frame 3 - PD3](#)

[White papers](#)

[Molded case and low-voltage breaker health](#)

[Safer by design: arc energy reduction techniques](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia