Certificate Number UL-US-L103955-13-82306991-8

Report Reference E103955-19960328

Date 5-Dec-2022

Issued to: Schneider Electric Industries SAS

Electropole/Eybens, Power / LV

31 Rue Pierre Mendes France Grenoble Cedex 9 38050

France

This is to certify that representative samples of

DIHS - Circuit-breaker Accessories

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 489, 13th Ed., Issue Date: 2016-10-24, Revision Date:

2019-04-22

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Olbrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC



Certificate Number UL-US-L103955-13-82306991-8

Report Reference E103955-19960328

Date 5-Dec-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
0994421Z, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trips
29354, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Interlocking devices
29369, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Interlocking devices
29370, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
29371, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
29382 to -94, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trips
29402 to -14, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage releases
29424, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM modules
29450, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm switch
29451, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Overcurrent trip switches
29452, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm switch
29532, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDx modules
29843, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trips
29844, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trips
32631, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
34200, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T / U and comm. cords
34201, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T / U and comm. cords
34202, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T / U and comm. cords
34204, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T / U and comm. cords, over 480 V

Olbrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LL



Certificate Number UL-US-L103955-13-82306991-8

Report Reference E103955-19960328

Date 5-Dec-2022

34205, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Breaker status control modules
34210, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Terminal blocks (24Vdc)
34212, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	ZSI wiring accessories
60053, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trips
Circuit Breaker Type NSX 100-250	Molded Case Circuit Breaker Accs. and Adapters
Circuit Breaker Type TeSys GV5P	Molded Case Circuit Breaker Accs. and Adapters
COMPACT NSX 100-250	Molded Case Circuit Breaker Accs. and Adapters
GV7AB11, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm switch
GV7AE11, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm Switches, spring terminals version
GV7AU055, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage releases
GV7AU107, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage releases
GV7AU207, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage releases
GV7AU387, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage releases
GV7AU525, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage releases
H2PHLA, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
HJPA, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
HJPAF, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
NJPAF, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
NSF 150-250	Molded Case Circuit Breaker Accs. and Adapters
Powerpact H 15-150A	Molded Case Circuit Breaker Accs. and Adapters
Powerpact J 150-250A	Molded Case Circuit Breaker Accs. and Adapters
S434201BS (S434205 and S434201), Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM modules

Debrah Jennings-Course

eborah Jennings-Conner, VP Regulatory Services

UL LLC



Certificate Number UL-US-L103955-13-82306991-8

Report Reference E103955-19960328

Date 5-Dec-2022

S434202BS (S434205 and S434202), Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM modules
S434204BS (S434205 and S434204), Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM modules
S434303BS (S434205 and S434303), Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM modules
S434304BS (S434205 and S434304), Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM modules
S434305BS (S434205 and S434304), Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM modules
Square D CG, CJ	Molded Case Circuit Breaker Accs. and Adapters
TRV00211, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Insulated Modbus repeaters
VTRIPHJ, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Visi-Trip Handle
VTRIPHJ05, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Visi-Trip Handle
VTRIPHJ10, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Visi-Trip Handle

Osbrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC



Certificate Number Report Reference

UL-CA-2118599-6 E103955-19960328

Date 5-Dec-2022

Issued to:

Schneider Electric Industries SAS

Electropole/Eybens, Power / LV

31 Rue Pierre Mendes France Grenoble Cedex 9 38050

France

This is to certify that representative samples of

DIHS7 - Circuit-breaker Accessories Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety:

CSA C22.2 NO. 5, 4th Ed., Issue Date: 2016-10-24,

Revision Date: 2019-04-22

Additional Information:

See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Debrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC



Certificate Number UL-CA-2118599-6
Report Reference E103955-19960328

Date 5-Dec-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
0994421Z, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trips
29354, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Interlocking devices
29369, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Interlocking devices
29370, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
29371, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
29382 to -94, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trips
29402 to -14, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage releases
29424, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM modules
29450, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm switch
29451, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Overcurrent trip switches
29452, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm switch
29532, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDx modules
29843, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trips
29844, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trips
32631, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
34200, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T / U and comm. cords
34201, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T / U and comm. cords
34202, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T / U and comm. cords
34204, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T / U and comm. cords, over 480 V

Olbrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC



 Certificate Number
 UL-CA-2118599-6

 Report Reference
 E103955-19960328

Date 5-Dec-2022

34205, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Breaker status control modules
34210, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Terminal blocks (24Vdc)
34212, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	ZSI wiring accessories
60053, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trips
Circuit Breaker Type NSX 100-250	Molded Case Circuit Breaker Accs. and Adapters
Circuit Breaker Type TeSys GV5P	Molded Case Circuit Breaker Accs. and Adapters
GV7AB11, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm switch
GV7AE11, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm Switches, spring terminals version
GV7AU055, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage releases
GV7AU107, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage releases
GV7AU207, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage releases
GV7AU387, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage releases
GV7AU525, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage releases
H2PHLA, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
HJPA, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
HJPAF, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
NJPAF, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
Powerpact H 15-150A	Molded Case Circuit Breaker Accs. and Adapters
Powerpact J 150-250A	Molded Case Circuit Breaker Accs. and Adapters
S434201BS (S434205 and S434201), Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM modules
S434202BS (S434205 and S434202), Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM modules

Octoah Jennings-Course

beborah Jennings-Conner, VP Regulatory Services

UL LLC



 Certificate Number
 UL-CA-2118599-6

 Report Reference
 E103955-19960328

Date 5-Dec-2022

S434204BS (S434205 and S434204), Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM modules
S434303BS (S434205 and S434303), Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM modules
S434304BS (S434205 and S434304), Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM modules
S434305BS (S434205 and S434304), Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM modules
TRV00211, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Insulated Modbus repeaters
VTRIPHJ, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Visi-Trip Handle
VTRIPHJ05, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Visi-Trip Handle
VTRIPHJ10, Cat. Nos. may be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Visi-Trip Handle

Octoah Jennings-Corner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

