

# Eaton XTOB100GC1S

Catalog Number: XTOB100GC1S

Eaton XT IEC bimetallic overload relay, 70-100A overload range, 90 mm Frame size, 1NO-1NC contact configuration, Separate mount mounting, used with 80-170A contactor, 10A trip type

## General specifications



### Product Name

Eaton XT IEC bimetallic overload relay

### Catalog Number

XTOB100GC1S

### EAN

4015082784706

### Product Length/Depth

5.28 in

### Product Height

5.43 in

### Product Width

4.65 in

### Product Weight

5.5 lb

### Compliances

RoHS Compliant

ATEX Compliant

CE Marked

### Certifications

UL Listed

CSA Certified

IEC 60947

EN 60947



Powering Business Worldwide

## defaultTaxonomyAttributeLabel

### Overload range

70-100 A

### Frame size

90 mm

### Mounting

Separate

## Resources

### Brochures

[C440 Electronic Overload Relay](#)

### Catalogs

[Eaton's Volume 5—Motor Control and Protection](#)

### Drawings

[XTOB\\_GC1S 3D Model Xchange](#)

[XTOB\\_GC1S AutoCAD 2D Footprint \(mm\)](#)

[XTOB\\_GC1S 3D Inventor](#)

[XTOB\\_GC1S AutoCAD 2D Footprint](#)

[XTOB\\_GC1S 2D PDF](#)

[XTOB\\_GC1S 2D Drawing Xchange](#)

### Multimedia

[Overcurrent Protective Device Games - Fuses, Breakers and Contactors Explained](#)

### Specifications and datasheets

[Eaton Specification Sheet - XTOB100GC1S](#)

[Global Data Sheet - XTOB100GC1S](#)



Eaton Corporation plc

Eaton House

30 Pembroke Road

Dublin 4, Ireland

Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)