

Eaton XTOE1P6BCS

Catalog Number: XTOE1P6BCS

Eaton C440 electronic overload relay, XT IEC Electronic Overload Relay, 0.33-1.65A overload range, 45 mm Frame size, NO-NC contact configuration, Direct to contactor mounting, Selectable - 10A, 10, 20, 30 trip type



Photo is representative

General specifications

Product Name	Catalog Number
Eaton C440 electronic overload relay	XTOE1P6BCS
UPC	Product Length/Depth
786685416397	1.77 in
Product Height	Product Width
4.33 in	1.42 in
Product Weight	Compliances
0.87 lb	CE Marked
	RoHS Compliant
	ATEX Compliant

Certifications

EN 60947
UL Listed
CSA Certified
IEC 60947

defaultTaxonomyAttributeLabel

Overload range

0.33-1.65A

Type

Electronic overload relay

Frame size

45 mm

Mounting method

Direct

Contact configuration

NO, NC

Trip type

Selectable 10 A, class 10 ,20, 30

Resources

Brochures

[C440 Electronic Overload Relay](#)

Catalogs

[Eaton's Volume 5—Motor Control and Protection](#)

Drawings

[XTOE_B 3D Model Xchange](#)

[XTOE_B AutoCAD 2D Footprint](#)

[XTOE_B AutoCAD 2D Footprint \(mm\)](#)

[XTOE_B 2D PDF](#)

[XTOE_B 3D Inventor](#)

[XTOE_B 2D Drawing Xchange](#)

Installation instructions

[XTOE/ZEB IEC Electronic Overload - Self Powered](#)

Specifications and datasheets

[Eaton Specification Sheet - XTOE1P6BCS](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)