

# Eaton XTOE175GCS

Catalog Number: XTOE175GCS

Eaton C440 electronic overload relay, XT IEC Electronic Overload Relay, 35-175A overload range, 105 mm Frame size, NO-NC contact configuration, Selectable - 10A, 10, 20, 29 trip type



Photo is representative

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton C440 electronic overload relay	XTOE175GCS
<b>UPC</b>	<b>Product Length/Depth</b>
786685533346	9 in
<b>Product Height</b>	<b>Product Width</b>
10 in	13 in
<b>Product Weight</b>	<b>Compliances</b>
6 lb	RoHS Compliant
	ATEX Compliant
	CE Marked
<b>Certifications</b>	
UL Listed	
CSA Certified	
EN 60947	
IEC 60947	

## defaultTaxonomyAttributeLabel

### Overload range

35-175A

### Type

Electronic overload relay

### Frame size

105 mm

### Mounting method

Direct

### Contact configuration

NO, NC

### Trip type

Selectable 10 A, class 10 ,20, 30

## Resources

### Brochures

C440 Electronic Overload Relay

### Catalogs

Eaton's Volume 5—Motor Control and Protection

### Drawings

XTOE175G\_S 3D Model Xchange

XTOE175G\_S AutoCAD 2D Footprint (mm)

XTOE175G\_S 2D Drawing Xchange

XTOE175G\_S AutoCAD 2D Footprint

XTOE175G\_S 2D PDF

XTOE175G\_S 3D Inventor

### Installation instructions

XTOE/ZEB IEC Electronic Overload - Self Powered

### Specifications and datasheets

Eaton Specification Sheet - XTOE175GCS



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia