

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2305945-2
Report Reference E2875-20230204
Date 18-Jul-2023

Issued to: SCHNEIDER ELECTRIC USA INC
LOW VOLTAGE ASSEMBLED PRODUCTS
330 WEAKLEY LN
SMYRNA, TN 37167-2024
United States

This is to certify that representative samples of WIAX - Switches, Enclosed
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.


Standard(s) for Safety: UL 98, 14th Ed., Issue Date: 2016-02-12, Revision Date: 2023-01-16

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2305945-2
Report Reference E2875-20230204
Date 18-Jul-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
VH224, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224AWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224B, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224BAWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224BDS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH224BR, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224BSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH224DS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH224N, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224NAWK, May include any combination of the following suffixes when the accessory is factory installed:	Enclosed and Dead-Front Switches


 Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2305945-2
Report Reference E2875-20230204
Date 18-Jul-2023

EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	
VH224NDS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH224NR, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224NSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH224R, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224SS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH324, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324AWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324B, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324BAWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324BDS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH324BR, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1,	Enclosed and Dead-Front Switches

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2305945-2
Report Reference E2875-20230204
Date 18-Jul-2023

EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	
VH324BSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH324DS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH324N, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324NAWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324NDS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH324NR, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324NSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH324R, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324SS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH364AWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR,	Enclosed and Dead-Front Switches

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2305945-2
Report Reference E2875-20230204
Date 18-Jul-2023

WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	
VH364B, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH364BAWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH364BDS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364BR, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH364BRB, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364BSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364DS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364N, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH364NAWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH364NDS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364NR, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1,	Enclosed and Dead-Front Switches

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2305945-2
Report Reference E2875-20230204
Date 18-Jul-2023

EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	
VH364NRB, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364NSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364R, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH364RB, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364SS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VHU264AWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VHU264DS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264N, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264NAWK, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264NDS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches



Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2305945-2
Report Reference E2875-20230204
Date 18-Jul-2023

VHU264NR, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264NRB, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264NSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264R, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VHU264RB, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264SS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VHU364AWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VHU364DS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364N, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364NAWK, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364NDS, The catalog number may include any combination of the following suffixes when the accessory	Enclosed and Dead-Front Switches

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2305945-2
Report Reference E2875-20230204
Date 18-Jul-2023

is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	
VHU364NR, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364NRB, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364NSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364R, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VHU364RB, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364SS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches


Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2305161-2
Report Reference E2875-20230204
Date 18-Jul-2023

Issued to: SCHNEIDER ELECTRIC USA INC
LOW VOLTAGE ASSEMBLED PRODUCTS
330 WEAKLEY LN
SMYRNA, TN 37167-2024
United States

This is to certify that representative samples of WIAX7 - Switches, Enclosed Certified for Canada
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.


Standard(s) for Safety: CSA C22.2 No. 4, 8th Ed., Issue Date: 2016-02-12,
Revision Date: 2023-01-16

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2305161-2
Report Reference E2875-20230204
Date 18-Jul-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
VH224, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224AWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224B, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224BAWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224BDS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH224BR, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224BSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH224DS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH224N, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224NAWK, May include any combination of the following suffixes when the accessory is factory installed:	Enclosed and Dead-Front Switches


 Deborah Jennings-Conner, VP Regulatory Services

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2305161-2
Report Reference E2875-20230204
Date 18-Jul-2023

EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	
VH224NDS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH224NR, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224NSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH224R, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH224SS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH324, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324AWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324B, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324BAWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324BDS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH324BR, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1,	Enclosed and Dead-Front Switches


 Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2305161-2
Report Reference E2875-20230204
Date 18-Jul-2023

EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	
VH324BSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH324DS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH324N, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324NAWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324NDS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH324NR, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324NSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH324R, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH324SS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH364AWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR,	Enclosed and Dead-Front Switches

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2305161-2
Report Reference E2875-20230204
Date 18-Jul-2023

WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	
VH364B, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH364BAWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH364BDS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364BR, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH364BRB, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364BSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364DS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364N, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH364NAWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH364NDS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364NR, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1,	Enclosed and Dead-Front Switches

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2305161-2
Report Reference E2875-20230204
Date 18-Jul-2023

EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	
VH364NRB, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364NSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364R, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VH364RB, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VH364SS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VHU264AWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VHU264DS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264N, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264NAWK, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264NDS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches



Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2305161-2
Report Reference E2875-20230204
Date 18-Jul-2023

VHU264NR, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264NRB, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264NSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264R, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VHU264RB, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU264SS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VHU364AWK, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VHU364DS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364N, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364NAWK, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364NDS, The catalog number may include any combination of the following suffixes when the accessory	Enclosed and Dead-Front Switches

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2305161-2
Report Reference E2875-20230204
Date 18-Jul-2023

is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	
VHU364NR, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364NRB, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364NSS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364R, May include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, L1. Suffix "R" maybe interchanged with "RB".	Enclosed and Dead-Front Switches
VHU364RB, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches
VHU364SS, The catalog number may include any combination of the following suffixes when the accessory is factory installed: EI, EI1, EI2, KI, KI2, KIKI, GL, C, SPLO, LOG, CLR, WW, M, P, R, J1, LI, J2, SI, LI2.	Enclosed and Dead-Front Switches

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

