

Eaton NZMN2-M160

Catalog Number: NZMN2-M160

Eaton Series NZM motor protection circuit breaker, NZM2-frame, NZMN2, Thermal-magnetic trip, 1600-2800A delayed, Three-pole, 200A, 690 Vac, 750 Vdc, 50 kAIC, Motor protection, 160-200A, Screw, 55 kW at 230 Vac, 110 kW at 400 Vac



General specifications

Product Name	Catalog Number
Eaton Series NZM motor protection circuit breaker	NZMN2-M160
	EAN
	4015082657246
Product Length/Depth	Product Height
1.378 in	1.378 in
Product Width	Product Weight
1.378 in	5.126 lb
Warranty	Compliances
Eaton Selling Policy 25-000, one (1) year Contact Manufacturer from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	

defaultTaxonomyAttributeLabel

Amperage Rating

200 A

Voltage rating

690 Vac, 750 Vdc

Trip Type

Thermal-magnetic

Circuit breaker type

NZMN2

Frame

NZM2

Class

Motor protection

Accessories

Rocker lever, motor drive

Setting Range OI Protector

160-200A

Short-circuit breaking capacity

50 kAIC

Interrupt rating

50 kAIC

Connection

Screw

Rated operational current

110 kW at 400 Vac

55 kW at 230 Vac

Number of poles

Three-pole

Trip rating

1600-2800 A delayed

Resources

Catalogs

[Compact circuit-breakers and switch-disconnectors up to 1600 A](#)

Specifications and datasheets

[Product Data Sheet - NZMN2-M160](#)

[Eaton Specification Sheet - NZMN2-M160](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)