



Canless downlights are installed directly into the ceiling which eliminates the need for traditional recessed housings. These IC rated fixtures possess a slim profile that allows for them to install safely and securely into as little as 2" of plenum. No need to purchase a housing, trim, and lamp anymore, simply purchase a canless product for a cost efficient solution. Juno<sup>®</sup> canless solutions provide an array of product families including: Wafers, Podz, and 1" and 2" LED downlights.



	Application	Size	Trim Style	Lumen	ССТ	CCT CRI Dimming		Install Type	Finishes	Special Applications
					۱ ۱	Wafers	3			pp. not not not
CS		4"		670					Matte White	
	Indoor/Outdoor Single Family Multi-Family Light Commercial	6"	Flat, Modern Aesthetic	950	Switchable White 2700K- 5000K	90	Dimmable to 10% only with Triac Dimmers	Canless Installs directly into ceiling drywall 2" of plenum space needed	Black Brushed Nickel Oil Rubbed Bronze	LOCATION **
Flat Switchable WF4   WF6		8"		1600					DIONZe	
CS		2"		Adjustable Lumens 500 675 850						
	Indoor/Outdoor Single Family Multi-Family Light Commercial	4" 6"	Flat, Modern Aesthetic	Adjustable Lumens 700 900 1100	Switchable White 2700K- 5000K	90	Dimming 100% to 10% with most Standard Incandescent Dimmers	Canless Installs directly into ceiling drywall 2" of plenum space needed	Matte White Color Finished Trim Inserts Available	
Flat Switchable/ Adjustable WF2   WF4   WF6				Adjustable Lumens 800 1050 300						
CS	Indoor/Outdoor Single Family	4"	Regressed, Traditional	670	White	90	Dimming 100% to 10% with most Standard	Canless Installs directly into	Matte White	LOCATION **
Regressed WF4   WF6	Multi-Family Light Commercial	6"	Aesthetic	950	2700K- 5000K		Incandescent Dimmers	ceiling drywall 2" of plenum space needed	Matte White	
CS		2"		Adjustable Lumens 525 700 900						
	Multi-Family Light Commercial	4"	Deep Regressed Baffle, Traditional Aesthetic	Adjustable Lumens 700 900 1100	Switchable White 2700K- 5000K	90	Dimming 100% to 10% with most Standard Incandescent Dimmers	Canless Installs directly into ceiling drywall 3" of plenum space needed	Matte White Color Finished Trim Inserts Available	
Deep Regressed Baffle WF2   WF4   WF6		6"		Adjustable Lumens 967 1091 1123						



## **JUNO**° Canless

	Application	Size	Trim Style	Lumen	ССТ	CCT CRI Dimming		Install Type	Finishes	Special Applications
					1	Wafers	s			
CS		2"		Adjustable Lumens 525 700 900	Switchable White 2700K- 5000K	90	Dimming 100% to 10% with most Standard Incandescent Dimmers	Canless Installs directly into ceiling drywall 3" of plenum space needed	Matte White Color Finished Trim Inserts Available	
	Indoor/Outdoor Single Family Multi-Family Light Commercial	4"	Deep Regressed Smooth, Traditional Aesthetic	Adjustable Lumens 700 900 1100						
Deep Regressed Smooth WF2   WF4   WF6		6"		Adjustable Lumens 967 1091 1123						
CS	Indoor Single Family Multi-Family	4"	Adjustable, Modern	850	Tunable White	90	Dimming down to 10% with most Standard	Canless Installs directly into ceiling drywall	Matte White Matte Black	LOCATION **
Adjustable WF4   WF6	Light Commercial Perfect for sloped ceilings	6"	Aesthetic	1000	2700K- 5000K		Incandescent Dimmers	3" of plenum space needed		
🛞 🥏 🥌 💽	Indoor/Outdoor Single Family	4"	Flat, – Modern	650	Tunbale White	90	Dimmable to 1% (Not for use with wall dimmers).	Canless Installs directly into ceiling drywall	Matte White	WET
Smart WF4 I WF6	Multi-Family Light Commercial	6"	Aesthetic	950	2700K- 5000K		Perfect for use as a nightlight	2" of plenum space needed	Matte Willte	

## **JUNO**° Canless

	Application	Size	Trim Style	Lumen	ССТ	CRI	Dimming	Install Type	Finishes	Special Applications
				, , , , , , , , , , , , , , , , , , , ,	Wafers					
Smart Regressed Wafer WF4C   WF6C	Indoor/Outdoor Single Family Multi-Family Light Commercial	4" 6"	Regressed, Modern Aesthetic	640 - 680 944 - 992	Tunable White 2700K- 5000K	90	Dimmable to 1% (Not for use with wall dimmers). Perfect for use as a nightlight	Canless Installs directly into ceiling drywall 2" of plenum space needed	Matte White Black Brushed Nickel Oil Rubbed Bronze	UVET LOCATION **
Smart Adjustable Wafer WF4C I WF6C	Indoor/Outdoor Single Family Multi-Family Light Commercial	4" 6"	Adjustable, Modern Aesthetic	770 - 825 1085 - 1170	Tunable White 2700K- 5000K	90	Dimmable to 1% (Not for use with wall dimmers). Perfect for use as a nightlight	Canless Installs directly into ceiling drywall 2" of plenum space needed	Matte White	UVET LOCATION **
		_		Podz (R	ound & Square	) JPD	Z			
Round & Square Podz JPDZ	Indoor/Outdoor Single Family Multi-Family Light Commercial New Construction & Remodel	4" 5" 6"	Regressed, Traditional Baffle or Smooth Aesthetic Options	Adjustable Lumen Output 700 1000 1200	Switchable White 2700K- 5000K plus WarmDim	90	Dimming 100% to 5% with use of forward, reverse phase or 0-10V Dimmers	Canless Installs directly into ceiling drywall 4" of plenum space needed	Black Clear Haze Wheat Haze White	UVET LOCATION **
				2" LED Downl	ights (Round & S	Square	) 2LED			
2 LED Round Cone	Indoor Single Family Multi-Family Light Commercial New Construction or Remodel	2"	Regressed, Smooth Traditional Aesthetic	600 1000	2700K 3000K 3500K 4000K	80 90	Dimming 100% to 5% with use of forward, reverse phase or 0-10V Dimmers	Canless Installs directly into ceiling drywall 5.5" of plenum space needed	Black Clear Haze Wheat Haze White	LOCATION <sup>TM</sup>
2 LED Round Baffle	Indoor Single Family Multi-Family Light Commercial New Construction or Remodel	2"	Regressed, Baffle Traditional Aesthetic	600 1000	2700K 3000K 3500K 4000K	80 90	Dimming 100% to 5% with use of forward, reverse phase or 0-10V Dimmers	Canless Installs directly into ceiling drywall 5.5" of plenum space needed	Black Bronze Satin Nickel White	LOCATION TH
2 LED Round Adjustabnle	Indoor Single Family Multi-Family Light Commercial New Construction or Remodel	2"	Adjustable, Low profile gimbal Modern Aesthetic	600 1000	2700K 3000K 3500K 4000K	80 90	Dimming 100% to 5% with use of forward, reverse phase or 0-10V Dimmers	Canless Installs directly into ceiling drywall 5.5" of plenum space needed	Black Bronze Satin Nickel White	DAMP LOCATION M
2 LED Square Downlight	Indoor Single Family Multi-Family Light Commercial New Construction or Remodel	2"	Regressed, Square Traditional Aesthetic	600 1000	2700K 3000K 3500K 4000K	80 90	Dimming 100% to 5% with use of forward, reverse phase or 0-10V Dimmers	Canless Installs directly into ceiling drywall 5.5" of plenum space needed	Black Bronze Satin Nickel White	
2 LED Square Adjustable	Indoor Single Family Multi-Family Light Commercial New Construction or Remodel	2"	Square Adjustable, Low profile gimbal Modern Aesthetic	600 1000	2700K 3000K 3500K 4000K	80 90	Dimming 100% to 5% with use of forward, reverse phase or 0-10V Dimmers	Canless Installs directly into ceiling drywall 5.5" of plenum space needed	Black Bronze Satin Nickel White	DAMP LOCATION <sup>114</sup>







	Application	Size	Trim Style	Lumen	ССТ	CRI	Dimming	Туре	Finishes	Special Applications		
	Mini MD1LG2											
Round MD1LG2 RD	Indoor/Outdoor Single Family Multi-Family Light Commercial	1"	Regressed, Smooth Traditional Aesthetic	300	2700K 3000K 3500K 4000K	80 90	May be dimmed with dimmers tested and qualified by Juno for use with TL602E and MAGXFMR transformers	Canless Installs directly into ceiling drywall 4" of plenum space needed	Black Bronze Satin Nickel White	LOCATION **		
Square MD1LG2 SQ	Indoor/Outdoor Single Family Multi-Family Light Commercial	1"	Regressed, Smooth Traditional Aesthetic	300	2700K 3000K 3500K 4000K	80 90	May be dimmed with dimmers tested and qualified by Juno for use with TL602E and MAGXFMR transformers	Canless Installs directly into ceiling drywall 4" of plenum space needed	Black Bronze Satin Nickel White	LOCATION **		
Adjustable, Round MG1LG2 RD	Indoor Single Family Multi-Family Light Commercial	1"	Adjustable, Round Modern Aesthetic	300	2700K 3000K 3500K 4000K	80 90	May be dimmed with dimmers tested and qualified by Juno for use with TL602E and MAGXFMR transformers	Canless Installs directly into ceiling drywall 4" of plenum space needed	Black Bronze Satin Nickel White	DAMP LOCATION 1		
Adjustable, Square MG1LG2 SQ	Indoor Single Family Multi-Family Light Commercial	1"	Adjustable, Square Modern Aesthetic	300	2700K 3000K 3500K 4000K	80 90	May be dimmed with dimmers tested and qualified by Juno for use with TL602E and MAGXFMR transformers	Canless Installs directly into ceiling drywall 4" of plenum space needed	Black Bronze Satin Nickel White	LOCATION **		

Notes:

1. Wet Location is an ordering OPTION for the round and square mini downlights.

2. Mini LED fixtures require an electronic/magnetic transformer (sold separately) to operate