



Designed for
Visual Comfort



The HALO® HLBC is a slim LED downlight designed with visual comfort in mind. It features a regressed prismatic lens for superior glare reduction, while maintaining an ultra-thin 1/2" fixture thickness above the ceiling plane. This means the HALO HLBC can be installed virtually anywhere, regardless of plenum space. The HLBC is perfect for new construction, remodel, or retrofit jobs. The 2-in-1 installation system allows the installer to easily switch from canless installation to retrofit installation. During installation select the perfect color temperature for your space with 5 color temperatures between warm (2700K) to daylight (5000K) or Dim-to-warm option. The dim-to-warm setting begins at 3000K and dims smoothly to 1800K, creating a rich, warm glow resembling candlelight or the sun on the horizon. The HALO HLBC is an ideal solution for residential and light commercial applications where visual comfort and installation flexibility are a priority



Canless



Retrofit

2 in 1 installation

One Product
Two Installation Methods

Product Features

- Available in 4" and 6"
- 2-in-1 installation: options with canless or retrofit installation
- 5-color selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K, plus D2W
 - Dim-to-warm technology included: use your dimmer to warm color temperature from 3000K to 1800K
- Selectable Lumen: HLBC4: 600/900 Lumens; HLBC6: 900/1100 Lumens
- Regressed prismatic lens creates superior glare reduction and visual comfort
- Air-tite and wet location listed
- Dims to 5%, options with phase cut or 0-10V control



LEARN MORE



Regressed Lens


Great on the Eyes

Regressed prismatic lens creates superior glare reduction and visual comfort.



Catalog Number	Material Number	Description	UPC	Accessories			
				Extension Cables	Mounting Frames	Designer Trims	
Basic version Canless installation only					HL4RSMF 4" new construction mounting frame	HL6RSMF 6" new construction mounting frame	<i>See Below</i>
HLBC4069FSD2W1EMW	13608308	4" HLBC, 600lm, 5CCT, D2W, Canless Only	080083263059		●		●
HLBC6099FSD2W1EMW	13608309	6" HLBC, 900lm, 5CCT, D2W, Canless Only	080083263073			●	●
Dual Installation version 2-in-1 Canless & Retrofit installation				HLB06BLEEC 6 ft. extension cable HLB12BLEEC 12 ft. extension cable HLB20BLEEC 20 ft. extension cable			
HLBC4LS9FSD2W1EMWR	13608320	4" HLBC, 600-900lm, 5CCT, D2W, Canless & Retrofit	080083263097		●		●
HLBC4LS9FSD2WE010MWR	13608322	4" HLBC, 600-900lm, 5CCT, D2W, Canless & Retrofit, 0-10V UNV	080083263233		●		●
HLBC4LS9FSD2W1EMWR-CA	13629757	4" HLBC, 600-900lm, 5CCT, D2W, Canless & Retrofit, California	080083267927		●		●
HLBC4LS9FSD2WE010MWR-CA	13629759	4" HLBC, 600-900lm, 5CCT, D2W, Canless & Retrofit, 0-10V UNV, California	080083267965		●		●
HLBC6LS9FSD2W1EMWR	13608321	6" HLBC, 900-1100lm, 5CCT, D2W, Canless & Retrofit	080083263219			●	●
HLBC6LS9FSD2WE010MWR	13608323	6" HLBC, 900-1100lm, 5CCT, D2W, Canless & Retrofit, 0-10V UNV	080083263257			●	●
HLBC6LS9FSD2W1EMWR-CA	13629758	6" HLBC, 900-1100lm, 5CCT, D2W, Canless & Retrofit, California	080083267941			●	●
HLBC6LS9FSD2WE010MWR-CA	13629790	6" HLBC, 900-1100lm, 5CCT, D2W, Canless & Retrofit, 0-10V UNV, California	080083267989			●	●

Basic Version



Dual Installation Version



See how it works!

Designer Trims



HLBC4RTRMMW Matte White	HLBC4RTRMSN Satin Nickel	HLBC4RTRMTBZ Tuscan Bronze	HLBC4RTRMMB Matte Black
HLBC4STRMMW Matte White	HLBC4STRMSN Satin Nickel	HLBC4STRMTBZ Tuscan Bronze	HLBC4STRMMB Matte Black
HLBC6RTRMMW Matte White	HLBC6RTRMSN Satin Nickel	HLBC6RTRMTBZ Tuscan Bronze	HLBC6RTRMMB Matte Black
HLBC6STRMMW Matte White	HLBC6STRMSN Satin Nickel	HLBC6STRMTBZ Tuscan Bronze	HLBC6STRMMB Matte Black

Lighting Brands

Ametrix
AtLite
Corelite
Ephesus
Fail-Safe
HALO
HALO Commercial
Invue
iO
Iris
Lumark
Lumière
McGraw-Edison
Metalux
MWS
Neo-Ray
Portfolio
PrentaLux - 3D Printed Lighting
RSA
Shaper
Streetworks
Sure-Lites
Telensa

Controls Brands

Greengate
Fifth Light
Intelligent Lighting Controls

**Connected Lighting Systems
and Smart Spaces Platform**

WaveLinx



Cooper Lighting Solutions
1121 Highway 74 South
Peachtree City, GA 30269
P: 770-486-4800
www.cooperlighting.com

Canada Sales
5925 McLaughlin Road
Mississauga, Ontario L5R 1B8
P: 905-501-3000
F: 905-501-3172

© 2023 Cooper Lighting Solutions
All Rights Reserved
Printed in USA
Publication No. BR51814223
April 26, 2023 2:02 PM

All other trademarks are property
of their respective owners.

Product availability, specifications,
and compliances are subject to
change without notice.