

Eaton DH365UWK316

Catalog Number: DH365UWK316

Eaton Custom single-throw non-fused safety Switch, Single-throw, 400 A, Nema 4X, Grade 316 stainless steel, Non-fusible, Three-pole, Three-wire, 125 at 240 Vac TD 3 Ph, 250 at 480 Vac TD 3 Ph, 350 at 600 Vac TD 3 Ph, 50 at 250 Vdc



Photo is representative

General specifications

Product Name	Catalog Number
Eaton custom single-throw non-fused safety switch	DH365UWK316
	UPC
	782116490134
Product Length/Depth	Product Height
12.43 in	57.47 in
Product Width	Product Weight
24.12 in	125 lb
Warranty	Certifications
Eaton Selling Policy 25-000, one (1) year UL Listed from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	

defaultTaxonomyAttributeLabel

Type

Single-throw

Amperage Rating

400A

Number Of Poles

Three-pole

Product Category

Heavy Duty, Non-Fusible

Voltage rating

600 V

HP rating - max

125 at 240 Vac TD 3 Ph, 250 at 480 Vac TD 3 Ph, 350 at 600
Vac TD 3 Ph, 50 at 250 Vdc

Enclosure

NEMA 4X

Enclosure material

316 stainless steel

Fuse configuration

Non-fusible

Number of wires

3

Series

K-Series

Application

Heavy commercial and industrial

NEMA rating

NEMA 4X

Voltage - max

600 V

Resources

Catalogs

[Eaton's Volume 2—Commercial Distribution](#)

Specifications and datasheets

[Eaton Specification Sheet - DH365UWK316](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)