

# Eaton 10250T714E

Catalog Number: 10250T714E

Eaton 30.5 mm Heavy-Duty Watertight/Oiltight Push-Pull Unit, Class I Division 2, Standard Actuator, Red, Plastic Bus, 1NO-1NC, Non-illuminated, EMER. STOP, Two-position, Maintained push and pull, 10250T Series

## General specifications



**Product Name**  
Eaton 10250T pushbutton

**UPC**  
782114505335

**Product Height**  
1 in

**Product Diameter**  
1.38 in

**Warranty**  
1 year

**Certifications**  
CSA Certified  
UL 508  
UL 1604

**Catalog Number**  
10250T714E

**Product Length/Depth**  
1 in

**Product Width**  
1 in

**Product Weight**  
0.1 lb

**Compliances**  
CE Marked  
FDA 3-A

## defaultTaxonomyAttributeLabel

### Type

Class I Division 2

### Actuator color

Red

### Bus material

Plastic

### Actuator

Standard

### Operating mode

Push: maintained

Pull: maintained

### Contact configuration

1 NO-1 NC

### Illumination

Non-illuminated

### Series

10250T

### Legend

EMERGENCY STOP

### Number of positions

2

### Rating

NEMA 12

NEC Class I Division 2, Groups B, C and D

NEMA 4

NEMA 4X

NEMA 13

NEMA 3R

NEMA 3

### Size

40 mm

## Resources

### Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

### Multimedia

How to size and select a Power Supply

### Specifications and datasheets

Eaton Specification Sheet - 10250T714E



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)