

Declaration of Conformity

Issued by Manufacturer
Hoffman Enclosures, Inc.
2100 Hoffman Way, Anoka, Minnesota 55303-1745, U.S.A.
declare at our sole responsibility, that these devices are designed and constructed according to
the fundamental safety and health requirements.

Enclosure Models: S*****SS (Bulletin VM9)
Equipment Description: Hoffman Syspend Sanitary Enclosure, Type 4X
Enclosure Rating : CSA Type 3R, 4, 4X, 12
Enclosure Certification: CSA C22.2 No. 94.1-07

PRODUCTS

- CLASS - C321111 - INDUSTRIAL CONTROL EQUIPMENT-Enclosures for Electrical Equipment-
-
- Stainless steel industrial enclosures Bulletin VM9 Syspend HMI Sanitary Enclosure family of enclosures are pendant arm/pedestal mounted single solid door with size ranges from 385 to 621 mm(height), 394 to 694 mm(width), 176 to 226 mm(depth), made from 304 stainless steel, or 316 stainless steel, rated 3R, 4, 4X or 12.

Note: These enclosures are not designed for or equipped with detachable threaded conduit hubs.

Applicable Standards: CSA C22.2 No.94.1-07 – Enclosures for Electrical Equipment,
Non-Environmental Considerations
CSA C22.2 No. 94.2-07 – Enclosures for Electrical Equipment,
Environmental Considerations

Authorized by:



5/22/2020 (today's date)

Glen Kampa

Date

Senior Regulatory Engineer

Subject to Change Without Notice

DOC: CERT-00254-B



Certificate of Compliance

Certificate: 70049314

Master Contract: 151630 (042186_C_000)

Project: 70177557

Date Issued: 2018-04-06

Issued to: Hoffman Enclosures Inc.
2100 Hoffman Way
Anoka, Minnesota 55303-1745
USA
Attention: Glen Kampa

The products listed below are eligible to bear the CSA Mark shown



Issued by: Alan McLaughlin
Alan McLaughlin

PRODUCTS

- CLASS - C321111 - INDUSTRIAL CONTROL EQUIPMENT-Enclosures for Electrical Equipment-
- Stainless steel industrial enclosures Bulletin VM9 Syspend HMI Sanitary Enclosure family of enclosures are pendant arm/pedestal mounted single solid door with size ranges from 385 to 621 mm(height), 394 to 694 mm(width), 176 to 226 mm(depth), made from 304 stainless steel, or 316 stainless steel, rated 3R, 4, 4X or 12.

Note: These enclosures are not designed for or equipped with detachable threaded conduit hubs.

APPLICABLE REQUIREMENTS

CSA C22.2 NO. 94.1-07	Enclosures for Electrical Equipment, Non-Environmental Considerations
CSA C22.2 NO. 94.2-07	Enclosures for Electrical Equipment, Environmental Considerations