

Eaton AHCL1530R

Catalog Number: AHCL1530R

Eaton Arrow Hart Color Coded Locking Receptacle, #14-8 AWG, 30A, Industrial, 250 V, Back and Side, Blue, Black, Ultra grip, Glass filled Nylon, L15-30, Three-pole, Four-wire, Glass-filled Nylon, -40C (w/o impact) to 70°C (-40F to 158F)

General specifications

Product Name	Catalog Number
Eaton Arrow Hart Color Coded Locking Receptacle	AHCL1530R
	UPC
	032664758430
Product Length/Depth	Product Height
1.62 in	3.64 in
Product Width	Product Weight
1.06 in	0.001 lb
Compliances	Certifications
RoHS Compliant	CSA Certified
NAFTA	UL Listed
	NOM
	Federal Specification Classification 6233 01



Product specifications

Special features

Voltage Color Coding

Type

Locking Receptacle

Amperage Rating

30A

Voltage rating

3Ø 250 V

Application

Industrial

Wiring method

Back and side

Number of wires

4

Number Of Poles

Three-pole

Color

Black

Blue

Material

Glass filled nylon

Operating temperature

-40 to 70 °C (-40 to 158 °F)

Allowable wire size

#14-8 AWG

NEMA configuration

L15-30

Torque rating

20 lbf-inch

Design type

Ultra grip

Face/body material

Glass filled nylon

Resources

Multimedia

[Eaton Arrow Hart color coded locking devices](#)

Specifications and datasheets

[Arrow Hart color coded industrial grade L15-30 locking devices spec sheet](#)

[Eaton Specification Sheet - AHCL1530R](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia