

Eaton AHCL530R

Catalog Number: AHCL530R

Eaton Arrow Hart Color Coded Locking Receptacle, #14-8 AWG, 30A, Industrial, 125V, Back and Side, Yellow, Black, Ultra grip, Glass filled Nylon, L5-30, Two-pole, Three-wire, Glass-filled Nylon, -40C (w/o impact) to 70C (-40F to 158F)

General specifications



Product Name	Catalog Number
Eaton Arrow Hart Color Coded Locking Receptacle	AHCL530R
	UPC
	032664758683
Product Length/Depth	Product Height
1.62 in	3.64 in
Product Width	Product Weight
1.12 in	0.001 lb
Compliances	Certifications
RoHS Compliant	CSA Certified
NAFTA	UL Listed
	NOM
	Federal Specification Classification 6233 01

Product specifications

Special features

Voltage Color Coding

Type

Locking Receptacle

Amperage Rating

30A

Voltage rating

125 V

Application

Industrial

Wiring method

Back and side

Number of wires

3

Number Of Poles

Two-pole

Color

Yellow

Black

Material

Glass filled nylon

Operating temperature

-40 to 70 °C (-40 to 158 °F)

Allowable wire size

#14-8 AWG

NEMA configuration

L5-30

Torque rating

20 lbf-inch

Design type

Ultra grip

Face/body material

Glass filled nylon

Resources

Multimedia

[Eaton Arrow Hart color coded locking devices](#)

Specifications and datasheets

[Eaton Specification Sheet - AHCL530R](#)

[Arrow Hart color coded industrial grade L5-30 locking devices spec sheet](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia