



Quick Connect Housing – QC Series

4", 5", & 6" New Construction & Remodel Housings

JUNO[®]

Combining Tradition with Ease

The Juno® Quick Connect housing is your lowest cost of entry for an LED downlight solution using legacy style housings that pair with LED retrofit trims for new construction and remodel applications. By utilizing the orange quick connect plug, provided as standard for electrical attachment of the LED retrofit trim to the housing, installation becomes easier than ever before. Its compact design allows for quick, easy handling while installing and allows the housing to fit into shallow ceiling areas where plenum space is limited. Available in 4", 5" & 6" sizes.

Compact Design

Less than 6" tall, the QC Series makes handling easy during install. Plus, allows the housing to fit into shallow ceiling areas.

IC Rated

Designed for direct contact with insulation.

Flexibility


Wide selection of compatible trim options for downlighting and accent lighting.

Quick Connect Plug

Allows for quick, easy electrical connection of housing to LED trim module.

Real Nail 3® Bar Hangers

Provide a contoured foot for easy alignment to bottom of joist. Plus, the bugle headed nail design allows for easy removal during housing relocation.



Install in 3 Simple Steps

Install Housing



New Construction



Remodel

Make Connection to Trim



Install Trim



Popular Compatible Trim Options:

Downlight



E Series



RLD Series

Adjustable



G Series

Smart



Juno AI



J6RL Series



RLA Series

Quick Connect Housing

Quick Connect Housings are available in industry standard 4", 5" and 6" sizes and are designed to work with a wide variety of LED retrofit trim modules. These housings feature a non-screw base 120V orange connector plug allowing for fast, simple installation of the retrofit LED trim modules. These IC Rated shallow housings can fit into 2x6 construction and can be completely covered in insulation. The housings also feature an Air-Loc® seal to stop infiltration and exfiltration of air, reducing heating and cooling costs.

Ordering Information

New Construction QC4 and Remodel QC4R

Example: QC4 W G J6

Series	Options		Compatible LED Retrofit Trim Modules
 QC4	Bar Hanger (New Construction Option Only) S Smaller footprint bar hanger (Real Nail 2)	Gasket G Air-loc gasket on plaster frame	4BEMW - 4" E Series Baffle Retrofit Downlight 4SEMW - 4" E Series Smooth Retrofit Downlight 4RLD - 4" Retrofit Downlight 4RLA - 4" Retrofit Adjustable 4G1 - 4" Gimbal Module 4iG - 4" iGimbal Module
 QC4R	Connector W Push-in electrical connectors	Packaging J6 Job pack of 6	

Ordering Information

New Construction QC5 and Remodel QC5R

Example: QC5 W G J6

Series	Options		Compatible LED Retrofit Trim Modules
 QC5	Bar Hanger (New Construction Option Only) S Smaller footprint bar hanger (Real Nail 2)	Gasket G Air-loc gasket on plaster frame	65BEMW - 6" E Series Baffle Retrofit Downlight 65SEMW - 6" E Series Smooth Retrofit Downlight 5RLD - 5" Retrofit Downlight 5RLA - 5" Basics Retrofit Adjustable 5G1 - 5" Gimbal Module 5iG - 5" iGimbal Module
 QC5R	Connector W Push-in electrical connectors	Packaging J6 Job pack of 6	

Ordering Information

New Construction QC6 and Remodel QC6R

Example: QC6 W G J6

Series	Options		Compatible LED Retrofit Trim Modules
 QC6	Bar Hanger (New Construction Option Only) S Smaller footprint bar hanger (Real Nail 2)	Gasket G Air-loc gasket on plaster frame	65BEMW - 6" E Series Baffle Retrofit Downlight 65SEMW - 6" E Series Smooth Retrofit Downlight 6RLD - 6" Retrofit Downlight J6RL - 6" LED Retrofit Downlight 6RLA - 6" Retrofit Adjustable 6G1 - 6" Gimbal Module 6iG - 6" iGimbal Module 6SL - 6" Wireless Speaker Downlight J6AI - 6" LED Retrofit LED Smart Home Downlight
 QC6R	Connector W Push-in electrical connectors	Packaging J6 Job pack of 6	

