

Flexible, Flame Retardant, Multipurpose





Insulate connections easily with our broad range of heat shrink tubing

Type: HS-TP (*Heat Shrink - Thin Polyolefin*)

Thin wall heat shrink tubing

+ Features & Benefits:

- Provides mechanical protection for terminal strain relief and wire bonding
- Material: Thin wall cross-linked polyolefin
- Ideal for industrial and automotive markets as well as for covering copper and aluminum tubular connectors
- Product is available in 6 inch and 4 foot precut multi packaged lengths and a variety of reel sizes, (1000, 500, 250, 200, 100, 50 & 25 ft)
- 2:1 shrink ratio for faster shrink recovery*
- -55°C to 135°C (-67°F to 275°F) Continuous Operating Temperature
- Shrink temperature of 90°C min.
- Rated up to 600 Volts
- Colors are flame retardant & UV resistant
- Resistant to common fluids and solvents



*Yellow/Green heat shrink has a 3:1 shrink ratio

+ Standards:

- ROHS compliant
- UL 224, 125°C (colors)
- CSA C22.2 No. 198.1, 125°C
- AMS.3636, 3637 and 3587
- UL/CSA approval applies to black and colors
- Approved to automotive OEM specifications

+ Typical Applications:

- Electrical Insulation of wire splices and terminals
- Strain Relief of wire terminations
- Protection against abrasion, fluids and environmental conditions

Heat Shrink Thin Wall Naming Convention


Product Family								
Heat	Shrink	Thin Wall Polyolefin	Color: BK: Black BL: Blue CL: Clear GR: Green OR: Orange RD: Red WH: White YL: Yellow YG: Yellow/Green MX: Mixed	Internal Diameter: 0047: 0.0047 (3/64") 0063: 0.063 (1/16) 0094: 0.094 (3/32") 0125: 0.125 (1/8") 0187: 0.187 (3/16") 0250: 0.250 (1/4") 0375: 0.375 (3/8") 0500: 0.500 (1/2") 0625: 0.625 (5/8") 0750: 0.750 (3/4") 1000: 1.000 (1") 1250: 1.250 (1-1/4") 1500: 1.500 (1-1/2") 2000: 2.000 (2") 3000: 3.000 (3") 4000: 4.000 (4")	Length: 6I: 6 inch Lengths 4F: 4 Foot Lengths 1000F: 1000 Feet 500F: 500 Feet 250F: 250 Feet 200F: 200 Feet 100F: 100 Feet 50F: 50 Feet 25F: 25 Feet	Package Type: PK: Package RL: Reel	Number of Pieces in Multipack	Ordering Suffix: EA: Each
H	S	TP	BK	0047	4F	PK	25	EA
Example: "HSTPBK00474FPK25EA"								

Thin Wall Heat Shrink Wire Accommodates Matrix / 2:1 Shrink Ratio**

Nominal Size (Inch)	Nominal Size (Issued)	Recovery Size (Shrunk)	Wall Thickness (Supplied)	Copper Code* (Terminals & Splices)	Copper Flex* (Terminals & Splices)	Aluminum* (Terminals & Splices)
3/64"	0.047	0.023	0.016	-	-	-
1/16"	0.063	0.031	0.017	18 AWG	-	-
3/32"	0.094	0.047	0.020	18 - 16 AWG	-	-
1/8"	0.125	0.063	0.020	18 - 14 AWG	-	-
3/16"	0.187	0.093	0.020	18 - 12 AWG	-	-
1/4"	0.250	0.125	0.025	14 - 10 AWG	-	12 - 10 AWG
3/8"	0.375	0.187	0.025	8 - 6 AWG	14 - 5 AWG	12 - 8 AWG
1/2"	0.500	0.250	0.025	6 - 2 AWG	8 - 3 AWG	8 - 4 AWG
5/8"	0.625	0.313	0.030	2 - 2/0 AWG	3 - 1/0 AWG	4 - 1 AWG
3/4"	0.750	0.375	0.030	1 - 4/0 AWG	4 - 3/0 AWG	4 - 2/0 AWG
1"	1.000	0.500	0.035	2/0 AWG - 350 KCMIL	1/0 AWG - 250 KCMIL I,K,M, 262 DLO	2 AWG - 250 KCMIL
1-1/4"	1.250	0.625	0.035	250 - 500 KCMIL	4/0 AWG G,H,I,K,M, DLO To 350 KCMIL G,H,I,K,M, 373 DLO	3/0 AWG - 300 KCMIL
1-1/2"	1.500	0.750	0.040	350 - 750 KCMIL	250 KCMIL I,K,M, 262 DLO To 600 KCMIL G,H,I,K, 1470/24 DLO	3/0 AWG - 750 KCMIL
2"	2.000	1.000	0.045	600 - 1500 KCMIL	500 KCMIL G,H, 444 DLO To 750 KCMIL G,H, 777 DLO	300 - 1000 KCMIL
3"	3.000	1.500	0.050	1250 - 2000 KCMIL	-	1000 - 2000 KCMIL
4"	4.000	2.000	0.055	-	-	-

* Wires in the table are for reference and the installer should select the proper heat shrink size based on the OD of the wire insulation, terminal or splice being used.

** Excludes yellow/green (3:1 shrink ratio)



BURNDY® heat shrink packaging options & available reel sizes

Nominal Size	Colors									Package Options									
	Black	Blue	Clear	Green	Orange	Red	White	Yellow	Yellow/ Green*	6 Inch Lengths 25 Piece Packs	4 Ft Sticks	Ordering Increments	Reel Sizes Available (Feet)						
													1000*	500*	250*	200	100	50	25
3/64"	•	•	•	•	•	•	•	•	-	•	•	25	•	•	•	-	•	•	•
1/16"	•	•	•	•	•	•	•	•	-	•	•	25	•	•	•	-	•	•	•
3/32"	•	•	•	•	•	•	•	•	-	•	•	25	•	•	•	-	•	•	•
1/8"	•	•	•	•	•	•	•	•	•	•	•	25	•	•	•	-	•	•	•
3/16"	•	•	•	•	•	•	•	•	•	•	•	25	•	•	•	*	•	•	•
1/4"	•	•	•	•	•	•	•	•	•	•	•	25	-	•	•	-	•	•	•
3/8"	•	•	•	•	•	•	•	•	•	•	•	25	-	•	•	*	•	•	•
1/2"	•	•	•	•	•	•	•	•	•	•	•	25	-	-	-	•	•	•	•
5/8"	•	•	•	•	•	•	•	•	-	•	•	5	-	-	-	•	•	•	•
3/4"	•	•	•	•	•	•	•	•	•	•	•	5	-	-	-	-	•	•	•
1"	•	•	•	•	•	•	•	•	•	•	•	5	-	-	-	-	•	•	•
1-1/4"	•	•	•	•	•	•	•	•	-	-	•	5	-	-	-	-	•	•	•
1-1/2"	•	•	•	•	•	•	•	•	•	-	•	5	-	-	-	-	•	•	•
2"	•	•	•	•	•	•	•	•	-	-	•	5	-	-	-	-	•	•	•
3"	•	•	•	•	•	•	•	•	-	-	•	2	-	-	-	-	-	•	•
4"	•	•	•	•	•	•	•	•	-	-	•	2	-	-	-	-	-	•	•

* Yellow/Green not available in 1000 ft reels for 1/8" and 3/16" ID sizes & 500 and 250 ft reels are not available for 3/16" and 3/8" ID sizes
* 200 Foot Reel available in yellow/green only for 3/16" & 3/8" ID Size



6 Inch Packs



4 Foot Sticks



Assorted Reel Sizes



HEAT GUN OPTIONS



- MCHSG102218V**
- Makita 18V LXT high temperature 1022°F heat gun kit
 - Cordless, battery operated (battery not included)
 - Fixed LED light to illuminate the work area
 - Trigger switch with lock-on, lock-off functions
 - Built in hook allows for hanging of tool
 - Tool case & 4 nozzle accessories included



- MHSG1202**
- Makita variable temp. corded heat gun kit
 - LCD digital display
 - Push-button temp. control (122°F - 1202° F)
 - Slide switch sets 3 air flow settings
 - Rubberized handle & integrated rear stand
 - Tool case & 4 nozzle accessories included



- BHS1100**
- Burndy multipurpose low-cost corded heat gun
 - Electronic variable thermal control dial
 - Temperature range from 250°F to 1100°F (121°C - 650°C)
 - Two speed motor
 - Built in safety stand
 - Includes heat guard

Makita® and the Makita® Logo are trademarks of Makita USA

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPMX00476IPK25	3/64"	0.047	0.023	0.016	600V	Multi-Pack (6" Lengths)	1
HSTPBK00476IPK25	3/64"	0.047	0.023	0.016	600V	Multi-Pack (6" Lengths)	1
HSTPBK00474FPK25EA	3/64"	0.047	0.023	0.016	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBK00471000FRL	3/64"	0.047	0.023	0.016	600V	1000 Foot Reel	1
HSTPBK0047500FRL	3/64"	0.047	0.023	0.016	600V	500 Foot Reel	1
HSTPBK0047250FRL	3/64"	0.047	0.023	0.016	600V	250 Foot Reel	1
HSTPBK0047100FRL	3/64"	0.047	0.023	0.016	600V	100 Foot Reel	1
HSTPBK004750FRL	3/64"	0.047	0.023	0.016	600V	50 Foot Reel	1
HSTPBK004725FRL	3/64"	0.047	0.023	0.016	600V	25 Foot Reel	1
HSTPBL00476IPK25	3/64"	0.047	0.023	0.016	600V	Multi-Pack (6" Lengths)	1
HSTPBL00474FPK25EA	3/64"	0.047	0.023	0.016	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBL00471000FRL	3/64"	0.047	0.023	0.016	600V	1000 Foot Reel	1
HSTPBL0047500FRL	3/64"	0.047	0.023	0.016	600V	500 Foot Reel	1
HSTPBL0047250FRL	3/64"	0.047	0.023	0.016	600V	250 Foot Reel	1
HSTPBL0047100FRL	3/64"	0.047	0.023	0.016	600V	100 Foot Reel	1
HSTPBL004750FRL	3/64"	0.047	0.023	0.016	600V	50 Foot Reel	1
HSTPBL004725FRL	3/64"	0.047	0.023	0.016	600V	25 Foot Reel	1
HSTPCL00476IPK25	3/64"	0.047	0.023	0.016	600V	Multi-Pack (6" Lengths)	1
HSTPCL00474FPK25EA	3/64"	0.047	0.023	0.016	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPCL00471000FRL	3/64"	0.047	0.023	0.016	600V	1000 Foot Reel	1
HSTPCL0047500FRL	3/64"	0.047	0.023	0.016	600V	500 Foot Reel	1
HSTPCL0047250FRL	3/64"	0.047	0.023	0.016	600V	250 Foot Reel	1
HSTPCL0047100FRL	3/64"	0.047	0.023	0.016	600V	100 Foot Reel	1
HSTPCL004750FRL	3/64"	0.047	0.023	0.016	600V	50 Foot Reel	1
HSTPCL004725FRL	3/64"	0.047	0.023	0.016	600V	25 Foot Reel	1
HSTPGR00476IPK25	3/64"	0.047	0.023	0.016	600V	Multi-Pack (6" Lengths)	1
HSTPGR00474FPK25EA	3/64"	0.047	0.023	0.016	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPGR00471000FRL	3/64"	0.047	0.023	0.016	600V	1000 Foot Reel	1
HSTPGR0047500FRL	3/64"	0.047	0.023	0.016	600V	500 Foot Reel	1
HSTPGR0047250FRL	3/64"	0.047	0.023	0.016	600V	250 Foot Reel	1
HSTPGR0047100FRL	3/64"	0.047	0.023	0.016	600V	100 Foot Reel	1
HSTPGR004750FRL	3/64"	0.047	0.023	0.016	600V	50 Foot Reel	1
HSTPGR004725FRL	3/64"	0.047	0.023	0.016	600V	25 Foot Reel	1
HSTPOR00476IPK25	3/64"	0.047	0.023	0.016	600V	Multi-Pack (6" Lengths)	1
HSTPOR00474FPK25EA	3/64"	0.047	0.023	0.016	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPOR00471000FRL	3/64"	0.047	0.023	0.016	600V	1000 Foot Reel	1
HSTPOR0047500FRL	3/64"	0.047	0.023	0.016	600V	500 Foot Reel	1
HSTPOR0047250FRL	3/64"	0.047	0.023	0.016	600V	250 Foot Reel	1
HSTPOR0047100FRL	3/64"	0.047	0.023	0.016	600V	100 Foot Reel	1
HSTPOR004750FRL	3/64"	0.047	0.023	0.016	600V	50 Foot Reel	1
HSTPOR004725FRL	3/64"	0.047	0.023	0.016	600V	25 Foot Reel	1

		Quantity of Each Color									Color
Package Quantity	Total Pieces Per Pack	Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/ Green (YG)	
1 pack of 25 pieces	25	7	3	3	3	-	3	3	3	-	Mixed
1 pack of 25 pieces	25	25	-	-	-	-	-	-	-	-	Black
25 Piece Increments	25	25	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 pack of 25 pieces	25	-	25	-	-	-	-	-	-	-	Blue
25 Piece Increments	25	-	25	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 pack of 25 pieces	25	-	-	25	-	-	-	-	-	-	Clear
25 Piece Increments	25	-	-	25	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 pack of 25 pieces	25	-	-	-	25	-	-	-	-	-	Green
25 Piece Increments	25	-	-	-	25	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 pack of 25 pieces	25	-	-	-	-	25	-	-	-	-	Orange
25 Piece Increments	25	-	-	-	-	25	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPRD00476IPK25	3/64"	0.047	0.023	0.016	600V	Multi-Pack (6" Lengths)	1
HSTPRD00474FPK25EA	3/64"	0.047	0.023	0.016	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPRD00471000FRL	3/64"	0.047	0.023	0.016	600V	1000 Foot Reel	1
HSTPRD0047500FRL	3/64"	0.047	0.023	0.016	600V	500 Foot Reel	1
HSTPRD0047250FRL	3/64"	0.047	0.023	0.016	600V	250 Foot Reel	1
HSTPRD0047100FRL	3/64"	0.047	0.023	0.016	600V	100 Foot Reel	1
HSTPRD004750FRL	3/64"	0.047	0.023	0.016	600V	50 Foot Reel	1
HSTPRD004725FRL	3/64"	0.047	0.023	0.016	600V	25 Foot Reel	1
HSTPWH00476IPK25	3/64"	0.047	0.023	0.016	600V	Multi-Pack (6" Lengths)	1
HSTPWH00474FPK25EA	3/64"	0.047	0.023	0.016	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPWH00471000FRL	3/64"	0.047	0.023	0.016	600V	1000 Foot Reel	1
HSTPWH0047500FRL	3/64"	0.047	0.023	0.016	600V	500 Foot Reel	1
HSTPWH0047250FRL	3/64"	0.047	0.023	0.016	600V	250 Foot Reel	1
HSTPWH0047100FRL	3/64"	0.047	0.023	0.016	600V	100 Foot Reel	1
HSTPWH004750FRL	3/64"	0.047	0.023	0.016	600V	50 Foot Reel	1
HSTPWH004725FRL	3/64"	0.047	0.023	0.016	600V	25 Foot Reel	1
HSTPYL00476IPK25	3/64"	0.047	0.023	0.016	600V	Multi-Pack (6" Lengths)	1
HSTPYL00474FPK25EA	3/64"	0.047	0.023	0.016	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPYL00471000FRL	3/64"	0.047	0.023	0.016	600V	1000 Foot Reel	1
HSTPYL0047500FRL	3/64"	0.047	0.023	0.016	600V	500 Foot Reel	1
HSTPYL0047250FRL	3/64"	0.047	0.023	0.016	600V	250 Foot Reel	1
HSTPYL0047100FRL	3/64"	0.047	0.023	0.016	600V	100 Foot Reel	1
HSTPYL004750FRL	3/64"	0.047	0.023	0.016	600V	50 Foot Reel	1
HSTPYL004725FRL	3/64"	0.047	0.023	0.016	600V	25 Foot Reel	1
HSTPMX00636IPK25	1/16"	0.063	0.031	0.017	600V	Multi-Pack (6" Lengths)	1
HSTPBK00636IPK25	1/16"	0.063	0.031	0.017	600V	Multi-Pack (6" Lengths)	1
HSTPBK00634FPK25EA	1/16"	0.063	0.031	0.017	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBK00631000FRL	1/16"	0.063	0.031	0.017	600V	1000 Foot Reel	1
HSTPBK0063500FRL	1/16"	0.063	0.031	0.017	600V	500 Foot Reel	1
HSTPBK0063250FRL	1/16"	0.063	0.031	0.017	600V	250 Foot Reel	1
HSTPBK0063100FRL	1/16"	0.063	0.031	0.017	600V	100 Foot Reel	1
HSTPBK006350FRL	1/16"	0.063	0.031	0.017	600V	50 Foot Reel	1
HSTPBK006325FRL	1/16"	0.063	0.031	0.017	600V	25 Foot Reel	1
HSTPBL00636IPK25	1/16"	0.063	0.031	0.017	600V	Multi-Pack (6" Lengths)	1
HSTPBL00634FPK25EA	1/16"	0.063	0.031	0.017	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBL00631000FRL	1/16"	0.063	0.031	0.017	600V	1000 Foot Reel	1
HSTPBL0063500FRL	1/16"	0.063	0.031	0.017	600V	500 Foot Reel	1
HSTPBL0063250FRL	1/16"	0.063	0.031	0.017	600V	250 Foot Reel	1
HSTPBL0063100FRL	1/16"	0.063	0.031	0.017	600V	100 Foot Reel	1
HSTPBL006350FRL	1/16"	0.063	0.031	0.017	600V	50 Foot Reel	1
HSTPBL006325FRL	1/16"	0.063	0.031	0.017	600V	25 Foot Reel	1

Package Quantity	Total Pieces Per Pack	Quantity of Each Color									Color
		Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/ Green (YG)	
1 pack of 25 pieces	25	-	-	-	-	-	25	-	-	-	Red
25 Piece Increments	25	-	-	-	-	-	25	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 pack of 25 pieces	25	-	-	-	-	-	-	25	-	-	White
25 Piece Increments	25	-	-	-	-	-	-	25	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 pack of 25 pieces	25	-	-	-	-	-	-	-	25	-	Yellow
25 Piece Increments	25	-	-	-	-	-	-	-	25	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 pack of 25 pieces	25	7	3	3	3	-	3	3	3	-	Mixed
1 pack of 25 pieces	25	25	-	-	-	-	-	-	-	-	Black
25 Piece Increments	25	25	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 pack of 25 pieces	25	-	25	-	-	-	-	-	-	-	Blue
25 Piece Increments	25	-	25	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue

HS-TP Thin Wall Polyolefin Heat Shrink									Quantity of Each Color										Color
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity		Package Quantity	Total Pieces Per Pack	Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	
HSTPCL00636IPK25	1/16"	0.063	0.031	0.017	600V	Multi-Pack (6" Lengths)	1	1 pack of 25 pieces	25	-	-	25	-	-	-	-	-	-	Clear
HSTPCL00634FPK25EA	1/16"	0.063	0.031	0.017	600V	Multi-Pack (4' Lengths) Sold by Each	25	25 Piece Increments	25	-	-	25	-	-	-	-	-	-	Clear
HSTPCL00631000FRL	1/16"	0.063	0.031	0.017	600V	1000 Foot Reel	1	1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
HSTPCL0063500FRL	1/16"	0.063	0.031	0.017	600V	500 Foot Reel	1	1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
HSTPCL0063250FRL	1/16"	0.063	0.031	0.017	600V	250 Foot Reel	1	1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
HSTPCL0063100FRL	1/16"	0.063	0.031	0.017	600V	100 Foot Reel	1	1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
HSTPCL006350FRL	1/16"	0.063	0.031	0.017	600V	50 Foot Reel	1	1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
HSTPCL006325FRL	1/16"	0.063	0.031	0.017	600V	25 Foot Reel	1	1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
HSTPGR00636IPK25	1/16"	0.063	0.031	0.017	600V	Multi-Pack (6" Lengths)	1	1 pack of 25 pieces	25	-	-	-	25	-	-	-	-	-	Green
HSTPGR00634FPK25EA	1/16"	0.063	0.031	0.017	600V	Multi-Pack (4' Lengths) Sold by Each	25	25 Piece Increments	25	-	-	-	25	-	-	-	-	-	Green
HSTPGR00631000FRL	1/16"	0.063	0.031	0.017	600V	1000 Foot Reel	1	1 Reel	1	-	-	-	1	-	-	-	-	-	Green
HSTPGR0063500FRL	1/16"	0.063	0.031	0.017	600V	500 Foot Reel	1	1 Reel	1	-	-	-	1	-	-	-	-	-	Green
HSTPGR0063250FRL	1/16"	0.063	0.031	0.017	600V	250 Foot Reel	1	1 Reel	1	-	-	-	1	-	-	-	-	-	Green
HSTPGR0063100FRL	1/16"	0.063	0.031	0.017	600V	100 Foot Reel	1	1 Reel	1	-	-	-	1	-	-	-	-	-	Green
HSTPGR006350FRL	1/16"	0.063	0.031	0.017	600V	50 Foot Reel	1	1 Reel	1	-	-	-	1	-	-	-	-	-	Green
HSTPGR006325FRL	1/16"	0.063	0.031	0.017	600V	25 Foot Reel	1	1 Reel	1	-	-	-	1	-	-	-	-	-	Green
HS0063ORTP6IPK25	1/16"	0.063	0.031	0.017	600V	Multi-Pack (6" Lengths)	1	1 pack of 25 pieces	25	-	-	-	-	25	-	-	-	-	Orange
HS0063ORTP4FPK25EA	1/16"	0.063	0.031	0.017	600V	Multi-Pack (4' Lengths) Sold by Each	25	25 Piece Increments	25	-	-	-	-	25	-	-	-	-	Orange
HS0063ORTP1000FRL	1/16"	0.063	0.031	0.017	600V	1000 Foot Reel	1	1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
HS0063ORTP500FRL	1/16"	0.063	0.031	0.017	600V	500 Foot Reel	1	1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
HS0063ORTP250FRL	1/16"	0.063	0.031	0.017	600V	250 Foot Reel	1	1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
HS0063ORTP100FRL	1/16"	0.063	0.031	0.017	600V	100 Foot Reel	1	1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
HS0063ORTP50FRL	1/16"	0.063	0.031	0.017	600V	50 Foot Reel	1	1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
HS0063ORTP25FRL	1/16"	0.063	0.031	0.017	600V	25 Foot Reel	1	1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
HSTPRD00636IPK25	1/16"	0.063	0.031	0.017	600V	Multi-Pack (6" Lengths)	1	1 pack of 25 pieces	25	-	-	-	-	-	25	-	-	-	Red
HSTPRD00634FPK25EA	1/16"	0.063	0.031	0.017	600V	Multi-Pack (4' Lengths) Sold by Each	25	25 Piece Increments	25	-	-	-	-	-	25	-	-	-	Red
HSTPRD00631000FRL	1/16"	0.063	0.031	0.017	600V	1000 Foot Reel	1	1 Reel	1	-	-	-	-	-	1	-	-	-	Red
HSTPRD0063500FRL	1/16"	0.063	0.031	0.017	600V	500 Foot Reel	1	1 Reel	1	-	-	-	-	-	1	-	-	-	Red
HSTPRD0063250FRL	1/16"	0.063	0.031	0.017	600V	250 Foot Reel	1	1 Reel	1	-	-	-	-	-	1	-	-	-	Red
HSTPRD0063100FRL	1/16"	0.063	0.031	0.017	600V	100 Foot Reel	1	1 Reel	1	-	-	-	-	-	1	-	-	-	Red
HSTPRD006350FRL	1/16"	0.063	0.031	0.017	600V	50 Foot Reel	1	1 Reel	1	-	-	-	-	-	1	-	-	-	Red
HSTPRD006325FRL	1/16"	0.063	0.031	0.017	600V	25 Foot Reel	1	1 Reel	1	-	-	-	-	-	1	-	-	-	Red
HSTPWH00636IPK25	1/16"	0.063	0.031	0.017	600V	Multi-Pack (6" Lengths)	1	1 pack of 25 pieces	25	-	-	-	-	-	-	25	-	-	White
HSTPWH00634FPK25EA	1/16"	0.063	0.031	0.017	600V	Multi-Pack (4' Lengths) Sold by Each	25	25 Piece Increments	25	-	-	-	-	-	-	25	-	-	White
HSTPWH00631000FRL	1/16"	0.063	0.031	0.017	600V	1000 Foot Reel	1	1 Reel	1	-	-	-	-	-	-	1	-	-	White
HSTPWH0063500FRL	1/16"	0.063	0.031	0.017	600V	500 Foot Reel	1	1 Reel	1	-	-	-	-	-	-	1	-	-	White
HSTPWH0063250FRL	1/16"	0.063	0.031	0.017	600V	250 Foot Reel	1	1 Reel	1	-	-	-	-	-	-	1	-	-	White
HSTPWH0063100FRL	1/16"	0.063	0.031	0.017	600V	100 Foot Reel	1	1 Reel	1	-	-	-	-	-	-	1	-	-	White
HSTPWH006350FRL	1/16"	0.063	0.031	0.017	600V	50 Foot Reel	1	1 Reel	1	-	-	-	-	-	-	1	-	-	White
HSTPWH006325FRL	1/16"	0.063	0.031	0.017	600V	25 Foot Reel	1	1 Reel	1	-	-	-	-	-	-	1	-	-	White

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPYL00636IPK25	1/16"	0.063	0.031	0.017	600V	Multi-Pack (6" Lengths)	1
HSTPYL00634FPK25EA	1/16"	0.063	0.031	0.017	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPYL00631000FRL	1/16"	0.063	0.031	0.017	600V	1000 Foot Reel	1
HSTPYL0063500FRL	1/16"	0.063	0.031	0.017	600V	500 Foot Reel	1
HSTPYL0063250FRL	1/16"	0.063	0.031	0.017	600V	250 Foot Reel	1
HSTPYL0063100FRL	1/16"	0.063	0.031	0.017	600V	100 Foot Reel	1
HSTPYL006350FRL	1/16"	0.063	0.031	0.017	600V	50 Foot Reel	1
HSTPYL006325FRL	1/16"	0.063	0.031	0.017	600V	25 Foot Reel	1
HSTPMX00946IPK25	3/32"	0.094	0.047	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPBK00946IPK25	3/32"	0.094	0.047	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPBK00944FPK25EA	3/32"	0.094	0.047	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBK00941000FRL	3/32"	0.094	0.047	0.020	600V	1000 Foot Reel	1
HSTPBK0094500FRL	3/32"	0.094	0.047	0.020	600V	500 Foot Reel	1
HSTPBK0094250FRL	3/32"	0.094	0.047	0.020	600V	250 Foot Reel	1
HSTPBK0094100FRL	3/32"	0.094	0.047	0.020	600V	100 Foot Reel	1
HSTPBK009450FRL	3/32"	0.094	0.047	0.020	600V	50 Foot Reel	1
HSTPBK009425FRL	3/32"	0.094	0.047	0.020	600V	25 Foot Reel	1
HSTPBL00946IPK25	3/32"	0.094	0.047	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPBL00944FPK25EA	3/32"	0.094	0.047	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBL00941000FRL	3/32"	0.094	0.047	0.020	600V	1000 Foot Reel	1
HSTPBL0094500FRL	3/32"	0.094	0.047	0.020	600V	500 Foot Reel	1
HSTPBL0094250FRL	3/32"	0.094	0.047	0.020	600V	250 Foot Reel	1
HSTPBL0094100FRL	3/32"	0.094	0.047	0.020	600V	100 Foot Reel	1
HSTPBL009450FRL	3/32"	0.094	0.047	0.020	600V	50 Foot Reel	1
HSTPBL009425FRL	3/32"	0.094	0.047	0.020	600V	25 Foot Reel	1
HSTPCL00946IPK25	3/32"	0.094	0.047	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPCL00944FPK25EA	3/32"	0.094	0.047	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPCL00941000FRL	3/32"	0.094	0.047	0.020	600V	1000 Foot Reel	1
HSTPCL0094500FRL	3/32"	0.094	0.047	0.020	600V	500 Foot Reel	1
HSTPCL0094250FRL	3/32"	0.094	0.047	0.020	600V	250 Foot Reel	1
HSTPCL0094100FRL	3/32"	0.094	0.047	0.020	600V	100 Foot Reel	1
HSTPCL009450FRL	3/32"	0.094	0.047	0.020	600V	50 Foot Reel	1
HSTPCL009425FRL	3/32"	0.094	0.047	0.020	600V	25 Foot Reel	1
HSTPGR00946IPK25	3/32"	0.094	0.047	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPGR00944FPK25EA	3/32"	0.094	0.047	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPGR00941000FRL	3/32"	0.094	0.047	0.020	600V	1000 Foot Reel	1
HSTPGR0094500FRL	3/32"	0.094	0.047	0.020	600V	500 Foot Reel	1
HSTPGR0094250FRL	3/32"	0.094	0.047	0.020	600V	250 Foot Reel	1
HSTPGR0094100FRL	3/32"	0.094	0.047	0.020	600V	100 Foot Reel	1
HSTPGR009450FRL	3/32"	0.094	0.047	0.020	600V	50 Foot Reel	1
HSTPGR009425FRL	3/32"	0.094	0.047	0.020	600V	25 Foot Reel	1

		Quantity of Each Color									Color
Package Quantity	Total Pieces Per Pack	Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/ Green (YG)	
1 pack of 25 pieces	25	-	-	-	-	-	-	-	25	-	Yellow
25 Piece Increments	25	-	-	-	-	-	-	-	25	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 pack of 25 pieces	25	7	3	3	3	-	3	3	3	-	Mixed
1 pack of 25 pieces	25	25	-	-	-	-	-	-	-	-	Black
25 Piece Increments	25	25	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 pack of 25 pieces	25	-	25	-	-	-	-	-	-	-	Blue
25 Piece Increments	25	-	25	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 pack of 25 pieces	25	-	-	25	-	-	-	-	-	-	Clear
25 Piece Increments	25	-	-	25	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 pack of 25 pieces	25	-	-	-	25	-	-	-	-	-	Green
25 Piece Increments	25	-	-	-	25	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPOR00946IPK25	3/32"	0.094	0.047	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPOR00944FPK25EA	3/32"	0.094	0.047	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPOR00941000FRL	3/32"	0.094	0.047	0.020	600V	1000 Foot Reel	1
HSTPOR0094500FRL	3/32"	0.094	0.047	0.020	600V	500 Foot Reel	1
HSTPOR0094250FRL	3/32"	0.094	0.047	0.020	600V	250 Foot Reel	1
HSTPOR0094100FRL	3/32"	0.094	0.047	0.020	600V	100 Foot Reel	1
HSTPOR009450FRL	3/32"	0.094	0.047	0.020	600V	50 Foot Reel	1
HSTPOR009425FRL	3/32"	0.094	0.047	0.020	600V	25 Foot Reel	1
HSTPRD00946IPK25	3/32"	0.094	0.047	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPRD00944FPK25EA	3/32"	0.094	0.047	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPRD00941000FRL	3/32"	0.094	0.047	0.020	600V	1000 Foot Reel	1
HSTPRD0094500FRL	3/32"	0.094	0.047	0.020	600V	500 Foot Reel	1
HSTPRD0094250FRL	3/32"	0.094	0.047	0.020	600V	250 Foot Reel	1
HSTPRD0094100FRL	3/32"	0.094	0.047	0.020	600V	100 Foot Reel	1
HSTPRD009450FRL	3/32"	0.094	0.047	0.020	600V	50 Foot Reel	1
HSTPRD009425FRL	3/32"	0.094	0.047	0.020	600V	25 Foot Reel	1
HSTPWH00946IPK25	3/32"	0.094	0.047	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPWH00944FPK25EA	3/32"	0.094	0.047	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPWH00941000FRL	3/32"	0.094	0.047	0.020	600V	1000 Foot Reel	1
HSTPWH0094500FRL	3/32"	0.094	0.047	0.020	600V	500 Foot Reel	1
HSTPWH0094250FRL	3/32"	0.094	0.047	0.020	600V	250 Foot Reel	1
HSTPWH0094100FRL	3/32"	0.094	0.047	0.020	600V	100 Foot Reel	1
HSTPWH009450FRL	3/32"	0.094	0.047	0.020	600V	50 Foot Reel	1
HSTPWH009425FRL	3/32"	0.094	0.047	0.020	600V	25 Foot Reel	1
HSTPYL00946IPK25	3/32"	0.094	0.047	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPYL00944FPK25EA	3/32"	0.094	0.047	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPYL00941000FRL	3/32"	0.094	0.047	0.020	600V	1000 Foot Reel	1
HSTPYL0094500FRL	3/32"	0.094	0.047	0.020	600V	500 Foot Reel	1
HSTPYL0094250FRL	3/32"	0.094	0.047	0.020	600V	250 Foot Reel	1
HSTPYL0094100FRL	3/32"	0.094	0.047	0.020	600V	100 Foot Reel	1
HSTPYL009450FRL	3/32"	0.094	0.047	0.020	600V	50 Foot Reel	1
HSTPYL009425FRL	3/32"	0.094	0.047	0.020	600V	25 Foot Reel	1
HSTPMX01256IPK25	1/8"	0.125	0.063	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPBK01256IPK25	1/8"	0.125	0.063	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPBK01254FPK25EA	1/8"	0.125	0.063	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBK01251000FRL	1/8"	0.125	0.063	0.020	600V	1000 Foot Reel	1
HSTPBK0125500FRL	1/8"	0.125	0.063	0.020	600V	500 Foot Reel	1
HSTPBK0125250FRL	1/8"	0.125	0.063	0.020	600V	250 Foot Reel	1
HSTPBK0125100FRL	1/8"	0.125	0.063	0.020	600V	100 Foot Reel	1
HSTPBK012550FRL	1/8"	0.125	0.063	0.020	600V	50 Foot Reel	1
HSTPBK012525FRL	1/8"	0.125	0.063	0.020	600V	25 Foot Reel	1

		Quantity of Each Color									Color
Package Quantity	Total Pieces Per Pack	Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/ Green (YG)	
1 pack of 25 pieces	25	-	-	-	-	25	-	-	-	-	Orange
25 Piece Increments	25	-	-	-	-	25	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 pack of 25 pieces	25	-	-	-	-	-	25	-	-	-	Red
25 Piece Increments	25	-	-	-	-	-	25	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 pack of 25 pieces	25	-	-	-	-	-	-	25	-	-	White
25 Piece Increments	25	-	-	-	-	-	-	25	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 pack of 25 pieces	25	-	-	-	-	-	-	-	25	-	Yellow
25 Piece Increments	25	-	-	-	-	-	-	-	25	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 pack of 25 pieces	25	7	3	3	3	-	3	3	3	-	Mixed
1 pack of 25 pieces	25	25	-	-	-	-	-	-	-	-	Black
25 Piece Increments	25	25	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPBL01256IPK25	1/8"	0.125	0.063	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPBL01254FPK25EA	1/8"	0.125	0.063	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBL01251000FRL	1/8"	0.125	0.063	0.020	600V	1000 Foot Reel	1
HSTPBL0125500FRL	1/8"	0.125	0.063	0.020	600V	500 Foot Reel	1
HSTPBL0125250FRL	1/8"	0.125	0.063	0.020	600V	250 Foot Reel	1
HSTPBL0125100FRL	1/8"	0.125	0.063	0.020	600V	100 Foot Reel	1
HSTPBL012550FRL	1/8"	0.125	0.063	0.020	600V	50 Foot Reel	1
HSTPBL012525FRL	1/8"	0.125	0.063	0.020	600V	25 Foot Reel	1
HSTPCL01256IPK25	1/8"	0.125	0.063	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPCL01254FPK25EA	1/8"	0.125	0.063	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPCL01251000FRL	1/8"	0.125	0.063	0.020	600V	1000 Foot Reel	1
HSTPCL0125500FRL	1/8"	0.125	0.063	0.020	600V	500 Foot Reel	1
HSTPCL0125250FRL	1/8"	0.125	0.063	0.020	600V	250 Foot Reel	1
HSTPCL0125100FRL	1/8"	0.125	0.063	0.020	600V	100 Foot Reel	1
HSTPCL012550FRL	1/8"	0.125	0.063	0.020	600V	50 Foot Reel	1
HSTPCL012525FRL	1/8"	0.125	0.063	0.020	600V	25 Foot Reel	1
HSTPGR01256IPK25	1/8"	0.125	0.063	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPGR01254FPK25EA	1/8"	0.125	0.063	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPGR01251000FRL	1/8"	0.125	0.063	0.020	600V	1000 Foot Reel	1
HSTPGR0125500FRL	1/8"	0.125	0.063	0.020	600V	500 Foot Reel	1
HSTPGR0125250FRL	1/8"	0.125	0.063	0.020	600V	250 Foot Reel	1
HSTPGR0125100FRL	1/8"	0.125	0.063	0.020	600V	100 Foot Reel	1
HSTPGR012550FRL	1/8"	0.125	0.063	0.020	600V	50 Foot Reel	1
HSTPGR012525FRL	1/8"	0.125	0.063	0.020	600V	25 Foot Reel	1
HSTPOR01256IPK25	1/8"	0.125	0.063	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPOR01254FPK25EA	1/8"	0.125	0.063	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPOR01251000FRL	1/8"	0.125	0.063	0.020	600V	1000 Foot Reel	1
HSTPOR0125500FRL	1/8"	0.125	0.063	0.020	600V	500 Foot Reel	1
HSTPOR0125250FRL	1/8"	0.125	0.063	0.020	600V	250 Foot Reel	1
HSTPOR0125100FRL	1/8"	0.125	0.063	0.020	600V	100 Foot Reel	1
HSTPOR012550FRL	1/8"	0.125	0.063	0.020	600V	50 Foot Reel	1
HSTPOR012525FRL	1/8"	0.125	0.063	0.020	600V	25 Foot Reel	1
HSTPRD01256IPK25	1/8"	0.125	0.063	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPRD01254FPK25EA	1/8"	0.125	0.063	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPRD01251000FRL	1/8"	0.125	0.063	0.020	600V	1000 Foot Reel	1
HSTPRD0125500FRL	1/8"	0.125	0.063	0.020	600V	500 Foot Reel	1
HSTPRD0125250FRL	1/8"	0.125	0.063	0.020	600V	250 Foot Reel	1
HSTPRD0125100FRL	1/8"	0.125	0.063	0.020	600V	100 Foot Reel	1
HSTPRD012550FRL	1/8"	0.125	0.063	0.020	600V	50 Foot Reel	1
HSTPRD012525FRL	1/8"	0.125	0.063	0.020	600V	25 Foot Reel	1

		Quantity of Each Color									Color
Package Quantity	Total Pieces Per Pack	Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/Green (YG)	
1 pack of 25 pieces	25	-	25	-	-	-	-	-	-	-	Blue
25 Piece Increments	25	-	25	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 pack of 25 pieces	25	-	-	25	-	-	-	-	-	-	Clear
25 Piece Increments	25	-	-	25	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 pack of 25 pieces	25	-	-	-	25	-	-	-	-	-	Green
25 Piece Increments	25	-	-	-	25	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 pack of 25 pieces	25	-	-	-	-	25	-	-	-	-	Orange
25 Piece Increments	25	-	-	-	-	25	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 pack of 25 pieces	25	-	-	-	-	-	25	-	-	-	Red
25 Piece Increments	25	-	-	-	-	-	25	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPWH01256IPK25	1/8"	0.125	0.063	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPWH01254FPK25EA	1/8"	0.125	0.063	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPWH01251000FRL	1/8"	0.125	0.063	0.020	600V	1000 Foot Reel	1
HSTPWH0125500FRL	1/8"	0.125	0.063	0.020	600V	500 Foot Reel	1
HSTPWH0125250FRL	1/8"	0.125	0.063	0.020	600V	250 Foot Reel	1
HSTPWH0125100FRL	1/8"	0.125	0.063	0.020	600V	100 Foot Reel	1
HSTPWH012550FRL	1/8"	0.125	0.063	0.020	600V	50 Foot Reel	1
HSTPWH012525FRL	1/8"	0.125	0.063	0.020	600V	25 Foot Reel	1
HSTPYL01256IPK25	1/8"	0.125	0.063	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPYL01254FPK25EA	1/8"	0.125	0.063	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPYL01251000FRL	1/8"	0.125	0.063	0.020	600V	1000 Foot Reel	1
HSTPYL0125500FRL	1/8"	0.125	0.063	0.020	600V	500 Foot Reel	1
HSTPYL0125250FRL	1/8"	0.125	0.063	0.020	600V	250 Foot Reel	1
HSTPYL0125100FRL	1/8"	0.125	0.063	0.020	600V	100 Foot Reel	1
HSTPYL012550FRL	1/8"	0.125	0.063	0.020	600V	50 Foot Reel	1
HSTPYG01256IPK25	1/8"	0.125	0.039	0.022	600V	Multi-Pack (6" Lengths)	1
HSTPYG01254FPK25EA	1/8"	0.125	0.039	0.022	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPYG0125500FRL	1/8"	0.125	0.039	0.022	600V	500 Foot Reel	1
HSTPYG0125250FRL	1/8"	0.125	0.039	0.022	600V	250 Foot Reel	1
HSTPYG0125100FRL	1/8"	0.125	0.039	0.022	600V	100 Foot Reel	1
HSTPYG012550FRL	1/8"	0.125	0.039	0.022	600V	50 Foot Reel	1
HSTPYG012525FRL	1/8"	0.125	0.039	0.022	600V	25 Foot Reel	1
HSTPMX01876IPK25	3/16"	0.187	0.093	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPBK01876IPK25	3/16"	0.187	0.093	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPBK01874FPK25EA	3/16"	0.187	0.093	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBK01871000FRL	3/16"	0.187	0.093	0.020	600V	1000 Foot Reel	1
HSTPBK0187500FRL	3/16"	0.187	0.093	0.020	600V	500 Foot Reel	1
HSTPBK0187250FRL	3/16"	0.187	0.093	0.020	600V	250 Foot Reel	1
HSTPBK0187100FRL	3/16"	0.187	0.093	0.020	600V	100 Foot Reel	1
HSTPBK018750FRL	3/16"	0.187	0.093	0.020	600V	50 Foot Reel	1
HSTPBK018725FRL	3/16"	0.187	0.093	0.020	600V	25 Foot Reel	1
HSTPBL01876IPK25	3/16"	0.187	0.093	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPBL01874FPK25EA	3/16"	0.187	0.093	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBL01871000FRL	3/16"	0.187	0.093	0.020	600V	1000 Foot Reel	1
HSTPBL0187500FRL	3/16"	0.187	0.093	0.020	600V	500 Foot Reel	1
HSTPBL0187250FRL	3/16"	0.187	0.093	0.020	600V	250 Foot Reel	1
HSTPBL0187100FRL	3/16"	0.187	0.093	0.020	600V	100 Foot Reel	1
HSTPBL018750FRL	3/16"	0.187	0.093	0.020	600V	50 Foot Reel	1
HSTPBL018725FRL	3/16"	0.187	0.093	0.020	600V	25 Foot Reel	1
HSTPCL01876IPK25	3/16"	0.187	0.093	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPCL01874FPK25EA	3/16"	0.187	0.093	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPCL01871000FRL	3/16"	0.187	0.093	0.020	600V	1000 Foot Reel	1
HSTPCL0187500FRL	3/16"	0.187	0.093	0.020	600V	500 Foot Reel	1
HSTPCL0187250FRL	3/16"	0.187	0.093	0.020	600V	250 Foot Reel	1
HSTPCL0187100FRL	3/16"	0.187	0.093	0.020	600V	100 Foot Reel	1
HSTPCL018750FRL	3/16"	0.187	0.093	0.020	600V	50 Foot Reel	1
HSTPCL018725FRL	3/16"	0.187	0.093	0.020	600V	25 Foot Reel	1

		Quantity of Each Color									Color
Package Quantity	Total Pieces Per Pack	Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/ Green (YG)	
1 pack of 25 pieces	25	-	-	-	-	-	-	25	-	-	White
25 Piece Increments	25	-	-	-	-	-	-	25	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 pack of 25 pieces	25	-	-	-	-	-	-	-	25	-	Yellow
25 Piece Increments	25	-	-	-	-	-	-	-	25	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 pack of 25 pieces	25	-	-	-	-	-	-	-	-	25	Yellow/ Green
25 Piece Increments	25	-	-	-	-	-	-	-	-	25	Yellow/ Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/ Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/ Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/ Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/ Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/ Green
1 pack of 25 pieces	25	7	3	3	3	-	3	3	3	-	Mixed
1 pack of 25 pieces	25	25	-	-	-	-	-	-	-	-	Black
25 Piece Increments	25	25	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 pack of 25 pieces	25	-	25	-	-	-	-	-	-	-	Blue
25 Piece Increments	25	-	25	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 pack of 25 pieces	25	-	-	25	-	-	-	-	-	-	Clear
25 Piece Increments	25	-	-	25	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPGR01876IPK25	3/16"	0.187	0.093	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPGR01874FPK25EA	3/16"	0.187	0.093	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPGR01871000FRL	3/16"	0.187	0.093	0.020	600V	1000 Foot Reel	1
HSTPGR0187500FRL	3/16"	0.187	0.093	0.020	600V	500 Foot Reel	1
HSTPGR0187250FRL	3/16"	0.187	0.093	0.020	600V	250 Foot Reel	1
HSTPGR0187100FRL	3/16"	0.187	0.093	0.020	600V	100 Foot Reel	1
HSTPGR018750FRL	3/16"	0.187	0.093	0.020	600V	50 Foot Reel	1
HSTPGR018725FRL	3/16"	0.187	0.093	0.020	600V	25 Foot Reel	1
HSTPOR01876IPK25	3/16"	0.187	0.093	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPOR01874FPK25EA	3/16"	0.187	0.093	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPOR01871000FRL	3/16"	0.187	0.093	0.020	600V	1000 Foot Reel	1
HSTPOR0187500FRL	3/16"	0.187	0.093	0.020	600V	500 Foot Reel	1
HSTPOR0187250FRL	3/16"	0.187	0.093	0.020	600V	250 Foot Reel	1
HSTPOR0187100FRL	3/16"	0.187	0.093	0.020	600V	100 Foot Reel	1
HSTPOR018750FRL	3/16"	0.187	0.093	0.020	600V	50 Foot Reel	1
HSTPOR018725FRL	3/16"	0.187	0.093	0.020	600V	25 Foot Reel	1
HSTPRD01876IPK25	3/16"	0.187	0.093	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPRD01874FPK25EA	3/16"	0.187	0.093	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPRD01871000FRL	3/16"	0.187	0.093	0.020	600V	1000 Foot Reel	1
HSTPRD0187500FRL	3/16"	0.187	0.093	0.020	600V	500 Foot Reel	1
HSTPRD0187250FRL	3/16"	0.187	0.093	0.020	600V	250 Foot Reel	1
HSTPRD0187100FRL	3/16"	0.187	0.093	0.020	600V	100 Foot Reel	1
HSTPRD018750FRL	3/16"	0.187	0.093	0.020	600V	50 Foot Reel	1
HSTPRD018725FRL	3/16"	0.187	0.093	0.020	600V	25 Foot Reel	1
HSTPWH01876IPK25	3/16"	0.187	0.093	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPWH01874FPK25EA	3/16"	0.187	0.093	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPWH01871000FRL	3/16"	0.187	0.093	0.020	600V	1000 Foot Reel	1
HSTPWH0187500FRL	3/16"	0.187	0.093	0.020	600V	500 Foot Reel	1
HSTPWH0187250FRL	3/16"	0.187	0.093	0.020	600V	250 Foot Reel	1
HSTPWH0187100FRL	3/16"	0.187	0.093	0.020	600V	100 Foot Reel	1
HSTPWH018750FRL	3/16"	0.187	0.093	0.020	600V	50 Foot Reel	1
HSTPWH018725FRL	3/16"	0.187	0.093	0.020	600V	25 Foot Reel	1
HSTPYL01876IPK25	3/16"	0.187	0.093	0.020	600V	Multi-Pack (6" Lengths)	1
HSTPYL01874FPK25EA	3/16"	0.187	0.093	0.020	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPYL01871000FRL	3/16"	0.187	0.093	0.020	600V	1000 Foot Reel	1
HSTPYL0187500FRL	3/16"	0.187	0.093	0.020	600V	500 Foot Reel	1
HSTPYL0187250FRL	3/16"	0.187	0.093	0.020	600V	250 Foot Reel	1
HSTPYL0187100FRL	3/16"	0.187	0.093	0.020	600V	100 Foot Reel	1
HSTPYL018750FRL	3/16"	0.187	0.093	0.020	600V	50 Foot Reel	1
HSTPYL018725FRL	3/16"	0.187	0.093	0.020	600V	25 Foot Reel	1
HSTPYG01876IPK25	3/16"	0.187	0.059	0.024	600V	Multi-Pack (6" Lengths)	1
HSTPYG01874FPK25EA	3/16"	0.187	0.059	0.024	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPYG0187200FRL	3/16"	0.187	0.059	0.024	600V	200 Foot Reel	1
HSTPYG0187100FRL	3/16"	0.187	0.059	0.024	600V	100 Foot Reel	1
HSTPYG018750FRL	3/16"	0.187	0.059	0.024	600V	50 Foot Reel	1
HSTPYG018725FRL	3/16"	0.187	0.059	0.024	600V	25 Foot Reel	1

		Quantity of Each Color									Color
Package Quantity	Total Pieces Per Pack	Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/ Green (YG)	
1 pack of 25 pieces	25	-	-	-	25	-	-	-	-	-	Green
25 Piece Increments	25	-	-	-	25	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 pack of 25 pieces	25	-	-	-	-	25	-	-	-	-	Orange
25 Piece Increments	25	-	-	-	-	25	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 pack of 25 pieces	25	-	-	-	-	-	25	-	-	-	Red
25 Piece Increments	25	-	-	-	-	-	25	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 pack of 25 pieces	25	-	-	-	-	-	-	25	-	-	White
25 Piece Increments	25	-	-	-	-	-	-	25	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 pack of 25 pieces	25	-	-	-	-	-	-	-	25	-	Yellow
25 Piece Increments	25	-	-	-	-	-	-	-	25	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 pack of 25 pieces	25	-	-	-	-	-	-	-	-	25	Yellow/Green
25 Piece Increments	25	-	-	-	-	-	-	-	-	25	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPMX02506IPK25	1/4"	0.250	0.125	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPBK02506IPK25	1/4"	0.250	0.125	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPBK02504FPK25EA	1/4"	0.250	0.125	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBK0250500FRL	1/4"	0.250	0.125	0.025	600V	500 Foot Reel	1
HSTPBK0250250FRL	1/4"	0.250	0.125	0.025	600V	250 Foot Reel	1
HSTPBK0250100FRL	1/4"	0.250	0.125	0.025	600V	100 Foot Reel	1
HSTPBK025050FRL	1/4"	0.250	0.125	0.025	600V	50 Foot Reel	1
HSTPBK025025FRL	1/4"	0.250	0.125	0.025	600V	25 Foot Reel	1
HSTPBL02506IPK25	1/4"	0.250	0.125	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPBL02504FPK25EA	1/4"	0.250	0.125	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBL0250500FRL	1/4"	0.250	0.125	0.025	600V	500 Foot Reel	1
HSTPBL0250250FRL	1/4"	0.250	0.125	0.025	600V	250 Foot Reel	1
HSTPBL0250100FRL	1/4"	0.250	0.125	0.025	600V	100 Foot Reel	1
HSTPBL025050FRL	1/4"	0.250	0.125	0.025	600V	50 Foot Reel	1
HSTPBL025025FRL	1/4"	0.250	0.125	0.025	600V	25 Foot Reel	1
HSTPCL02506IPK25	1/4"	0.250	0.125	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPCL02504FPK25EA	1/4"	0.250	0.125	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPCL0250500FRL	1/4"	0.250	0.125	0.025	600V	500 Foot Reel	1
HSTPCL0250250FRL	1/4"	0.250	0.125	0.025	600V	250 Foot Reel	1
HSTPCL0250100FRL	1/4"	0.250	0.125	0.025	600V	100 Foot Reel	1
HSTPCL025050FRL	1/4"	0.250	0.125	0.025	600V	50 Foot Reel	1
HSTPCL025025FRL	1/4"	0.250	0.125	0.025	600V	25 Foot Reel	1
HSTPGR02506IPK25	1/4"	0.250	0.125	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPGR02504FPK25EA	1/4"	0.250	0.125	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPGR0250500FRL	1/4"	0.250	0.125	0.025	600V	500 Foot Reel	1
HSTPGR0250250FRL	1/4"	0.250	0.125	0.025	600V	250 Foot Reel	1
HSTPGR0250100FRL	1/4"	0.250	0.125	0.025	600V	100 Foot Reel	1
HSTPGR025050FRL	1/4"	0.250	0.125	0.025	600V	50 Foot Reel	1
HSTPGR025025FRL	1/4"	0.250	0.125	0.025	600V	25 Foot Reel	1
HSTPOR02506IPK25	1/4"	0.250	0.125	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPOR02504FPK25EA	1/4"	0.250	0.125	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPOR0250500FRL	1/4"	0.250	0.125	0.025	600V	500 Foot Reel	1
HSTPOR0250250FRL	1/4"	0.250	0.125	0.025	600V	250 Foot Reel	1
HSTPOR0250100FRL	1/4"	0.250	0.125	0.025	600V	100 Foot Reel	1
HSTPOR025050FRL	1/4"	0.250	0.125	0.025	600V	50 Foot Reel	1
HSTPOR025025FRL	1/4"	0.250	0.125	0.025	600V	25 Foot Reel	1
HSTPRD02506IPK25	1/4"	0.250	0.125	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPRD02504FPK25EA	1/4"	0.250	0.125	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPRD0250500FRL	1/4"	0.250	0.125	0.025	600V	500 Foot Reel	1
HSTPRD0250250FRL	1/4"	0.250	0.125	0.025	600V	250 Foot Reel	1
HSTPRD0250100FRL	1/4"	0.250	0.125	0.025	600V	100 Foot Reel	1
HSTPRD025050FRL	1/4"	0.250	0.125	0.025	600V	50 Foot Reel	1
HSTPRD025025FRL	1/4"	0.250	0.125	0.025	600V	25 Foot Reel	1

Package Quantity	Total Pieces Per Pack	Quantity of Each Color									Color
		Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/Green (YG)	
1 pack of 25 pieces	25	7	3	3	3	-	3	3	3	-	Mixed
1 pack of 25 pieces	25	25	-	-	-	-	-	-	-	-	Black
25 Piece Increments	25	25	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 pack of 25 pieces	25	-	25	-	-	-	-	-	-	-	Blue
25 Piece Increments	25	-	25	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 pack of 25 pieces	25	-	-	25	-	-	-	-	-	-	Clear
25 Piece Increments	25	-	-	25	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 pack of 25 pieces	25	-	-	-	25	-	-	-	-	-	Green
25 Piece Increments	25	-	-	-	25	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 pack of 25 pieces	25	-	-	-	-	25	-	-	-	-	Orange
25 Piece Increments	25	-	-	-	-	25	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 pack of 25 pieces	25	-	-	-	-	-	25	-	-	-	Red
25 Piece Increments	25	-	-	-	-	-	25	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPWH02506IPK25	1/4"	0.250	0.125	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPWH02504FPK25EA	1/4"	0.250	0.125	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPWH0250500FRL	1/4"	0.250	0.125	0.025	600V	500 Foot Reel	1
HSTPWH0250250FRL	1/4"	0.250	0.125	0.025	600V	250 Foot Reel	1
HSTPWH0250100FRL	1/4"	0.250	0.125	0.025	600V	100 Foot Reel	1
HSTPWH025050FRL	1/4"	0.250	0.125	0.025	600V	50 Foot Reel	1
HSTPWH025025FRL	1/4"	0.250	0.125	0.025	600V	25 Foot Reel	1
HSTPYL02506IPK25	1/4"	0.250	0.125	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPYL02504FPK25EA	1/4"	0.250	0.125	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPYL0250500FRL	1/4"	0.250	0.125	0.025	600V	500 Foot Reel	1
HSTPYL0250250FRL	1/4"	0.250	0.125	0.025	600V	250 Foot Reel	1
HSTPYL0250100FRL	1/4"	0.250	0.125	0.025	600V	100 Foot Reel	1
HSTPYL025050FRL	1/4"	0.250	0.125	0.025	600V	50 Foot Reel	1
HSTPYL025025FRL	1/4"	0.250	0.125	0.025	600V	25 Foot Reel	1
HSTPYG02506IPK25	1/4"	0.250	0.079	0.026	600V	Multi-Pack (6" Lengths)	1
HSTPYG02504FPK25EA	1/4"	0.250	0.079	0.026	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPYG0250500FRL	1/4"	0.250	0.079	0.026	600V	500 Foot Reel	1
HSTPYG0250250FRL	1/4"	0.250	0.079	0.026	600V	250 Foot Reel	1
HSTPYG0250100FRL	1/4"	0.250	0.079	0.026	600V	100 Foot Reel	1
HSTPYG025050FRL	1/4"	0.250	0.079	0.026	600V	50 Foot Reel	1
HSTPYG025025FRL	1/4"	0.250	0.079	0.026	600V	25 Foot Reel	1
HSTPMX03756IPK25	3/8"	0.375	0.187	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPBK03756IPK25	3/8"	0.375	0.187	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPBK03754FPK25EA	3/8"	0.375	0.187	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBK0375500FRL	3/8"	0.375	0.187	0.025	600V	500 Foot Reel	1
HSTPBK0375250FRL	3/8"	0.375	0.187	0.025	600V	250 Foot Reel	1
HSTPBK0375100FRL	3/8"	0.375	0.187	0.025	600V	100 Foot Reel	1
HSTPBK037550FRL	3/8"	0.375	0.187	0.025	600V	50 Foot Reel	1
HSTPBK037525FRL	3/8"	0.375	0.187	0.025	600V	25 Foot Reel	1
HSTPBL03756IPK25	3/8"	0.375	0.187	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPBL03754FPK25EA	3/8"	0.375	0.187	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBL0375500FRL	3/8"	0.375	0.187	0.025	600V	500 Foot Reel	1
HSTPBL0375250FRL	3/8"	0.375	0.187	0.025	600V	250 Foot Reel	1
HSTPBL0375100FRL	3/8"	0.375	0.187	0.025	600V	100 Foot Reel	1
HSTPBL037550FRL	3/8"	0.375	0.187	0.025	600V	50 Foot Reel	1
HSTPBL037525FRL	3/8"	0.375	0.187	0.025	600V	25 Foot Reel	1
HSTPCL03756IPK25	3/8"	0.375	0.187	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPCL03754FPK25EA	3/8"	0.375	0.187	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPCL0375500FRL	3/8"	0.375	0.187	0.025	600V	500 Foot Reel	1
HSTPCL0375250FRL	3/8"	0.375	0.187	0.025	600V	250 Foot Reel	1
HSTPCL0375100FRL	3/8"	0.375	0.187	0.025	600V	100 Foot Reel	1
HSTPCL037550FRL	3/8"	0.375	0.187	0.025	600V	50 Foot Reel	1
HSTPCL037525FRL	3/8"	0.375	0.187	0.025	600V	25 Foot Reel	1

Package Quantity	Total Pieces Per Pack	Quantity of Each Color									Color
		Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/Green (YG)	
1 pack of 25 pieces	25	-	-	-	-	-	-	25	-	-	White
25 Piece Increments	25	-	-	-	-	-	-	25	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 pack of 25 pieces	25	-	-	-	-	-	-	-	25	-	Yellow
25 Piece Increments	25	-	-	-	-	-	-	-	25	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 pack of 25 pieces	25	-	-	-	-	-	-	-	-	25	Yellow/Green
25 Piece Increments	25	-	-	-	-	-	-	-	-	25	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 pack of 25 pieces	25	7	3	3	3	-	3	3	3	-	Mixed
1 pack of 25 pieces	25	25	-	-	-	-	-	-	-	-	Black
25 Piece Increments	25	25	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 pack of 25 pieces	25	-	25	-	-	-	-	-	-	-	Blue
25 Piece Increments	25	-	25	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 pack of 25 pieces	25	-	-	25	-	-	-	-	-	-	Clear
25 Piece Increments	25	-	-	25	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPGR03756IPK25	3/8"	0.375	0.187	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPGR03754FPK25EA	3/8"	0.375	0.187	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPGR0375500FRL	3/8"	0.375	0.187	0.025	600V	500 Foot Reel	1
HSTPGR0375250FRL	3/8"	0.375	0.187	0.025	600V	250 Foot Reel	1
HSTPGR0375100FRL	3/8"	0.375	0.187	0.025	600V	100 Foot Reel	1
HSTPGR037550FRL	3/8"	0.375	0.187	0.025	600V	50 Foot Reel	1
HSTPGR037525FRL	3/8"	0.375	0.187	0.025	600V	25 Foot Reel	1
HSTPOR03756IPK25	3/8"	0.375	0.187	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPOR03754FPK25EA	3/8"	0.375	0.187	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPOR0375500FRL	3/8"	0.375	0.187	0.025	600V	500 Foot Reel	1
HSTPOR0375250FRL	3/8"	0.375	0.187	0.025	600V	250 Foot Reel	1
HSTPOR0375100FRL	3/8"	0.375	0.187	0.025	600V	100 Foot Reel	1
HSTPOR037550FRL	3/8"	0.375	0.187	0.025	600V	50 Foot Reel	1
HSTPOR037525FRL	3/8"	0.375	0.187	0.025	600V	25 Foot Reel	1
HSTPRD03756IPK25	3/8"	0.375	0.187	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPRD03754FPK25EA	3/8"	0.375	0.187	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPRD0375500FRL	3/8"	0.375	0.187	0.025	600V	500 Foot Reel	1
HSTPRD0375250FRL	3/8"	0.375	0.187	0.025	600V	250 Foot Reel	1
HSTPRD0375100FRL	3/8"	0.375	0.187	0.025	600V	100 Foot Reel	1
HSTPRD037550FRL	3/8"	0.375	0.187	0.025	600V	50 Foot Reel	1
HSTPRD037525FRL	3/8"	0.375	0.187	0.025	600V	25 Foot Reel	1
HSTPWH03756IPK25	3/8"	0.375	0.187	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPWH03754FPK25EA	3/8"	0.375	0.187	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPWH0375500FRL	3/8"	0.375	0.187	0.025	600V	500 Foot Reel	1
HSTPWH0375250FRL	3/8"	0.375	0.187	0.025	600V	250 Foot Reel	1
HSTPWH0375100FRL	3/8"	0.375	0.187	0.025	600V	100 Foot Reel	1
HSTPWH037550FRL	3/8"	0.375	0.187	0.025	600V	50 Foot Reel	1
HSTPWH037525FRL	3/8"	0.375	0.187	0.025	600V	25 Foot Reel	1
HSTPYL03756IPK25	3/8"	0.375	0.187	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPYL03754FPK25EA	3/8"	0.375	0.187	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPYL0375500FRL	3/8"	0.375	0.187	0.025	600V	500 Foot Reel	1
HSTPYL0375250FRL	3/8"	0.375	0.187	0.025	600V	250 Foot Reel	1
HSTPYL0375100FRL	3/8"	0.375	0.187	0.025	600V	100 Foot Reel	1
HSTPYL037550FRL	3/8"	0.375	0.187	0.025	600V	50 Foot Reel	1
HSTPYL037525FRL	3/8"	0.375	0.187	0.025	600V	25 Foot Reel	1
HSTPYG03756IPK25	3/8"	0.375	0.118	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPYG03754FPK25EA	3/8"	0.375	0.118	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPYG0375200FRL	3/8"	0.375	0.118	0.030	600V	200 Foot Reel	1
HSTPYG0375100FRL	3/8"	0.375	0.118	0.030	600V	100 Foot Reel	1
HSTPYG037550FRL	3/8"	0.375	0.118	0.030	600V	50 Foot Reel	1
HSTPYG037525FRL	3/8"	0.375	0.118	0.030	600V	25 Foot Reel	1

Package Quantity	Total Pieces Per Pack	Quantity of Each Color									Color
		Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/Green (YG)	
1 pack of 25 pieces	25	-	-	-	25	-	-	-	-	-	Green
25 Piece Increments	25	-	-	-	25	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 pack of 25 pieces	25	-	-	-	-	25	-	-	-	-	Orange
25 Piece Increments	25	-	-	-	-	25	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 pack of 25 pieces	25	-	-	-	-	-	25	-	-	-	Red
25 Piece Increments	25	-	-	-	-	-	25	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 pack of 25 pieces	25	-	-	-	-	-	-	25	-	-	White
25 Piece Increments	25	-	-	-	-	-	-	25	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 pack of 25 pieces	25	-	-	-	-	-	-	-	25	-	Yellow
25 Piece Increments	25	-	-	-	-	-	-	-	25	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 pack of 25 pieces	25	-	-	-	-	-	-	-	-	25	Yellow/Green
25 Piece Increments	25	-	-	-	-	-	-	-	-	25	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPMX05006IPK25	1/2"	0.500	0.250	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPBK05006IPK25	1/2"	0.500	0.250	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPBK05004FPK25EA	1/2"	0.500	0.250	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBK0500200FRL	1/2"	0.500	0.250	0.025	600V	200 Foot Reel	1
HSTPBK0500100FRL	1/2"	0.500	0.250	0.025	600V	100 Foot Reel	1
HSTPBK050050FRL	1/2"	0.500	0.250	0.025	600V	50 Foot Reel	1
HSTPBK050025FRL	1/2"	0.500	0.250	0.025	600V	25 Foot Reel	1
HSTPBL05006IPK25	1/2"	0.500	0.250	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPBL05004FPK25EA	1/2"	0.500	0.250	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPBL0500200FRL	1/2"	0.500	0.250	0.025	600V	200 Foot Reel	1
HSTPBL0500100FRL	1/2"	0.500	0.250	0.025	600V	100 Foot Reel	1
HSTPBL050050FRL	1/2"	0.500	0.250	0.025	600V	50 Foot Reel	1
HSTPBL050025FRL	1/2"	0.500	0.250	0.025	600V	25 Foot Reel	1
HSTPCLO5006IPK25	1/2"	0.500	0.250	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPCLO5004FPK25EA	1/2"	0.500	0.250	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPCLO500200FRL	1/2"	0.500	0.250	0.025	600V	200 Foot Reel	1
HSTPCLO500100FRL	1/2"	0.500	0.250	0.025	600V	100 Foot Reel	1
HSTPCLO50050FRL	1/2"	0.500	0.250	0.025	600V	50 Foot Reel	1
HSTPCLO50025FRL	1/2"	0.500	0.250	0.025	600V	25 Foot Reel	1
HSTPGR05006IPK25	1/2"	0.500	0.250	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPGR05004FPK25EA	1/2"	0.500	0.250	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPGR0500200FRL	1/2"	0.500	0.250	0.025	600V	200 Foot Reel	1
HSTPGR0500100FRL	1/2"	0.500	0.250	0.025	600V	100 Foot Reel	1
HSTPGR050050FRL	1/2"	0.500	0.250	0.025	600V	50 Foot Reel	1
HSTPGR050025FRL	1/2"	0.500	0.250	0.025	600V	25 Foot Reel	1
HSTPOR05006IPK25	1/2"	0.500	0.250	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPOR05004FPK25EA	1/2"	0.500	0.250	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPOR0500200FRL	1/2"	0.500	0.250	0.025	600V	200 Foot Reel	1
HSTPOR0500100FRL	1/2"	0.500	0.250	0.025	600V	100 Foot Reel	1
HSTPOR050050FRL	1/2"	0.500	0.250	0.025	600V	50 Foot Reel	1
HSTPOR050025FRL	1/2"	0.500	0.250	0.025	600V	25 Foot Reel	1
HSTPRD05006IPK25	1/2"	0.500	0.250	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPRD05004FPK25EA	1/2"	0.500	0.250	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPRD0500200FRL	1/2"	0.500	0.250	0.025	600V	200 Foot Reel	1
HSTPRD0500100FRL	1/2"	0.500	0.250	0.025	600V	100 Foot Reel	1
HSTPRD050050FRL	1/2"	0.500	0.250	0.025	600V	50 Foot Reel	1
HSTPRD050025FRL	1/2"	0.500	0.250	0.025	600V	25 Foot Reel	1
HSTPWH05006IPK25	1/2"	0.500	0.250	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPWH05004FPK25EA	1/2"	0.500	0.250	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPWH0500200FRL	1/2"	0.500	0.250	0.025	600V	200 Foot Reel	1
HSTPWH0500100FRL	1/2"	0.500	0.250	0.025	600V	100 Foot Reel	1
HSTPWH050050FRL	1/2"	0.500	0.250	0.025	600V	50 Foot Reel	1
HSTPWH050025FRL	1/2"	0.500	0.250	0.025	600V	25 Foot Reel	1

		Quantity of Each Color									Color
Package Quantity	Total Pieces Per Pack	Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/Green (YG)	
1 pack of 25 pieces	25	7	3	3	3	-	3	3	3	-	Mixed
1 pack of 25 pieces	25	25	-	-	-	-	-	-	-	-	Black
25 Piece Increments	25	25	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 pack of 25 pieces	25	-	25	-	-	-	-	-	-	-	Blue
25 Piece Increments	25	-	25	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 pack of 25 pieces	25	-	-	25	-	-	-	-	-	-	Clear
25 Piece Increments	25	-	-	25	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 pack of 25 pieces	25	-	-	-	25	-	-	-	-	-	Green
25 Piece Increments	25	-	-	-	25	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 pack of 25 pieces	25	-	-	-	-	25	-	-	-	-	Orange
25 Piece Increments	25	-	-	-	-	25	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 pack of 25 pieces	25	-	-	-	-	-	25	-	-	-	Red
25 Piece Increments	25	-	-	-	-	-	25	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 pack of 25 pieces	25	-	-	-	-	-	-	25	-	-	White
25 Piece Increments	25	-	-	-	-	-	-	25	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPYLO5006IPK25	1/2"	0.500	0.250	0.025	600V	Multi-Pack (6" Lengths)	1
HSTPYLO5004FPK25EA	1/2"	0.500	0.250	0.025	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPYLO500200FRL	1/2"	0.500	0.250	0.025	600V	200 Foot Reel	1
HSTPYLO500100FRL	1/2"	0.500	0.250	0.025	600V	100 Foot Reel	1
HSTPYLO50050FRL	1/2"	0.500	0.250	0.025	600V	50 Foot Reel	1
HSTPYLO50025FRL	1/2"	0.500	0.250	0.025	600V	25 Foot Reel	1
HSTPYG05006IPK25	1/2"	0.500	0.157	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPYG05004FPK25EA	1/2"	0.500	0.157	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	25
HSTPYG0500200FRL	1/2"	0.500	0.157	0.030	600V	200 Foot Reel	1
HSTPYG0500100FRL	1/2"	0.500	0.157	0.030	600V	100 Foot Reel	1
HSTPYG050050FRL	1/2"	0.500	0.157	0.030	600V	50 Foot Reel	1
HSTPYG050025FRL	1/2"	0.500	0.157	0.030	600V	25 Foot Reel	1
HSTPMX06256IPK25	5/8"	0.625	0.313	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPBK06256IPK25	5/8"	0.625	0.313	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPBK06254FPK5EA	5/8"	0.625	0.313	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPBK0625200FRL	5/8"	0.625	0.313	0.030	600V	200 Foot Reel	1
HSTPBK0625100FRL	5/8"	0.625	0.313	0.030	600V	100 Foot Reel	1
HSTPBK062550FRL	5/8"	0.625	0.313	0.030	600V	50 Foot Reel	1
HSTPBK062525FRL	5/8"	0.625	0.313	0.030	600V	25 Foot Reel	1
HSTPBL06256IPK25	5/8"	0.625	0.313	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPBL06254FPK5EA	5/8"	0.625	0.313	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPBL0625200FRL	5/8"	0.625	0.313	0.030	600V	200 Foot Reel	1
HSTPBL0625100FRL	5/8"	0.625	0.313	0.030	600V	100 Foot Reel	1
HSTPBL062550FRL	5/8"	0.625	0.313	0.030	600V	50 Foot Reel	1
HSTPBL062525FRL	5/8"	0.625	0.313	0.030	600V	25 Foot Reel	1
HSTPCL06256IPK25	5/8"	0.625	0.313	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPCL06254FPK5EA	5/8"	0.625	0.313	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPCL0625200FRL	5/8"	0.625	0.313	0.030	600V	200 Foot Reel	1
HSTPCL0625100FRL	5/8"	0.625	0.313	0.030	600V	100 Foot Reel	1
HSTPCL062550FRL	5/8"	0.625	0.313	0.030	600V	50 Foot Reel	1
HSTPCL062525FRL	5/8"	0.625	0.313	0.030	600V	25 Foot Reel	1
HSTPGR06256IPK25	5/8"	0.625	0.313	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPGR06254FPK5EA	5/8"	0.625	0.313	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPGR0625200FRL	5/8"	0.625	0.313	0.030	600V	200 Foot Reel	1
HSTPGR0625100FRL	5/8"	0.625	0.313	0.030	600V	100 Foot Reel	1
HSTPGR062550FRL	5/8"	0.625	0.313	0.030	600V	50 Foot Reel	1
HSTPGR062525FRL	5/8"	0.625	0.313	0.030	600V	25 Foot Reel	1
HSTPOR06256IPK25	5/8"	0.625	0.313	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPOR06254FPK5EA	5/8"	0.625	0.313	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPOR0625200FRL	5/8"	0.625	0.313	0.030	600V	200 Foot Reel	1
HSTPOR0625100FRL	5/8"	0.625	0.313	0.030	600V	100 Foot Reel	1
HSTPOR062550FRL	5/8"	0.625	0.313	0.030	600V	50 Foot Reel	1
HSTPOR062525FRL	5/8"	0.625	0.313	0.030	600V	25 Foot Reel	1

		Quantity of Each Color									Color
Package Quantity	Total Pieces Per Pack	Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/Green (YG)	
1 pack of 25 pieces	25	-	-	-	-	-	-	-	25	-	Yellow
25 Piece Increments	25	-	-	-	-	-	-	-	25	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 pack of 25 pieces	25	-	-	-	-	-	-	-	-	25	Yellow/Green
25 Piece Increments	25	-	-	-	-	-	-	-	-	25	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 pack of 25 pieces	25	7	3	3	3	-	3	3	3	-	Mixed
1 pack of 25 pieces	25	25	-	-	-	-	-	-	-	-	Black
5 pieces in 1 pack	5	5	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 pack of 25 pieces	25	-	25	-	-	-	-	-	-	-	Blue
5 pieces in 1 pack	5	-	5	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 pack of 25 pieces	25	-	-	25	-	-	-	-	-	-	Clear
5 pieces in 1 pack	5	-	-	5	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 pack of 25 pieces	25	-	-	-	25	-	-	-	-	-	Green
5 pieces in 1 pack	5	-	-	-	5	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 pack of 25 pieces	25	-	-	-	-	25	-	-	-	-	Orange
5 pieces in 1 pack	5	-	-	-	-	5	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPRD06256IPK25	5/8"	0.625	0.313	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPRD06254FPK5EA	5/8"	0.625	0.313	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPRD0625200FRL	5/8"	0.625	0.313	0.030	600V	200 Foot Reel	1
HSTPRD0625100FRL	5/8"	0.625	0.313	0.030	600V	100 Foot Reel	1
HSTPRD062550FRL	5/8"	0.625	0.313	0.030	600V	50 Foot Reel	1
HSTPRD062525FRL	5/8"	0.625	0.313	0.030	600V	25 Foot Reel	1
HSTPWH06256IPK25	5/8"	0.625	0.313	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPWH06254FPK5EA	5/8"	0.625	0.313	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPWH0625200FRL	5/8"	0.625	0.313	0.030	600V	200 Foot Reel	1
HSTPWH0625100FRL	5/8"	0.625	0.313	0.030	600V	100 Foot Reel	1
HSTPWH062550FRL	5/8"	0.625	0.313	0.030	600V	50 Foot Reel	1
HSTPWH062525FRL	5/8"	0.625	0.313	0.030	600V	25 Foot Reel	1
HSTPYL06256IPK25	5/8"	0.625	0.313	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPYL06254FPK5EA	5/8"	0.625	0.313	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPYL0625200FRL	5/8"	0.625	0.313	0.030	600V	200 Foot Reel	1
HSTPYL0625100FRL	5/8"	0.625	0.313	0.030	600V	100 Foot Reel	1
HSTPYL062550FRL	5/8"	0.625	0.313	0.030	600V	50 Foot Reel	1
HSTPYL062525FRL	5/8"	0.625	0.313	0.030	600V	25 Foot Reel	1
HSTPMX07506IPK25	3/4"	0.750	0.375	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPBK07506IPK25	3/4"	0.750	0.375	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPBK07504FPK5EA	3/4"	0.750	0.375	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPBK0750100FRL	3/4"	0.750	0.375	0.030	600V	100 Foot Reel	1
HSTPBK075050FRL	3/4"	0.750	0.375	0.030	600V	50 Foot Reel	1
HSTPBK075025FRL	3/4"	0.750	0.375	0.030	600V	25 Foot Reel	1
HSTPBL07506IPK25	3/4"	0.750	0.375	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPBL07504FPK5EA	3/4"	0.750	0.375	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPBL0750100FRL	3/4"	0.750	0.375	0.030	600V	100 Foot Reel	1
HSTPBL075050FRL	3/4"	0.750	0.375	0.030	600V	50 Foot Reel	1
HSTPBL075025FRL	3/4"	0.750	0.375	0.030	600V	25 Foot Reel	1
HSTPCL07506IPK25	3/4"	0.750	0.375	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPCL07504FPK5EA	3/4"	0.750	0.375	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPCL0750100FRL	3/4"	0.750	0.375	0.030	600V	100 Foot Reel	1
HSTPCL075050FRL	3/4"	0.750	0.375	0.030	600V	50 Foot Reel	1
HSTPCL075025FRL	3/4"	0.750	0.375	0.030	600V	25 Foot Reel	1
HSTPGR07506IPK25	3/4"	0.750	0.375	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPGR07504FPK5EA	3/4"	0.750	0.375	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPGR0750100FRL	3/4"	0.750	0.375	0.030	600V	100 Foot Reel	1
HSTPGR075050FRL	3/4"	0.750	0.375	0.030	600V	50 Foot Reel	1
HSTPGR075025FRL	3/4"	0.750	0.375	0.030	600V	25 Foot Reel	1
HSTPOR07506IPK25	3/4"	0.750	0.375	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPOR07504FPK5EA	3/4"	0.750	0.375	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPOR0750100FRL	3/4"	0.750	0.375	0.030	600V	100 Foot Reel	1
HSTPOR075050FRL	3/4"	0.750	0.375	0.030	600V	50 Foot Reel	1
HSTPOR075025FRL	3/4"	0.750	0.375	0.030	600V	25 Foot Reel	1

Package Quantity	Total Pieces Per Pack	Quantity of Each Color									Color
		Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/Green (YG)	
1 pack of 25 pieces	25	-	-	-	-	-	25	-	-	-	Red
5 pieces in 1 pack	5	-	-	-	-	-	5	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 pack of 25 pieces	25	-	-	-	-	-	-	25	-	-	White
5 pieces in 1 pack	5	-	-	-	-	-	-	5	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 pack of 25 pieces	25	-	-	-	-	-	-	-	25	-	Yellow
5 pieces in 1 pack	5	-	-	-	-	-	-	-	5	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 pack of 25 pieces	25	7	3	3	3	-	3	3	3	-	Mixed
1 pack of 25 pieces	25	25	-	-	-	-	-	-	-	-	Black
5 pieces in 1 pack	5	5	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 pack of 25 pieces	25	-	25	-	-	-	-	-	-	-	Blue
5 pieces in 1 pack	5	-	5	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 pack of 25 pieces	25	-	-	25	-	-	-	-	-	-	Clear
5 pieces in 1 pack	5	-	-	5	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 pack of 25 pieces	25	-	-	-	25	-	-	-	-	-	Green
5 pieces in 1 pack	5	-	-	-	5	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 pack of 25 pieces	25	-	-	-	-	25	-	-	-	-	Orange
5 pieces in 1 pack	5	-	-	-	-	5	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPRD07506IPK25	3/4"	0.750	0.375	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPRD07504FPK5EA	3/4"	0.750	0.375	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPRD0750100FRL	3/4"	0.750	0.375	0.030	600V	100 Foot Reel	1
HSTPRD075050FRL	3/4"	0.750	0.375	0.030	600V	50 Foot Reel	1
HSTPRD075025FRL	3/4"	0.750	0.375	0.030	600V	25 Foot Reel	1
HSTPWH07506IPK25	3/4"	0.750	0.375	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPWH07504FPK5EA	3/4"	0.750	0.375	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPWH0750100FRL	3/4"	0.750	0.375	0.030	600V	100 Foot Reel	1
HSTPWH075050FRL	3/4"	0.750	0.375	0.030	600V	50 Foot Reel	1
HSTPWH075025FRL	3/4"	0.750	0.375	0.030	600V	25 Foot Reel	1
HSTPYL07506IPK25	3/4"	0.750	0.375	0.030	600V	Multi-Pack (6" Lengths)	1
HSTPYL07504FPK5EA	3/4"	0.750	0.375	0.030	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPYL0750100FRL	3/4"	0.750	0.375	0.030	600V	100 Foot Reel	1
HSTPYL075050FRL	3/4"	0.750	0.375	0.030	600V	50 Foot Reel	1
HSTPYL075025FRL	3/4"	0.750	0.375	0.030	600V	25 Foot Reel	1
HSTPYG07506IPK25	3/4"	0.750	0.236	0.033	600V	Multi-Pack (6" Lengths)	1
HSTPYG07504FPK5EA	3/4"	0.750	0.236	0.033	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPYG0750100FRL	3/4"	0.750	0.236	0.033	600V	100 Foot Reel	1
HSTPYG075050FRL	3/4"	0.750	0.236	0.033	600V	50 Foot Reel	1
HSTPYG075025FRL	3/4"	0.750	0.236	0.033	600V	25 Foot Reel	1
HSTPMX10006IPK25	1"	1.000	0.500	0.035	600V	Multi-Pack (6" Lengths)	1
HSTPBK10006IPK25	1"	1.000	0.500	0.035	600V	Multi-Pack (6" Lengths)	1
HSTPBK10004FPK5EA	1"	1.000	0.500	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPBK1000100FRL	1"	1.000	0.500	0.035	600V	100 Foot Reel	1
HSTPBK100050FRL	1"	1.000	0.500	0.035	600V	50 Foot Reel	1
HSTPBK100025FRL	1"	1.000	0.500	0.035	600V	25 Foot Reel	1
HSTPBL10006IPK25	1"	1.000	0.500	0.035	600V	Multi-Pack (6" Lengths)	1
HSTPBL10004FPK5EA	1"	1.000	0.500	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPBL1000100FRL	1"	1.000	0.500	0.035	600V	100 Foot Reel	1
HSTPBL100050FRL	1"	1.000	0.500	0.035	600V	50 Foot Reel	1
HSTPBL100025FRL	1"	1.000	0.500	0.035	600V	25 Foot Reel	1
HSTPCL10006IPK25	1"	1.000	0.500	0.035	600V	Multi-Pack (6" Lengths)	1
HSTPCL10006IPK25	1"	1.000	0.500	0.035	600V	Multi-Pack (6" Lengths)	1
HSTPCL10004FPK5EA	1"	1.000	0.500	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPCL1000100FRL	1"	1.000	0.500	0.035	600V	100 Foot Reel	1
HSTPCL100050FRL	1"	1.000	0.500	0.035	600V	50 Foot Reel	1
HSTPCL100025FRL	1"	1.000	0.500	0.035	600V	25 Foot Reel	1
HSTPGR10006IPK25	1"	1.000	0.500	0.035	600V	Multi-Pack (6" Lengths)	1
HSTPGR10004FPK5EA	1"	1.000	0.500	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPGR1000100FRL	1"	1.000	0.500	0.035	600V	100 Foot Reel	1
HSTPGR100050FRL	1"	1.000	0.500	0.035	600V	50 Foot Reel	1
HSTPGR100025FRL	1"	1.000	0.500	0.035	600V	25 Foot Reel	1

Package Quantity	Total Pieces Per Pack	Quantity of Each Color									Color
		Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/ Green (YG)	
1 pack of 25 pieces	25	-	-	-	-	-	25	-	-	-	Red
5 pieces in 1 pack	5	-	-	-	-	-	5	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 pack of 25 pieces	25	-	-	-	-	-	-	25	-	-	White
5 pieces in 1 pack	5	-	-	-	-	-	-	5	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 pack of 25 pieces	25	-	-	-	-	-	-	-	25	-	Yellow
5 pieces in 1 pack	5	-	-	-	-	-	-	-	5	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 pack of 25 pieces	25	-	-	-	-	-	-	-	-	25	Yellow/Green
5 pieces in 1 pack	5	-	-	-	-	-	-	-	-	5	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 pack of 25 pieces	25	7	3	3	3	-	3	3	3	-	Mixed
1 pack of 25 pieces	25	25	-	-	-	-	-	-	-	-	Black
5 pieces in 1 pack	5	5	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 pack of 25 pieces	25	-	25	-	-	-	-	-	-	-	Blue
5 pieces in 1 pack	5	-	5	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 pack of 25 pieces	25	-	-	25	-	-	-	-	-	-	Clear
1 pack of 5 pieces	5	-	-	5	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
100 Feet as 1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
50 Feet as 1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
25 Feet as 1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 pack of 25 pieces	25	-	-	-	25	-	-	-	-	-	Green
5 pieces in 1 pack	5	-	-	-	5	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPOR10006IPK25	1"	1.000	0.500	0.035	600V	Multi-Pack (6" Lengths)	1
HSTPOR10004FPK5EA	1"	1.000	0.500	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPOR1000100FRL	1"	1.000	0.500	0.035	600V	100 Foot Reel	1
HSTPOR100050FRL	1"	1.000	0.500	0.035	600V	50 Foot Reel	1
HSTPOR100025FRL	1"	1.000	0.500	0.035	600V	25 Foot Reel	1
HSTPRD10006IPK25	1"	1.000	0.500	0.035	600V	Multi-Pack (6" Lengths)	1
HSTPRD10004FPK5EA	1"	1.000	0.500	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPRD1000100FRL	1"	1.000	0.500	0.035	600V	100 Foot Reel	1
HSTPRD100050FRL	1"	1.000	0.500	0.035	600V	50 Foot Reel	1
HSTPRD100025FRL	1"	1.000	0.500	0.035	600V	25 Foot Reel	1
HSTPWH10006IPK25	1"	1.000	0.500	0.035	600V	Multi-Pack (6" Lengths)	1
HSTPWH10004FPK5EA	1"	1.000	0.500	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPWH1000100FRL	1"	1.000	0.500	0.035	600V	100 Foot Reel	1
HSTPWH100050FRL	1"	1.000	0.500	0.035	600V	50 Foot Reel	1
HSTPWH100025FRL	1"	1.000	0.500	0.035	600V	25 Foot Reel	1
HSTPYL10006IPK25	1"	1.000	0.500	0.035	600V	Multi-Pack (6" Lengths)	1
HSTPYL10004FPK5EA	1"	1.000	0.500	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPYL1000100FRL	1"	1.000	0.500	0.035	600V	100 Foot Reel	1
HSTPYL100050FRL	1"	1.000	0.500	0.035	600V	50 Foot Reel	1
HSTPYL100025FRL	1"	1.000	0.500	0.035	600V	25 Foot Reel	1
HSTPYG10006IPK25	1"	1.000	0.315	0.039	600V	Multi-Pack (6" Lengths)	1
HSTPYG10004FPK5EA	1"	1.000	0.315	0.039	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPYG1000100FRL	1"	1.000	0.315	0.039	600V	100 Foot Reel	1
HSTPYG100050FRL	1"	1.000	0.315	0.039	600V	50 Foot Reel	1
HSTPYG100025FRL	1"	1.000	0.315	0.039	600V	25 Foot Reel	1
HSTPBK12504FPK5EA	1-1/4"	1.250	0.625	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPBK1250100FRL	1-1/4"	1.250	0.625	0.035	600V	100 Foot Reel	1
HSTPBK125050FRL	1-1/4"	1.250	0.625	0.035	600V	50 Foot Reel	1
HSTPBK125025FRL	1-1/4"	1.250	0.625	0.035	600V	25 Foot Reel	1
HSTPBL12504FPK5EA	1-1/4"	1.250	0.625	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPBL1250100FRL	1-1/4"	1.250	0.625	0.035	600V	100 Foot Reel	1
HSTPBL125050FRL	1-1/4"	1.250	0.625	0.035	600V	50 Foot Reel	1
HSTPBL125025FRL	1-1/4"	1.250	0.625	0.035	600V	25 Foot Reel	1
HSTPCL12504FPK5EA	1-1/4"	1.250	0.625	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPCL1250100FRL	1-1/4"	1.250	0.625	0.035	600V	100 Foot Reel	1
HSTPCL125050FRL	1-1/4"	1.250	0.625	0.035	600V	50 Foot Reel	1
HSTPCL125025FRL	1-1/4"	1.250	0.625	0.035	600V	25 Foot Reel	1
HSTPGR12504FPK5EA	1-1/4"	1.250	0.625	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPGR1250100FRL	1-1/4"	1.250	0.625	0.035	600V	100 Foot Reel	1
HSTPGR125050FRL	1-1/4"	1.250	0.625	0.035	600V	50 Foot Reel	1
HSTPGR125025FRL	1-1/4"	1.250	0.625	0.035	600V	25 Foot Reel	1

Package Quantity	Total Pieces Per Pack	Quantity of Each Color									Color
		Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/Green (YG)	
1 pack of 25 pieces	25	-	-	-	-	25	-	-	-	-	Orange
5 pieces in 1 pack	5	-	-	-	-	5	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 pack of 25 pieces	25	-	-	-	-	-	25	-	-	-	Red
5 pieces in 1 pack	5	-	-	-	-	-	5	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 pack of 25 pieces	25	-	-	-	-	-	-	25	-	-	White
5 pieces in 1 pack	5	-	-	-	-	-	-	5	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 pack of 25 pieces	25	-	-	-	-	-	-	-	25	-	Yellow
5 pieces in 1 pack	5	-	-	-	-	-	-	-	5	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 pack of 25 pieces	25	-	-	-	-	-	-	-	-	25	Yellow/Green
5 pieces in 1 pack	5	-	-	-	-	-	-	-	-	5	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
5 pieces in 1 pack	5	5	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
5 pieces in 1 pack	5	-	5	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
5 pieces in 1 pack	5	-	-	5	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
5 pieces in 1 pack	5	-	-	-	5	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPOR12504FPK5EA	1-1/4"	1.250	0.625	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPOR1250100FRL	1-1/4"	1.250	0.625	0.035	600V	100 Foot Reel	1
HSTPOR125050FRL	1-1/4"	1.250	0.625	0.035	600V	50 Foot Reel	1
HSTPOR125025FRL	1-1/4"	1.250	0.625	0.035	600V	25 Foot Reel	1
HSTPGR12504FPK5EA	1-1/4"	1.250	0.625	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPGR1250100FRL	1-1/4"	1.250	0.625	0.035	600V	100 Foot Reel	1
HSTPGR125050FRL	1-1/4"	1.250	0.625	0.035	600V	50 Foot Reel	1
HSTPGR125025FRL	1-1/4"	1.250	0.625	0.035	600V	25 Foot Reel	1
HSTPRD12504FPK5EA	1-1/4"	1.250	0.625	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPRD1250100FRL	1-1/4"	1.250	0.625	0.035	600V	100 Foot Reel	1
HSTPRD125050FRL	1-1/4"	1.250	0.625	0.035	600V	50 Foot Reel	1
HSTPRD125025FRL	1-1/4"	1.250	0.625	0.035	600V	25 Foot Reel	1
HSTPWH12504FPK5EA	1-1/4"	1.250	0.625	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPWH1250100FRL	1-1/4"	1.250	0.625	0.035	600V	100 Foot Reel	1
HSTPWH125050FRL	1-1/4"	1.250	0.625	0.035	600V	50 Foot Reel	1
HSTPWH125025FRL	1-1/4"	1.250	0.625	0.035	600V	25 Foot Reel	1
HS1250YLTP4FPK5EA	1-1/4"	1.250	0.625	0.035	600V	Multi-Pack (4' Lengths) Sold by Each	5
HS1250YLTP100FRL	1-1/4"	1.250	0.625	0.035	600V	100 Foot Reel	1
HS1250YLTP50FRL	1-1/4"	1.250	0.625	0.035	600V	50 Foot Reel	1
HS1250YLTP25FRL	1-1/4"	1.250	0.625	0.035	600V	25 Foot Reel	1
HSTPBK15004FPK5EA	1-1/2"	1.500	0.750	0.040	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPBK1500100FRL	1-1/2"	1.500	0.750	0.040	600V	100 Foot Reel	1
HSTPBK150050FRL	1-1/2"	1.500	0.750	0.040	600V	50 Foot Reel	1
HSTPBK150025FRL	1-1/2"	1.500	0.750	0.040	600V	25 Foot Reel	1
HSTPBL15004FPK5EA	1-1/2"	1.500	0.750	0.040	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPBL1500100FRL	1-1/2"	1.500	0.750	0.040	600V	100 Foot Reel	1
HSTPBL150050FRL	1-1/2"	1.500	0.750	0.040	600V	50 Foot Reel	1
HSTPBL150025FRL	1-1/2"	1.500	0.750	0.040	600V	25 Foot Reel	1
HSTPCL15004FPK5EA	1-1/2"	1.500	0.750	0.040	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPCL1500100FRL	1-1/2"	1.500	0.750	0.040	600V	100 Foot Reel	1
HSTPCL150050FRL	1-1/2"	1.500	0.750	0.040	600V	50 Foot Reel	1
HSTPCL150025FRL	1-1/2"	1.500	0.750	0.040	600V	25 Foot Reel	1
HSTPGR15004FPK5EA	1-1/2"	1.500	0.750	0.040	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPGR1500100FRL	1-1/2"	1.500	0.750	0.040	600V	100 Foot Reel	1
HSTPGR150050FRL	1-1/2"	1.500	0.750	0.040	600V	50 Foot Reel	1
HSTPGR150025FRL	1-1/2"	1.500	0.750	0.040	600V	25 Foot Reel	1
HSTPOR15004FPK5EA	1-1/2"	1.500	0.750	0.040	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPOR1500100FRL	1-1/2"	1.500	0.750	0.040	600V	100 Foot Reel	1
HSTPOR150050FRL	1-1/2"	1.500	0.750	0.040	600V	50 Foot Reel	1
HSTPOR150025FRL	1-1/2"	1.500	0.750	0.040	600V	25 Foot Reel	1
HSTPRD15004FPK5EA	1-1/2"	1.500	0.750	0.040	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPRD1500100FRL	1-1/2"	1.500	0.750	0.040	600V	100 Foot Reel	1
HSTPRD150050FRL	1-1/2"	1.500	0.750	0.040	600V	50 Foot Reel	1
HSTPRD150025FRL	1-1/2"	1.500	0.750	0.040	600V	25 Foot Reel	1

Package Quantity	Total Pieces Per Pack	Quantity of Each Color									Color
		Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/Green (YG)	
5 pieces in 1 pack	5	-	-	-	-	5	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
5 pieces in 1 pack	5	-	-	-	5	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
5 pieces in 1 pack	5	-	-	-	-	-	5	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
5 pieces in 1 pack	5	-	-	-	-	-	-	5	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
5 pieces in 1 pack	5	-	-	-	-	-	-	-	5	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
5 pieces in 1 pack	5	5	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
5 pieces in 1 pack	5	-	5	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
5 pieces in 1 pack	5	-	-	5	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
5 pieces in 1 pack	5	-	-	-	5	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
5 pieces in 1 pack	5	-	-	-	-	5	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
5 pieces in 1 pack	5	-	-	-	-	-	5	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPWH15004FPK5EA	1-1/2"	1.500	0.750	0.040	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPWH1500100FRL	1-1/2"	1.500	0.750	0.040	600V	100 Foot Reel	1
HSTPWH150050FRL	1-1/2"	1.500	0.750	0.040	600V	50 Foot Reel	1
HSTPWH150025FRL	1-1/2"	1.500	0.750	0.040	600V	25 Foot Reel	1
HSTPYL15004FPK5EA	1-1/2"	1.500	0.750	0.040	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPYL1500100FRL	1-1/2"	1.500	0.750	0.040	600V	100 Foot Reel	1
HSTPYL150050FRL	1-1/2"	1.500	0.750	0.040	600V	50 Foot Reel	1
HSTPYL150025FRL	1-1/2"	1.500	0.750	0.040	600V	25 Foot Reel	1
HSTPYG15004FPK5EA	1-1/2"	1.500	0.512	0.045	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPYG1500100FRL	1-1/2"	1.500	0.512	0.045	600V	100 Foot Reel	1
HSTPYG150050FRL	1-1/2"	1.500	0.512	0.045	600V	50 Foot Reel	1
HSTPYG150025FRL	1-1/2"	1.500	0.512	0.045	600V	25 Foot Reel	1
HSTPBK20004FPK5EA	2"	2.000	1.000	0.045	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPBK2000100FRL	2"	2.000	1.000	0.045	600V	100 Foot Reel	1
HSTPBK200050FRL	2"	2.000	1.000	0.045	600V	50 Foot Reel	1
HSTPBK200025FRL	2"	2.000	1.000	0.045	600V	25 Foot Reel	1
HSTPBL20004FPK5EA	2"	2.000	1.000	0.045	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPBL2000100FRL	2"	2.000	1.000	0.045	600V	100 Foot Reel	1
HSTPBL200050FRL	2"	2.000	1.000	0.045	600V	50 Foot Reel	1
HSTPBL200025FRL	2"	2.000	1.000	0.045	600V	25 Foot Reel	1
HSTPCL20004FPK5EA	2"	2.000	1.000	0.045	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPCL2000100FRL	2"	2.000	1.000	0.045	600V	100 Foot Reel	1
HSTPCL200050FRL	2"	2.000	1.000	0.045	600V	50 Foot Reel	1
HSTPCL200025FRL	2"	2.000	1.000	0.045	600V	25 Foot Reel	1
HSTPGR20004FPK5EA	2"	2.000	1.000	0.045	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPGR2000100FRL	2"	2.000	1.000	0.045	600V	100 Foot Reel	1
HSTPGR200050FRL	2"	2.000	1.000	0.045	600V	50 Foot Reel	1
HSTPGR200025FRL	2"	2.000	1.000	0.045	600V	25 Foot Reel	1
HSTPOR20004FPK5EA	2"	2.000	1.000	0.045	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPOR2000100FRL	2"	2.000	1.000	0.045	600V	100 Foot Reel	1
HSTPOR200050FRL	2"	2.000	1.000	0.045	600V	50 Foot Reel	1
HSTPOR200025FRL	2"	2.000	1.000	0.045	600V	25 Foot Reel	1
HSTPRD20004FPK5EA	2"	2.000	1.000	0.045	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPRD2000100FRL	2"	2.000	1.000	0.045	600V	100 Foot Reel	1
HSTPRD200050FRL	2"	2.000	1.000	0.045	600V	50 Foot Reel	1
HSTPRD200025FRL	2"	2.000	1.000	0.045	600V	25 Foot Reel	1
HSTPWH20004FPK5EA	2"	2.000	1.000	0.045	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPWH2000100FRL	2"	2.000	1.000	0.045	600V	100 Foot Reel	1
HSTPWH200050FRL	2"	2.000	1.000	0.045	600V	50 Foot Reel	1
HSTPWH200025FRL	2"	2.000	1.000	0.045	600V	25 Foot Reel	1
HSTPYL20004FPK5EA	2"	2.000	1.000	0.045	600V	Multi-Pack (4' Lengths) Sold by Each	5
HSTPYL2000100FRL	2"	2.000	1.000	0.045	600V	100 Foot Reel	1
HSTPYL200050FRL	2"	2.000	1.000	0.045	600V	50 Foot Reel	1
HSTPYL200025FRL	2"	2.000	1.000	0.045	600V	25 Foot Reel	1
HSTPBK30004FPK2EA	3"	3.000	1.500	0.050	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPBK300050FRL	3"	3.000	1.500	0.050	600V	50 Foot Reel	1
HSTPBK300025FRL	3"	3.000	1.500	0.050	600V	25 Foot Reel	1
HSTPBL30004FPK2EA	3"	3.000	1.500	0.050	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPBL300050FRL	3"	3.000	1.500	0.050	600V	50 Foot Reel	1
HSTPBL300025FRL	3"	3.000	1.500	0.050	600V	25 Foot Reel	1

Package Quantity	Total Pieces Per Pack	Quantity of Each Color									Color
		Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/ Green (YG)	
5 pieces in 1 pack	5	-	-	-	-	-	-	5	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
5 pieces in 1 pack	5	-	-	-	-	-	-	-	5	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
5 pieces in 1 pack	5	-	-	-	-	-	-	-	-	5	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
1 Reel	1	-	-	-	-	-	-	-	-	1	Yellow/Green
5 pieces in 1 pack	5	5	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
5 pieces in 1 pack	5	-	5	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
5 pieces in 1 pack	5	-	-	5	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
5 pieces in 1 pack	5	-	-	-	5	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
5 pieces in 1 pack	5	-	-	-	-	5	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
5 pieces in 1 pack	5	-	-	-	-	-	5	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
5 pieces in 1 pack	5	-	-	-	-	-	-	5	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
5 pieces in 1 pack	5	-	-	-	-	-	-	-	5	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
2 pieces in 1 pack	2	2	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
2 pieces in 1 pack	2	-	2	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue

HS-TP Thin Wall Polyolefin Heat Shrink							
Catalog Number	Nominal Size	Supplied Ø ID Min.	Recovery Ø ID Max.	Wall Thickness	Voltage Rating	Package Type	Min. Order Quantity
HSTPCL30004FPK2EA	3"	3.000	1.500	0.050	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPCL300050FRL	3"	3.000	1.500	0.050	600V	50 Foot Reel	1
HSTPCL300025FRL	3"	3.000	1.500	0.050	600V	25 Foot Reel	1
HSTPGR30004FPK2EA	3"	3.000	1.500	0.050	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPGR300050FRL	3"	3.000	1.500	0.050	600V	50 Foot Reel	1
HSTPGR300025FRL	3"	3.000	1.500	0.050	600V	25 Foot Reel	1
HSTPOR30004FPK2EA	3"	3.000	1.500	0.050	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPOR300050FRL	3"	3.000	1.500	0.050	600V	50 Foot Reel	1
HSTPOR300025FRL	3"	3.000	1.500	0.050	600V	25 Foot Reel	1
HSTPRD30004FPK2EA	3"	3.000	1.500	0.050	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPRD300050FRL	3"	3.000	1.500	0.050	600V	50 Foot Reel	1
HSTPRD300025FRL	3"	3.000	1.500	0.050	600V	25 Foot Reel	1
HSTPWH30004FPK2EA	3"	3.000	1.500	0.050	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPWH300050FRL	3"	3.000	1.500	0.050	600V	50 Foot Reel	1
HSTPWH300025FRL	3"	3.000	1.500	0.050	600V	25 Foot Reel	1
HSTPYL30004FPK2EA	3"	3.000	1.500	0.050	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPYL300050FRL	3"	3.000	1.500	0.050	600V	50 Foot Reel	1
HSTPYL300025FRL	3"	3.000	1.500	0.050	600V	25 Foot Reel	1
HSTPBK40004FPK2EA	4"	4.000	2.000	0.055	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPBK400050FRL	4"	4.000	2.000	0.055	600V	50 Foot Reel	1
HSTPBK400025FRL	4"	4.000	2.000	0.055	600V	25 Foot Reel	1
HSTPBL40004FPK2EA	4"	4.000	2.000	0.055	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPBL400050FRL	4"	4.000	2.000	0.055	600V	50 Foot Reel	1
HSTPBL400025FRL	4"	4.000	2.000	0.055	600V	25 Foot Reel	1
HSTPCL40004FPK2EA	4"	4.000	2.000	0.055	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPCL400050FRL	4"	4.000	2.000	0.055	600V	50 Foot Reel	1
HSTPCL400025FRL	4"	4.000	2.000	0.055	600V	25 Foot Reel	1
HSTPGR40004FPK2EA	4"	4.000	2.000	0.055	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPGR400050FRL	4"	4.000	2.000	0.055	600V	50 Foot Reel	1
HSTPGR400025FRL	4"	4.000	2.000	0.055	600V	25 Foot Reel	1
HSTPOR40004FPK2EA	4"	4.000	2.000	0.055	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPOR400050FRL	4"	4.000	2.000	0.055	600V	50 Foot Reel	1
HSTPOR400025FRL	4"	4.000	2.000	0.055	600V	25 Foot Reel	1
HSTPRD40004FPK2EA	4"	4.000	2.000	0.055	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPRD400050FRL	4"	4.000	2.000	0.055	600V	50 Foot Reel	1
HSTPRD400025FRL	4"	4.000	2.000	0.055	600V	25 Foot Reel	1
HSTPWH40004FPK2EA	4"	4.000	2.000	0.055	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPWH400050FRL	4"	4.000	2.000	0.055	600V	50 Foot Reel	1
HSTPWH400025FRL	4"	4.000	2.000	0.055	600V	25 Foot Reel	1
HSTPYL40004FPK2EA	4"	4.000	2.000	0.055	600V	Multi-Pack (4' Lengths) Sold by Each	2
HSTPYL400050FRL	4"	4.000	2.000	0.055	600V	50 Foot Reel	1
HSTPYL400025FRL	4"	4.000	2.000	0.055	600V	25 Foot Reel	1

Package Quantity	Total Pieces Per Pack	Quantity of Each Color									Color
		Black (BK)	Blue (BL)	Clear (CL)	Green (GR)	Orange (OR)	Red (RD)	White (WH)	Yellow (YL)	Yellow/ Green (YG)	
2 pieces in 1 pack	2	-	-	2	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
2 pieces in 1 pack	2	-	-	-	2	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
2 pieces in 1 pack	2	-	-	-	-	2	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
2 pieces in 1 pack	2	-	-	-	-	-	2	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
2 pieces in 1 pack	2	-	-	-	-	-	-	2	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
2 pieces in 1 pack	2	-	-	-	-	-	-	-	2	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
2 pieces in 1 pack	2	2	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
1 Reel	1	1	-	-	-	-	-	-	-	-	Black
2 pieces in 1 pack	2	-	2	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
1 Reel	1	-	1	-	-	-	-	-	-	-	Blue
2 pieces in 1 pack	2	-	-	2	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
1 Reel	1	-	-	1	-	-	-	-	-	-	Clear
2 pieces in 1 pack	2	-	-	-	2	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
1 Reel	1	-	-	-	1	-	-	-	-	-	Green
2 pieces in 1 pack	2	-	-	-	-	2	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
1 Reel	1	-	-	-	-	1	-	-	-	-	Orange
2 pieces in 1 pack	2	-	-	-	-	-	2	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
1 Reel	1	-	-	-	-	-	1	-	-	-	Red
2 pieces in 1 pack	2	-	-	-	-	-	-	2	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
1 Reel	1	-	-	-	-	-	-	1	-	-	White
2 pieces in 1 pack	2	-	-	-	-	-	-	-	2	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow
1 Reel	1	-	-	-	-	-	-	-	1	-	Yellow



hubbell.com/burndy/en

Contact a Sales Representative for Ordering Details



A proud member of the Hubbell family.

www.hubbell.com/burndy | Customer Service 1-800-346-4175
International 603-647-5299 | Canada 1-800-465-7051

©2023 Burndy. All rights reserved.
Hubbell and the Hubbell logo are registered trademarks
or trademarks of Hubbell Incorporated.
All other trademarks are the property of their respective owners.

LI-BURC-Mult-BR-EN-00576