

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2129505-5
Report Reference E103955-20000106
Date 7-Dec-2022

Issued to: Schneider Electric Industries SAS
Electropole/Eybens, Power / LV
31 Rue Pierre Mendes France Grenoble Cedex 9 38050
France

This is to certify that representative samples of DIHS - Circuit-breaker Accessories
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.


Standard(s) for Safety: UL 489, 13th Ed., Issue Date: 2016-10-24, Revision Date: 2019-04-22

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2129505-5
Report Reference E103955-20000106
Date 7-Dec-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
29370, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
29371, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
29382-29394, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
29402-29414, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage Release (MN)
29424, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM module
29450, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm switch
29452, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm switch
29532, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDx module
29843, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
29844, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
32631, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
32652, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Motor Mechanism Module
34200, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T/U and Comm. Cord
34201, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T/U and Comm. Cord
34202, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T/U and Comm. Cord
34204, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T/U and Comm. Cord (over 480 V)
34205, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	breaker status control module
34210, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	24 V dc terminal block
34212, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	ZSI wiring accessory


Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2129505-5
Report Reference E103955-20000106
Date 7-Dec-2022

36950-36953, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	neutral current sensor
60053, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
compact NSX400-630, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Molded Case Circuit Breaker Accs. and Adapters
GV7AB11, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm switch
GV7AE11, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm switch
GV7AS055, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
GV7AS107, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
GV7AS207, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
GV7AS387, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
GV7AS525, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
GV7AU055, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage Release (MN)
GV7AU107, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage Release (MN)
GV7AU207, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage Release (MN)
GV7AU387, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage Release (MN)
GV7AU525, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage Release (MN)
NJPAF, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
PowerPacT L	Molded Case Circuit Breaker Accs. and Adapters
S434201BS, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM module
S434202BS, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM module
S434204BS, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM module
S434303BS, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM module
S434304BS, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM module

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2129505-5
Report Reference E103955-20000106
Date 7-Dec-2022

S434305BS, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM module
TeSys GV6P	Molded Case Circuit Breaker Accs. and Adapters
TRV00211, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	insulated Modbus repeater
VTRIPL, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Visi-Trip Handle
VTRIPL05, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Visi-Trip Handle
VTRIPL10, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Visi-Trip Handle

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2124472-5
Report Reference E103955-20000106
Date 7-Dec-2022

Issued to: Schneider Electric Industries SAS
Electropole/Eybens, Power / LV
31 Rue Pierre Mendes France Grenoble Cedex 9 38050
France

This is to certify that representative samples of DIHS7 - Circuit-breaker Accessories Certified for Canada
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.


Standard(s) for Safety: CSA C22.2 NO. 5, 4th Ed., Issue Date: 2016-10-24,
Revision Date: 2019-04-22

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2124472-5
Report Reference E103955-20000106
Date 7-Dec-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
0994421Z, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
29370, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
29371, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
29382-29394, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
29402-29414, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage Release (MN)
29424, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM module
29450, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm switch
29452, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm switch
29532, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDx module
29843, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
29844, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
32631, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
32652, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Motor Mechanism Module
34200, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T/U and Comm. Cord
34201, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T/U and Comm. Cord
34202, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T/U and Comm. Cord
34204, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	T/U and Comm. Cord (over 480 V)
34205, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	breaker status control module
34210, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	24 V dc terminal block


 Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2124472-5
Report Reference E103955-20000106
Date 7-Dec-2022

34212, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	ZSI wiring accessory
36950-36953, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	neutral current sensor
60053, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
compact NSX400-630, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Molded Case Circuit Breaker Accs. and Adapters
GV7AB11, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm switch
GV7AE11, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Auxiliary/Alarm switch
GV7AS055, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
GV7AS107, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
GV7AS207, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
GV7AS387, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
GV7AS525, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Shunt trip (MX)
GV7AU055, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage Release (MN)
GV7AU107, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage Release (MN)
GV7AU207, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage Release (MN)
GV7AU387, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage Release (MN)
GV7AU525, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Undervoltage Release (MN)
NJPAF, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Locking devices
PowerPacT L	Molded Case Circuit Breaker Accs. and Adapters
S434201BS, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM module
S434202BS, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM module
S434204BS, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM module
S434303BS, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM module

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2124472-5
Report Reference E103955-20000106
Date 7-Dec-2022

S434304BS, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM module
S434305BS, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	SDTAM module
TeSys GV6P	Molded Case Circuit Breaker Accs. and Adapters
TRV00211, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	insulated Modbus repeater
VTRIPL, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Visi-Trip Handle
VTRIPL05, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Visi-Trip Handle
VTRIPL10, Cat. Nos. may, or may not, be preceded with an S, S4 or with LV4 and/or a suffix AB or S.	Visi-Trip Handle

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>